

066 script codes

OCLC supports script codes for all scripts in 066 fields. Some scripts will have more than one code depending on the Unicode character group to which they belong. Script identification codes are based on ISO 15924 Code Lists (<http://www.unicode.org/iso15924/codelists.html>)

If you want to search for any of these codes, you can use the Character Sets Present index using either of the following labels: **vp:** (index) or **vp=** (phrase).

Code*	English Name	MARC-8 Code**	Notes
Aghb	Caucasian Albanian		
Ahom	Ahom, Tai Ahom		
Arab or MARC-8 code	Arabic	<ul style="list-style-type: none"> • 066 c (3 (Arabic basic script) • 066 c (4 (Arabic extended script) 	<ul style="list-style-type: none"> • vp=ara (MARC-8 codes) • vp=arab (All Arabic script, both MARC-8 and Unicode characters)
Armi	Imperial Aramaic		
Armnn	Armenian		Both vp=arm and vp=armnn return all Armenian script.
Avst	Avestan		
Bali	Balinese		
Bamu	Baumum		
Bass	Bassa Vah		
Batk	Batak		
Beng	Bengali		Both vp=ben and vp=beng return all Bengali script.
Bopo	Bopomofo		
Brah	Brahmi		
Brai	Braille		
Bugi	Buginese		
Buhd	Buhid		
Cakm	Chakma		
Cans	Unified Canadian Aboriginal Syllabics		

Unicode Support and Connexion client 2.61

Code*	English Name	MARC-8 Code**	Notes
Cari	Carian		
Cham	Cham		
Cher	Cherokee		
Copt	Coptic		
Cprt	Cypriot		
Cyrl or MARC-8 code	Cyrillic	066 c (N (Cyrillic basic script) 066 c (Q (Cyrillic extended script)	<ul style="list-style-type: none"> • vp=cyr (MARC-8 codes) • vp=cyrl (All Cyrillic script, both MARC-8 and Unicode characters)
Deva	Devanagari (Nagari)		Both vp=dev and vp=deva return all Devanagari script.
Dsrt	Deseret (Mormon)		
Dupl	Duployan shorthand, Duployan stenography		
Egyp	Egyptian hieroglyphs		
Elba	Elbasan		
Ethi	Ethiopic (Ge'ez)		Both vp=eth and vp=ethi return all Ethiopic script.
Geor	Georgian (Mkhedruli)		
Glag	Glagolitic		
Goth	Gothic		
Gran	Grantha		
GreK or MARC-8 code	Greek	066 c (S (Greek)	<ul style="list-style-type: none"> • vp=gre (MARC-8 codes) • vp=grek (All Greek script, both MARC-8 and Unicode characters)
Gujr	Gujarati		
Guru	Gurmukhi		
Hang	Hangul (Hangül, Hanguel)	066 c \$1 (CJK script)	Korean script uses the Korean specific characters represented by Hang as well as CJK characters represented as Hani. A search of vp:hang will not include CJK characters.

Unicode Support and Connexion client 2.61

Code*	English Name	MARC-8 Code**	Notes
Hani or MARC-8 code	Han (Hanzi, Kanji, Hanja)	066 c \$1 (CJK script)	CJK script is used for Chinese, Japanese, and Korean characters as well as other scripts. The script designated as Hani and/or \$1 is for CJK characters only. A search of vp:hani will include all CJK script, both MARC-8 and Unicode characters.
Hano	Hanunoo (Hanunóo)		
Hatr	Hatran		
Hebr or MARC-8 code	Hebrew	066 c (2 (Hebrew script)	Both vp=hbr and vp=hebr return all Hebrew script.
Hluw	Anatolian Hieroglyphs (Luwian Hieroglyphs, Hittite Hieroglyphs)		
Hmng	Pahawh Hmong		
Hrkt	Japanese syllabaries (alias for Hiragana + Katakana)	066 c \$1 (CJK script)	Japanese script uses the Japanese specific characters represented by Hrkt as well as CJK characters represented as Hani. A search of vp:hrkt will not include CJK characters.
Hung	Old Hungarian (Hungarian Runic)		
Ital	Old Italic (Etruscan, Oscan, etc.)		
Java	Javanese		
Kali	Kayah Li		
Khar	Kharoshthi		
Khmr	Khmer		
Khoj	Khojki		
Knda	Kannada		
Kthi	Kaithi		
Lana	Tai Tham (Lanna)		
Laoo	Lao		
Lepc	Lepcha (Róng)		

Code*	English Name	MARC-8 Code**	Notes
Limb	Limbu		
Lina	Linear A		
Linb	Linear B		
Lisu	Lisu (Fraser)		
Lyci	Lycian		
Lydi	Lydian		
Mahj	Mahajani		
Mand	Mandaic, Mandaean		
Mani	Manichaeian		
Mend	Mende Kikakui		
Merc	Meroitic Cursive		
Mero	Meroitic Hieroglyphs		
Mlym	Malayalam		
Modi	Modi, Moḍī		
Mong	Mongolian		
Mroo	Mro, Mru		
Mtei	Meitei Mayek (Meithei, Meetei)		
Mult	Multani		
Mymr	Myanmar (Burmese)		
Narb	Old North Arabian (Ancient North Arabian)		
Nbat	Nabataean		
Nkoo	N'Ko		
Ogam	Ogham		
Olck	OI Chiki (OI Cemet', OI, Santali)		
Orkh	Old Turkic, Orkhon Runic		
Orya	Oriya		
Osma	Osmanya		
Palm	Palmyrene		
Pauc	Pau Cin Hau		
Perm	Old Permic		

Code*	English Name	MARC-8 Code**	Notes
Phag	Phags-pa		
Phli	Inscriptional Pahlavi		
Phlp	Psalter Pahlavi		
Phnx	Phoenician		
Plrd	Miao (Pollard)		
Prti	Inscriptional Parthian		
Rjng	Rejang (Redjang, Kaganga)		
Runr	Runic		
Samr	Samaritan		
Sarb	Old South Arabian		
Saur	Saurashtra		
Shaw	Shavian (Shaw)		
Shrd	Sharada, Śāradā		
Sidd	Siddham, Siddhaṃ, Siddhamātrkā		
Sind	Khudawadi, Sindhi		
Sinh	Sinhala		
Sora	Sora Sompeng		
Sund	Sundanese		
Sylo	Syloti Nagri		
Syrc	Syriac		Both vp=syr and vp=syrc return all Syriac script.
Tagb	Tagbanwa		
Takr	Takri, Ṭākṛī, Ṭāṅkrī		
Tale	Tai Le		
Talu	New Tai Lue		
Taml	Tamil		Both vp=tam and vp=taml return all Tamil script.
Tavt	Tai Viet		
Telu	Telugu		
Tfng	Tifinagh (Berber)		
Tglg	Tagalog (Baybayin, Alibata)		

Unicode Support and Connexion client 2.61

Code*	English Name	MARC-8 Code**	Notes
Thaa	Thaana		
Thai	Thai		Both vp=tha and vp=thai return all Thai script.
Tibt	Tibetan		
Tirh	Tirhuta		
Ugar	Ugaritic		
Vaii	Vai		
Wara	Warang Citi (Varang Kshiti)		
Xpeo	Old Persian		
Xsux	Cuneiform, Sumero-Akkadian		
Yiii	Yi		
Zsym	Symbols		

* This gives the list of codes that identify the script used. It appears in the 066 \$c and the 880 \$6. The codes are from ISO 15924 Code List – <http://www.unicode.org/iso15924/iso15924-codes.html>

** MARC-8 code is the code OCLC uses to identify the original MARC-8 characters for this script. If only original MARC-8 characters are present then only the MARC-8 code will be present. Any characters for these scripts beyond the original MARC-8 use the four letter Unicode character. MARC-8 Code Tables – <http://www.loc.gov/marc/specifications/specchartables.html>