



# Data Dictionary

Version 8.2

## CONFIDENTIAL INFORMATION

The information herein is the property of Ex Libris Ltd. or its affiliates and any misuse or abuse will result in economic loss. DO NOT COPY UNLESS YOU HAVE BEEN GIVEN SPECIFIC WRITTEN AUTHORIZATION FROM EX LIBRIS LTD.

This document is provided for limited and restricted purposes in accordance with a binding contract with Ex Libris Ltd. or an affiliate. The information herein includes trade secrets and is confidential.

## DISCLAIMER

The information in this document will be subject to periodic change and updating. Please confirm that you have the most current documentation. There are no warranties of any kind, express or implied, provided in this documentation, other than those expressly agreed upon in the applicable Ex Libris contract. This information is provided AS IS. Unless otherwise agreed, Ex Libris shall not be liable for any damages for use of this document, including, without limitation, consequential, punitive, indirect or direct damages.

Any references in this document to third-party material (including third-party Web sites) are provided for convenience only and do not in any manner serve as an endorsement of that third-party material or those Web sites. The third-party materials are not part of the materials for this Ex Libris product and Ex Libris has no liability for such materials.

## TRADEMARKS

"Ex Libris," the Ex Libris Bridge to Knowledge , Primo, Aleph, Voyager, SFX, MetaLib, Verde, DigiTool, Rosetta, bX, URM, Alma , and other marks are trademarks or registered trademarks of Ex Libris Ltd. or its affiliates.

The absence of a name or logo in this list does not constitute a waiver of any and all intellectual property rights that Ex Libris Ltd. or its affiliates have established in any of its products, features, or service names or logos.

Trademarks of various third-party products, which may include the following, are referenced in this documentation. Ex Libris does not claim any rights in these trademarks. Use of these marks does not imply endorsement by Ex Libris of these third-party products, or endorsement by these third parties of Ex Libris products.

Oracle is a registered trademark of Oracle Corporation.

UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Ltd.

Microsoft, the Microsoft logo, MS, MS-DOS, Microsoft PowerPoint, Visual Basic, Visual C++, Win32, Microsoft Windows, the Windows logo, Microsoft Notepad, Microsoft Windows Explorer, Microsoft Internet Explorer, and Windows NT are registered trademarks and ActiveX is a trademark of the Microsoft Corporation in the United States and/or other countries.

Unicode and the Unicode logo are registered trademarks of Unicode, Inc.

Google is a registered trademark of Google, Inc.

Copyright Ex Libris Limited, 2012. All rights reserved.

Document released: November 2012

Web address: <http://www.exlibrisgroup.com>

---

### **ACCESS\_GROUP**

ACCESS\_GROUP\_ID: NUMBER  
ACCESS\_GROUP\_CODE: VARCHAR2(8)  
ACCESS\_GROUP\_NAME: VARCHAR2(40)  
ACCESS\_GROUP\_TYPE: CHAR(1)

### **ACCESS\_GROUP\_DATABASES**

ACCESS\_GROUP\_ID: NUMBER  
DB\_CODE: VARCHAR2(8)  
DB\_ID: NUMBER

### **ACCESS\_GROUP\_DOMAIN**

ACCESS\_GROUP\_DOMAIN\_ID: NUMBER  
ACCESS\_GROUP\_ID: NUMBER  
DOMAIN\_NAME: VARCHAR2(256)

### **ACCESS\_GROUP\_IP**

ACCESS\_GROUP\_IP\_ID: NUMBER  
ACCESS\_GROUP\_ID: NUMBER  
MIN\_IP\_ADDR: NUMBER  
MAX\_IP\_ADDR: NUMBER  
MIN\_IPV6\_ADDR: VARCHAR2(32)  
MAX\_IPV6\_ADDR: VARCHAR2(32)

### **ACCESS\_GROUP\_PATRON\_GROUP**

ACCESS\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER

### **ACCESS\_GROUP\_SORT\_GROUP**

ACCESS\_GROUP\_ID: NUMBER  
SORT\_GROUP\_ID: NUMBER

### **ACCOUNT\_LOCATION**

ACCOUNT\_ID: NUMBER  
ACCOUNT\_LOCATION: NUMBER

### **ACCOUNT\_NOTE**

ACCOUNT\_ID: NUMBER  
VENDOR\_ID: NUMBER  
NOTE: VARCHAR2(1900)

### **ACQ\_LOCATIONS**

ACQ\_POLICY\_ID: NUMBER  
LOCATION\_ID: NUMBER

### **ACQ\_POLICY\_GROUP**

DUP\_PROFILE\_ID: NUMBER

### **ACQ\_PROFILE**

ACQ\_PROFILE\_ID: NUMBER  
ACQ\_PROFILE\_NAME: VARCHAR2(25)  
ORDER\_ADD\_UPDATE: CHAR(1)  
ORDER\_APPROVE: CHAR(1)  
OVERRIDE\_COMMIT: CHAR(1)  
OVERRIDE\_EXPEND: CHAR(1)  
RECEIVE: CHAR(1)  
SERIAL\_CHECKIN: CHAR(1)  
ORDER\_VIEW\_ONLY: CHAR(1)  
INVOICE\_ADD\_UPDATE: CHAR(1)  
INVOICE\_APPROVE: CHAR(1)  
INVOICE\_VIEW\_ONLY: CHAR(1)  
LEDGER\_ADD\_UPDATE: CHAR(1)  
CHANGE\_FUND\_ALLOC: CHAR(1)  
LEDGER\_VIEW\_ONLY: CHAR(1)  
FISCAL\_CLOSE: CHAR(1)  
VENDOR\_ADD\_UPDATE: CHAR(1)  
VENDOR\_VIEW\_ONLY: CHAR(1)  
MONO\_CLAIMS: CHAR(1)  
SERIAL\_CLAIMS: CHAR(1)  
PATTERN\_ADD\_UPDATE: CHAR(1)  
PATTERN\_VIEW\_ONLY: CHAR(1)  
ORDER\_DELETE: CHAR(1)  
INVOICE\_DELETE: CHAR(1)  
LEDGER\_DELETE: CHAR(1)  
PATTERN\_DELETE: CHAR(1)  
VENDOR\_DELETE: CHAR(1)  
CURRENCY\_MAINTENANCE: CHAR(1)  
EDI\_INCOMING: CHAR(1)  
EDI\_OUTGOING: CHAR(1)  
HOLD\_IGNORE\_OWNERSHIP: CHAR(1)  
MODIFY\_EDI\_OUTGOING: CHAR(1)  
ITEM\_ADD\_UPDATE: CHAR(1)  
ITEM\_VIEW\_ONLY: CHAR(1)  
ITEM\_DELETE: CHAR(1)  
SERIALS\_VIEW\_ONLY: CHAR(1)  
PROBLEMS\_CLAIMS\_VIEW\_ONLY: CHAR(1)  
BIND\_VIEW\_VOL\_ISSUE: CHAR(1)

ORDER\_LOC: CHAR(1)  
RECEIVE\_LOC: CHAR(1)  
DESTINATION\_LOC: CHAR(1)  
ORDER\_OPAC: CHAR(1)  
ORDER\_DEFAULT\_ITEM\_TYPE: NUMBER  
RECEIVE\_DEFAULT\_ITEM\_TYPE: NUMBER  
PRINT\_LOCATION: NUMBER

### **ACQ\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
ACQ\_PROFILE\_ID: NUMBER

### **ACQ\_POLICY\_GROUP**

ACQ\_POLICY\_ID: NUMBER  
ACQ\_POLICY\_NAME: VARCHAR2(40)

### **ADDRESS\_TYPE**

#### **ADJUST\_REASON**

REASON\_ID: NUMBER  
REASON\_TEXT: VARCHAR2(50)  
CHARGE\_OR\_CREDIT: CHAR(1)  
REASON\_EDI\_CODE: VARCHAR2(250)  
VENDOR\_ID: NUMBER

#### **AUTH\_DATA**

AUTH\_ID: NUMBER  
SEQNUM: NUMBER  
RECORD\_SEGMENT: VARCHAR2(990)

#### **AUTH\_HEADING**

HEADING\_ID\_POINTER: NUMBER  
HEADING\_ID\_POINTEE: NUMBER  
AUTH\_ID: NUMBER  
REFERENCE\_TYPE: CHAR(1)  
DISPLAY\_HEADING: VARCHAR2(330)  
SCOPE\_NOTE\_PRESENT: CHAR(1)

#### **AUTH\_HISTORY**

AUTH\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
ACTION\_DATE: DATE  
LOCATION\_ID: NUMBER  
ENCODING\_LEVEL: CHAR(1)  
ACTION\_TYPE\_ID: NUMBER

#### **AUTH\_INDEX**

AUTH\_ID: NUMBER  
INDEX\_CODE: CHAR(4)  
NORMAL\_HEADING: VARCHAR2(150)  
DISPLAY\_HEADING: VARCHAR2(150)

#### **AUTH\_MASTER**

AUTH\_ID: NUMBER  
CREATE\_DATE: DATE

BIND\_EDIT\_VOL: CHAR(1)  
BIND\_EDIT\_ISSUE: CHAR(1)  
BIND\_PRINT: CHAR(1)  
CHANGE\_LINE\_ITEM\_BIB: CHAR(1)

### **ACQ\_SECURITY\_LOCS**

ACQ\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

### **ACTION\_TYPE**

ACTION\_TYPE\_ID: NUMBER  
ACTION\_TYPE: VARCHAR2(20)

### **ADDRESS\_TYPE**

ADDRESS\_TYPE: NUMBER  
ADDRESS\_DESC: VARCHAR2(25)

### **AUTHHEADING\_VW**

HEADING\_ID\_POINTEE: NUMBER  
AUTH\_ID: NUMBER  
REFERENCE\_TYPE: VARCHAR2(20)

### **AUTHHISTORY\_VW**

AUTH\_ID: NUMBER  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
CREATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPERATOR\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER

### **AUTHORITY1XX4XX\_VW**

INDEX\_TYPE: VARCHAR2(10)  
AUTH\_ID\_1XX: NUMBER  
AUTH\_ID\_4XX: NUMBER  
STAFFBIBS: NUMBER  
OPACBIBS: NUMBER  
DISPLAY\_HEADING: VARCHAR2(330)

### **AUTHORITY5XX1XX\_VW**

INDEX\_TYPE: VARCHAR2(10)  
AUTH\_ID\_5XX: NUMBER  
DISPLAY\_HEADING: VARCHAR2(300)

### **AUTHORITYDUPE\_VW**

AUTH\_ID: NUMBER  
DISPLAY\_HEADING: VARCHAR2(330)

### **AUTHORITYRECORDS\_VW**

AUTH\_ID: NUMBER  
INDEX\_TYPE: VARCHAR2(10)  
REFERENCE\_TYPE\_DESC: VARCHAR2(20)  
DISPLAY\_HEADING: VARCHAR2(300)  
NORMAL\_HEADING: VARCHAR2(300)

### **BASE\_CURRENCY**

UPDATE\_DATE: DATE  
EXPORT\_OK: CHAR(1)  
EXPORT\_OK\_DATE: DATE  
EXPORT\_OK\_OPID: VARCHAR2(10)  
EXPORT\_OK\_LOCATION\_ID: NUMBER  
EXPORT\_DATE: DATE

### **AUTH\_SUBDIVISION**

SUBDIV\_ID\_POINTER: NUMBER  
SUBDIV\_ID\_POINTEE: NUMBER  
REFERENCE\_TYPE: CHAR(1)  
AUTH\_ID: NUMBER  
DISPLAY\_SUBDIV: VARCHAR2(330)

### **AUTHBLOB\_VW**

AUTH\_ID: NUMBER  
MARC\_RECORD: CLOB

### **AUTHHEADING\_VW**

HEADING\_ID\_POINTER: NUMBER

### **BIB\_FACET**

BIB\_ID: NUMBER  
INDEX\_CODE: CHAR(4)  
FACET1: VARCHAR2(20)  
FACET2: VARCHAR2(20)  
FACET3: VARCHAR2(20)

### **BIB\_FORMAT\_DISPLAY**

BIB\_FORMAT: VARCHAR2(2)  
BIB\_FORMAT\_DISPLAY: VARCHAR2(20)

### **BIB\_HEADING**

HEADING\_ID: NUMBER  
BIB\_ID: NUMBER  
DISPLAY\_HEADING: VARCHAR2(330)  
SUPPRESS\_IN\_OPAC: CHAR(1)

### **BIB\_HISTORY**

BIB\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
ACTION\_DATE: DATE  
LOCATION\_ID: NUMBER  
ENCODING\_LEVEL: CHAR(1)  
SUPPRESS\_IN\_OPAC: VARCHAR2(1)  
ACTION\_TYPE\_ID: NUMBER

### **BIB\_INDEX**

BIB\_ID: NUMBER  
INDEX\_CODE: CHAR(4)  
NORMAL\_HEADING: VARCHAR2(150)  
DISPLAY\_HEADING: VARCHAR2(150)

### **BIB\_ITEM**

BIB\_ID: NUMBER  
ITEM\_ID: NUMBER  
ADD\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)

### **BIB\_LOCATION**

BASE\_COUNTRY\_NAME: VARCHAR2(25)  
BASE\_CURRENCY\_NAME: VARCHAR2(25)  
BASE\_CURRENCY\_CODE: VARCHAR2(3)  
BASE\_DECIMALS: NUMBER  
DECIMAL\_DELIMITER: CHAR(1)

### **BIB\_CARRIER**

CARRIER: CHAR(2)  
BIB\_ID: NUMBER

### **BIB\_CONTENT**

CONTENT: CHAR(3)  
BIB\_ID: NUMBER

### **BIB\_DATA**

BIB\_ID: NUMBER  
SEQNUM: NUMBER  
RECORD\_SEGMENT: VARCHAR2(990)

### **BIB\_FACET**

### **BIB\_MEDIA**

### **BIB\_MEDIUM**

MEDIUM: CHAR(1)  
BIB\_ID: NUMBER

### **BIB\_MFHD**

BIB\_ID: NUMBER  
MFHD\_ID: NUMBER

### **BIB\_SUBDIVISION**

BIB\_ID: NUMBER  
SUBDIV\_ID: NUMBER  
DISPLAY\_SUBDIV: VARCHAR2(330)

### **BIB\_TEXT**

BIB\_ID: NUMBER  
AUTHOR: VARCHAR2(255)  
TITLE: VARCHAR2(255)  
TITLE\_BRIEF: VARCHAR2(150)  
UNIFORM\_TITLE: VARCHAR2(255)  
EDITION: VARCHAR2(100)  
ISBN: VARCHAR2(50)  
ISSN: VARCHAR2(20)  
LCCN: VARCHAR2(20)  
NETWORK\_NUMBER: VARCHAR2(30)  
SERIES: VARCHAR2(255)  
CODEN: VARCHAR2(6)  
GPONUM: VARCHAR2(20)  
STDTECH: VARCHAR2(30)  
OTHER\_STD\_NUM: VARCHAR2(30)  
BEGIN\_PUB\_DATE: VARCHAR2(4)  
END\_PUB\_DATE: VARCHAR2(4)  
PUB\_DATES\_COMBINED: VARCHAR2(9)  
PUBLISHER\_DATE: VARCHAR2(25)  
PUB\_PLACE: VARCHAR2(100)  
PUBLISHER: VARCHAR2(150)  
PUBLISHER\_NUMBER: VARCHAR2(40)

BIB\_ID: NUMBER

LOCATION\_ID: NUMBER

### **BIB\_MASTER**

BIB\_ID: NUMBER

LIBRARY\_ID: NUMBER

SUPPRESS\_IN\_OPAC: CHAR(1)

CREATE\_DATE: DATE

UPDATE\_DATE: DATE

EXPORT\_OK: CHAR(1)

EXPORT\_OK\_DATE: DATE

EXPORT\_OK\_OPID: VARCHAR2(10)

EXPORT\_OK\_LOCATION\_ID: NUMBER

EXPORT\_DATE: DATE

EXISTS\_IN\_DPS: CHAR(1)

EXISTS\_IN\_DPS\_DATE: DATE

### **BIB\_MEDIA**

MEDIA: CHAR(1)

BIB\_ID: NUMBER

### **BIB\_USAGE\_LOG**

OPERATOR\_ID: VARCHAR2(10)

LOCATION\_ID: NUMBER

SESSION\_ID: VARCHAR2(16)

STAT\_STRING: VARCHAR2(15)

CLIENT\_IP: VARCHAR2(40)

BIB\_ID: NUMBER

USE\_TYPE: CHAR(1)

### **BIB\_VW**

TITLE: VARCHAR2(150)

SORT\_TITLE: VARCHAR2(150)

BIB\_ID: NUMBER

CREATE\_DATE: DATE

CREATE\_OPERATOR: VARCHAR2(10)

CREATE\_LOCATION\_ID: NUMBER

MFHD\_ID: NUMBER

CALL\_NO: VARCHAR2(300)

CALL\_NO\_TYPE: CHAR(1)

NORMALIZED\_CALL\_NO: VARCHAR2(300)

MFHD\_CREATE\_DATE: DATE

MFHD\_CREATE\_OPERATOR: VARCHAR2(10)

MFHD\_CREATE\_LOCATION\_ID: NUMBER

MFHD\_LOCATION\_ID: NUMBER

MFHD\_LOCATION\_CODE: VARCHAR2(10)

MFHD\_LOCATION: VARCHAR2(25)

### **BIBBLOB\_VW**

BIB\_ID: NUMBER

MARC\_RECORD: CLOB

### **BIBCOMPOSITEINDEX\_VW**

COMPOSITE\_SEARCHCODE: CHAR(4)

COMPONENT\_SEARCHCODE: CHAR(4)

IMPRINT: VARCHAR2(200)

LANGUAGE: VARCHAR2(3)

BIB\_FORMAT: VARCHAR2(2)

RECORD\_STATUS: VARCHAR2(1)

ENCODING\_LEVEL: VARCHAR2(1)

DESCRIP\_FORM: VARCHAR2(1)

FIELD\_008: VARCHAR2(40)

PLACE\_CODE: VARCHAR2(3)

DATE\_TYPE\_STATUS: CHAR(1)

MAP\_PROJECTION: CHAR(2)

MAP\_MATH\_DATA: VARCHAR2(255)

STOCK\_NUMBER: VARCHAR2(50)

### **BIB\_TEXT\_DISPLAYFIELD**

BIB\_TEXT\_FIELD: VARCHAR2(30)

DISPLAY\_NAME: VARCHAR2(40)

### **BIB\_USAGE\_LOG**

CLIENT\_TYPE: CHAR(1)

USE\_DATE: DATE

### **BINDERY\_COPY**

COMPONENT\_ID: NUMBER

COPY\_ID: NUMBER

### **BINDERY\_COPY\_DATA**

BINDERY\_DATA\_ID: NUMBER

BINDERY\_COPY\_ID: NUMBER

BINDERY\_DATA\_TYPE\_ID: NUMBER

BINDERY\_DATA: VARCHAR2(1000)

### **BINDERY\_COPY\_DATA\_TYPE**

BINDERY\_DATA\_TYPE\_ID: NUMBER

BINDERY\_COPY\_DATA\_TYPE\_DESC:

VARCHAR2(25)

### **BINDERY\_VOLUME**

BINDERY\_VOLUME\_ID: NUMBER

BINDERY\_COPY\_ID: NUMBER

BIND\_ON\_DATE: DATE

ITEM\_ID: NUMBER

ITEM\_ENUM: VARCHAR2(80)

CHRON: VARCHAR2(80)

YEAR: VARCHAR2(20)

CAPTION: VARCHAR2(256)

FREETEXT: VARCHAR2(256)

VOLUME\_NOTE: VARCHAR2(200)

OTHER\_VOLUME\_DATA: VARCHAR2(200)

### **BINDERY\_VOLUME\_ISSUES**

BINDERY\_VOLUME\_ID: NUMBER

ISSUE\_ID: NUMBER

COMPONENT\_ID: NUMBER

COPY\_ID: NUMBER

SEQUENCE\_NUMBER: NUMBER

**BIBHISTORY\_VW**

BIB\_ID: NUMBER  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
  
CREATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPERATOR\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER

**BIBLOC\_VW**

BIB\_ID: NUMBER  
MARCLOCODE: VARCHAR2(3)

**BIBSORTING\_VW**

BIB\_ID: NUMBER  
DISPLAY\_TITLE: VARCHAR2(150)  
NORMAL\_TITLE: VARCHAR2(150)  
DISPLAY\_AUTHOR: VARCHAR2(150)  
  
NORMAL\_AUTHOR: VARCHAR2(150)  
PUB\_DATE: VARCHAR2(4)

**BINDERY\_COPY**

BINDERY\_COPY\_ID: NUMBER

**CALENDAR**

CALENDAR\_ID: NUMBER  
CALENDAR\_BEGIN\_DATE: DATE  
CALENDAR\_END\_DATE: DATE  
FIXED\_DUE\_DATE: DATE  
CALENDAR\_DESC: VARCHAR2(25)  
SUNDAY\_OPEN: CHAR(1)  
SUNDAY\_OPENHOUR: NUMBER  
SUNDAY\_CLOSEHOUR: NUMBER  
MONDAY\_OPEN: CHAR(1)  
MONDAY\_OPENHOUR: NUMBER  
MONDAY\_CLOSEHOUR: NUMBER  
TUESDAY\_OPEN: CHAR(1)  
TUESDAY\_OPENHOUR: NUMBER  
TUESDAY\_CLOSEHOUR: NUMBER  
WEDNESDAY\_OPEN: CHAR(1)  
WEDNESDAY\_OPENHOUR: NUMBER  
WEDNESDAY\_CLOSEHOUR: NUMBER  
THURSDAY\_OPEN: CHAR(1)  
THURSDAY\_OPENHOUR: NUMBER  
THURSDAY\_CLOSEHOUR: NUMBER  
FRIDAY\_OPEN: CHAR(1)  
FRIDAY\_OPENHOUR: NUMBER  
FRIDAY\_CLOSEHOUR: NUMBER  
SATURDAY\_OPEN: CHAR(1)  
SATURDAY\_OPENHOUR: NUMBER  
SATURDAY\_CLOSEHOUR: NUMBER  
CIRC\_CLUSTER\_ID: NUMBER  
MONDAY\_HOURLY\_EFFECT: NUMBER  
MONDAY\_LOAN\_DUE: NUMBER  
  
TUESDAY\_HOURLY\_EFFECT: NUMBER  
TUESDAY\_LOAN\_DUE: NUMBER  
  
WEDNESDAY\_HOURLY\_EFFECT: NUMBER  
  
WEDNESDAY\_LOAN\_DUE: NUMBER

**BOOKING\_RESULT**

BOOKING\_RESULT\_ID: NUMBER  
BOOKING\_RESULT: VARCHAR2(20)

**BROWSE\_STATS**

STAT\_ID: NUMBER  
STAT\_SAMPLE: VARCHAR2(50)  
STAT\_TYPE: CHAR(1)  
SUB\_TYPE: VARCHAR2(12)  
SUBSUB\_TYPE: NUMBER

**CACHE\_MAPS**

CACHE\_ID: NUMBER  
CODE: CHAR(4)  
ARG: VARCHAR2(60)  
DATE\_UPDATED: DATE  
BITS: NUMBER  
SEGSIZE: NUMBER

**CACHE\_SEGS**

CACHE\_ID: NUMBER  
SEQNUM: NUMBER  
RECORD\_SEGMENT: LONG RAW

**CALL\_NO\_TYPE**

CALL\_NO\_DESC: VARCHAR2(25)  
INDEXRULES: VARCHAR2(300)  
CALL\_NO\_CODE: VARCHAR2(16)  
MAP\_CODE: CHAR(1)

**CALL\_SLIP**

CALL\_SLIP\_ID: NUMBER  
PRINT\_GROUP\_ID: NUMBER  
BIB\_ID: NUMBER  
ITEM\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
DATE\_REQUESTED: DATE  
DATE\_PROCESSED: DATE  
LOCATION\_ID: NUMBER  
STATUS: NUMBER  
STATUS\_DATE: DATE  
STATUS\_OPID: VARCHAR2(10)  
NO\_FILL\_REASON: NUMBER  
ITEM\_YEAR: VARCHAR2(20)  
ITEM\_ENUM: VARCHAR2(80)  
ITEM\_CHRON: VARCHAR2(80)  
NOTE: VARCHAR2(100)  
MFHD\_ID: NUMBER  
PICKUP\_LOCATION\_ID: NUMBER  
PICKUP\_DB\_ID: NUMBER  
PATRON\_DB\_ID: NUMBER  
NOT\_NEEDED\_AFTER: NUMBER  
REPLY\_NOTE: VARCHAR2(100)

**CALL\_SLIP\_ARCHIVE**

ARCHIVE\_ID: NUMBER  
  
PRINT\_GROUP\_ID: NUMBER  
  
BIB\_ID: NUMBER

THURSDAY\_HOURLY\_EFFECT: NUMBER  
THURSDAY\_LOAN\_DUE: NUMBER  
FRIDAY\_HOURLY\_EFFECT: NUMBER  
FRIDAY\_LOAN\_DUE: NUMBER  
SATURDAY\_HOURLY\_EFFECT: NUMBER  
SATURDAY\_LOAN\_DUE: NUMBER  
SUNDAY\_HOURLY\_EFFECT: NUMBER  
SUNDAY\_LOAN\_DUE: NUMBER

### **CALENDAR\_TERM\_DATE**

CALENDAR\_ID: NUMBER  
LEAD\_DAYS: NUMBER  
END\_OF\_TERM\_DATE: DATE

### **CALL\_NO\_HIERARCHY**

CALL\_NO\_HIERARCHY\_ID: NUMBER  
CALL\_NO\_TYPE: CHAR(1)  
CODE: VARCHAR2(8)  
NAME: VARCHAR2(25)  
USE\_AS\_DEFAULT: CHAR(1)

### **CALL\_NO\_TYPE**

CALL\_NO\_TYPE: CHAR(1)

### **CALL\_SLIP\_GROUP\_LOCATION**

GROUP\_ID: NUMBER  
LOCATION\_ID: NUMBER  
RULE\_RANK: NUMBER  
CALL\_NO\_TYPE: CHAR(1)  
CALL\_NO\_MIN\_NORM: VARCHAR2(112)  
CALL\_NO\_MIN\_DISPLAY: VARCHAR2(144)  
CALL\_NO\_MAX\_NORM: VARCHAR2(112)  
CALL\_NO\_MAX\_DISPLAY: VARCHAR2(144)

PERM\_LOCATION: NUMBER

TEMP\_LOCATION: NUMBER

ITEM\_TYPE\_ID: NUMBER  
TEMP\_ITEM\_TYPE\_ID: NUMBER  
YEAR\_MIN: VARCHAR2(20)  
YEAR\_MAX: VARCHAR2(20)

### **CALL\_SLIP\_MSG**

MESSAGE\_ID: NUMBER

MESSAGE\_CODE: VARCHAR2(10)  
MESSAGE\_NAME: VARCHAR2(25)  
SUSPENSION\_MESSAGE: CHAR(1)  
ACTIVE: CHAR(1)

### **CALL\_SLIP\_PRINT\_GROUP**

GROUP\_ID: NUMBER

ITEM\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
DATE\_REQUESTED: DATE  
DATE\_PROCESSED: DATE  
LOCATION\_ID: NUMBER  
STATUS: NUMBER  
STATUS\_DATE: DATE  
STATUS\_OPID: VARCHAR2(10)  
NO\_FILL\_REASON: NUMBER  
ITEM\_YEAR: VARCHAR2(20)  
ITEM\_ENUM: VARCHAR2(80)  
ITEM\_CHRON: VARCHAR2(80)  
NOTE: VARCHAR2(100)  
MFHD\_ID: NUMBER  
PICKUP\_LOCATION\_ID: NUMBER  
PICKUP\_DB\_ID: NUMBER  
PATRON\_DB\_ID: NUMBER  
NOT\_NEEDED\_AFTER: NUMBER  
REPLY\_NOTE: VARCHAR2(100)

### **CALL\_SLIP\_GROUP\_LOCATION CAMBRIDGEDEPTCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(6)

### **CAMBRIDGEMAINCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(6)

### **CAMBRIDGEMEDICALCLASS\_VW**

MFHD\_ID: NUMBER

CLASS: VARCHAR2(6)

### **CAT\_CONTROL\_BARCODE**

IMPORT\_RULE\_ID: NUMBER  
INDICATOR1: CHAR(1)  
INDICATOR2: CHAR(1)  
FIELD: VARCHAR2(3)  
SUBFIELD: CHAR(1)

SEQUENCE: NUMBER

### **CAT\_CONTROL\_CALL\_NO**

CALL\_NO\_HIERARCHY\_ID: NUMBER  
INDICATOR1: CHAR(1)  
INDICATOR2: CHAR(1)  
FIELD: VARCHAR2(3)



GROUP\_CODE: VARCHAR2(10)

GROUP\_NAME: VARCHAR2(25)

DEFAULT\_GROUP: CHAR(1)

PROCESS\_METHOD: CHAR(1)

LOCATION\_ID: NUMBER

ARCHIVE\_INTERVAL: CHAR(1)

ARCHIVE\_PERIOD: NUMBER

EXPIRE\_INTERVAL: CHAR(1)

EXPIRE\_PERIOD: NUMBER

PATRON\_INFO: CHAR(1)

CAT\_REVIEW: CHAR(1)

CIRC\_REVIEW: CHAR(1)

DEFAULT\_ITEM\_TYPE\_ID: NUMBER

### **CALL\_SLIP\_REASSIGN\_ARCHIVE**

ARCHIVE\_ID: NUMBER

PRINT\_GROUP\_ID: NUMBER

OPERATOR\_ID: VARCHAR2(10)

REASSIGN\_DATE: DATE

### **CALL\_SLIP\_REASSIGNMENT**

CALL\_SLIP\_ID: NUMBER

PRINT\_GROUP\_ID: NUMBER

OPERATOR\_ID: VARCHAR2(10)

REASSIGN\_DATE: DATE

### **CALL\_SLIP\_STATS**

CALL\_SLIP\_ID: NUMBER

PATRON\_STAT\_ID: NUMBER

### **CALL\_SLIP\_STATUS\_TYPE**

STATUS\_TYPE: NUMBER

STATUS\_DESC: VARCHAR2(25)

### **CAT\_CONTROL\_MULTI\_ITEMS**

COLLAPSE\_MFHD: CHAR(1)

ENUM\_SUBFIELD: CHAR(1)

CHRON\_SUBFIELD: CHAR(1)

YEAR\_SUBFIELD: CHAR(1)

NOTE\_SUBFIELD: CHAR(1)

### **CAT\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)

CAT\_PROFILE\_ID: NUMBER

### **CAT\_POLICY\_DUP**

CAT\_POLICY\_ID: NUMBER

DUP\_PROFILE\_ID: NUMBER

### **CAT\_POLICY\_GROUP**

CAT\_POLICY\_ID: NUMBER

CAT\_POLICY\_NAME: VARCHAR2(40)

NUC\_CODE: VARCHAR2(15)

OPAC\_DISPLAY: CHAR(1)

MAIN\_SUBFIELD: CHAR(1)

CUTTER\_SUBFIELD: CHAR(1)

SEQUENCE: NUMBER

### **CAT\_CONTROL\_ITEM\_STATUS**

IMPORT\_RULE\_ID: NUMBER

BINDERY: CHAR(1)

CAT\_REVIEW: CHAR(1)

CIRC\_REVIEW: CHAR(1)

DAMAGED: CHAR(1)

IN\_PROCESS: CHAR(1)

LOST\_LIB\_APP: CHAR(1)

MISSING: CHAR(1)

WITHDRAWN: CHAR(1)

### **CAT\_CONTROL\_ITEM\_TYPE**

IMPORT\_RULE\_ID: NUMBER

INDICATOR1: CHAR(1)

INDICATOR2: CHAR(1)

FIELD: VARCHAR2(3)

SUBFIELD: CHAR(1)

SEQUENCE: NUMBER

FIXED\_START: NUMBER

FIXED\_END: NUMBER

### **CAT\_CONTROL\_MULTI\_ITEMS**

IMPORT\_RULE\_ID: NUMBER

MAIN\_FIELD: VARCHAR2(3)

MAIN\_IND1: CHAR(1)

MAIN\_IND2: CHAR(1)

LOCATION\_SUBFIELD: CHAR(1)

ITEM\_TYPE\_SUBFIELD: CHAR(1)

BARCODE\_SUBFIELD: CHAR(1)

### **CAT\_PROFILE**

MARCHOLD\_ADD\_UPDATE: CHAR(1)

MARCHOLD\_VIEW\_ONLY: CHAR(1)

GLOBAL\_REPLACE: CHAR(1)

CHANGE\_OWNERSHIP: CHAR(1)

HOLD\_IGNORE\_OWNERSHIP: CHAR(1)

AUTH\_EXPORT\_OK: CHAR(1)

BIB\_EXPORT\_OK: CHAR(1)

MFHD\_EXPORT\_OK: CHAR(1)

USE\_TEMPLATE: CHAR(1)

### **CAT\_SECURITY\_LOCS**

CAT\_PROFILE\_ID: NUMBER

LOCATION\_ID: NUMBER

### **CHARACTER\_SET**

CHAR\_SET\_ID: NUMBER

CHAR\_SET\_CODE: CHAR(1)

CHAR\_SET\_NAME: VARCHAR2(30)

### **CHRON**

**CAT\_POLICY\_HIERARCHY**  
CAT\_POLICY\_ID: NUMBER  
CALL\_NO\_HIERARCHY\_ID: NUMBER

**CAT\_POLICY\_LOCS**  
CAT\_GROUP\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CATALOGING\_LOCATION: CHAR(1)  
CIRC\_LOCATION: CHAR(1)  
ROUTING\_LOCATION: CHAR(1)  
CALL\_NO\_TYPE: CHAR(1)  
NUC\_CODE: VARCHAR2(15)  
DEFAULT\_ITEM\_TYPE: NUMBER

**CAT\_PROFILE**  
CAT\_PROFILE\_ID: NUMBER  
CAT\_PROFILE\_NAME: VARCHAR2(25)  
BIB\_ADD: CHAR(1)  
BIB\_UPDATE: CHAR(1)  
BIB\_DELETE: CHAR(1)  
BIB\_VIEW\_ONLY: CHAR(1)  
HOLD\_ADD: CHAR(1)  
HOLD\_UPDATE: CHAR(1)  
HOLD\_DELETE: CHAR(1)  
HOLD\_VIEW\_ONLY: CHAR(1)  
ITEM\_ADD: CHAR(1)  
ITEM\_UPDATE: CHAR(1)  
ITEM\_DELETE: CHAR(1)

ITEM\_VIEW\_ONLY: CHAR(1)

AUTH\_ADD: CHAR(1)  
AUTH\_UPDATE: CHAR(1)  
AUTH\_DELETE: CHAR(1)  
AUTH\_VIEW\_ONLY: CHAR(1)  
MARCAUTH\_ADD\_UPDATE: CHAR(1)  
MARCAUTH\_VIEW\_ONLY: CHAR(1)  
MARCBIB\_ADD\_UPDATE: CHAR(1)  
MARCBIB\_VIEW\_ONLY: CHAR(1)

**CIRC\_CLUSTER**  
CIRC\_CLUSTER\_ID: NUMBER  
CIRC\_CLUSTER\_CODE: VARCHAR2(10)  
CIRC\_CLUSTER\_NAME: VARCHAR2(100)  
DEFAULT\_PICKUP\_LOCATION: NUMBER

**CIRC\_GROUP\_CALENDAR**  
CIRC\_GROUP\_ID: NUMBER  
CALENDAR\_ID: NUMBER

**CIRC\_OPERATOR**  
OPERATOR\_ID: VARCHAR2(10)  
CIRC\_PROFILE\_ID: NUMBER

**CIRC\_POLICY\_GROUP**  
CIRC\_GROUP\_ID: NUMBER  
CIRC\_GROUP\_NAME: VARCHAR2(40)  
RENEW\_IF\_RECALL: CHAR(1)

CHRON\_TYPE\_ID: NUMBER  
CHRON\_SEQ: NUMBER  
CHRON\_VALUE: VARCHAR2(20)

**CHRON\_TYPE**  
CHRON\_TYPE\_ID: NUMBER  
CHRON\_NAME: VARCHAR2(40)  
CHRON\_TYPE\_CODE: CHAR(2)

**CIRC\_ALERT\_CONDITIONS**  
LOC\_ID: NUMBER  
ALERT\_ID: NUMBER  
ALERT\_DISPLAY: NUMBER  
ALERT\_USE\_PATRON\_NAME: CHAR(1)  
ALERT\_USE\_PATRON\_BARCODE: CHAR(1)  
ALERT\_USE\_PATRON\_PHONE: CHAR(1)

**CIRC\_ALERT\_TYPES**  
ALERT\_TYPE: NUMBER  
ALERT\_TYPE\_DESC: VARCHAR2(100)

**CIRC\_ALERTS**  
ALERT\_ID: NUMBER  
ALERT\_TYPE: NUMBER  
ALERT\_NAME: VARCHAR2(30)  
ALERT\_TEXT: VARCHAR2(100)

**CIRC\_BLOCK\_OVERRIDE**  
CIRC\_PROFILE\_ID: NUMBER  
BLOCK\_ID: NUMBER

**CIRC\_BLOCKS**  
BLOCK\_ID: NUMBER  
BLOCK\_TYPE: VARCHAR2(6)  
BLOCK\_NAME: VARCHAR2(30)  
BLOCK\_DISPLAY\_NAME: VARCHAR2(100)

**CIRC\_CLUSTER**  
**CIRC\_POLICY\_MATRIX**  
CIRC\_POLICY\_MATRIX\_ID: NUMBER  
CIRC\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
ITEM\_TYPE\_ID: NUMBER  
CHARGE\_RENEW: CHAR(1)  
PLACE\_RECALL: CHAR(1)  
PLACE\_HOLD: CHAR(1)  
LOAN\_INTERVAL: CHAR(1)  
LOAN\_PERIOD: NUMBER  
FINE\_INTERVAL: CHAR(1)

FINE\_RATE: NUMBER  
MAX\_FINE: NUMBER  
GRACE\_PERIOD: NUMBER  
RENEWAL\_COUNT: NUMBER  
RENEWAL\_INTERVAL: CHAR(1)  
RENEWAL\_PERIOD: NUMBER

RENEW\_IF\_HOLD: CHAR(1)  
RENEW\_IF\_OVERDUE: CHAR(1)  
CLOSED\_DAYS\_FOR\_LOANS: CHAR(1)  
CLOSED\_DAYS\_FOR\_FINES: CHAR(1)  
LOST\_PROCESS\_FEE: CHAR(1)  
PROCESS\_FEE: NUMBER  
MAX\_FINE\_FEE\_FOR\_LOST: CHAR(1)  
EARLY\_PICKUP\_WINDOW: NUMBER  
UNCLAIMED\_INTERVAL: NUMBER  
EXTEND\_RECALL\_DUE\_DATE: CHAR(1)  
CIRC\_CLUSTER\_ID: NUMBER  
FIXED\_DUE\_TIME: CHAR(1)

### **CIRC\_POLICY\_LOCS**

CIRC\_GROUP\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CIRC\_LOCATION: CHAR(1)  
COLLECT\_FINES: CHAR(1)  
COURTESY\_DISCHARGE: CHAR(1)  
SHELVING\_INTERVAL: CHAR(1)  
SHELVING\_PERIOD: NUMBER  
SUPPRESS\_FLY\_ITEMS: CHAR(1)  
DEFAULT\_ITEM\_TYPE: NUMBER  
DEFAULT\_LOCATION: NUMBER  
PRINT\_DATE\_DUES: CHAR(1)  
PRINT\_FINE\_RECEIPTS: CHAR(1)  
PRINT\_DISCHARGE\_RECEIPTS: CHAR(1)

PRINT\_HOLD\_SLIPS: CHAR(1)  
PRINT\_ROUTING\_SLIPS: CHAR(1)  
TRANSIT\_PERIOD: NUMBER  
PRINT\_LOCATION: NUMBER  
AUTOMATED\_STORAGE: CHAR(1)  
OPAC\_CIRC\_DESK: CHAR(1)  
PICKUP\_LOCATION: CHAR(1)  
HOLD\_LIFE: NUMBER  
RECALL\_LIFE: NUMBER  
PATRON\_AVAIL\_ITEMS\_ALERT: CHAR(1)  
PATRON\_FINE\_FEE\_ALERT: CHAR(1)

### **CIRC\_POLICY\_MATRIX**

#### **CIRC\_PROFILE**

RECAHOLD\_ADD\_UPDATE: CHAR(1)  
RECAHOLD\_RESEQUENCE: CHAR(1)  
PATRON\_ADD\_UPDATE: CHAR(1)  
PATRON\_DELETE: CHAR(1)  
PATRON\_COUNTERS: CHAR(1)  
PATRON\_PROXY\_MAINTAIN: CHAR(1)  
PATRON\_VIEW\_ONLY: CHAR(1)  
PG\_RESTRICT\_VIEW: CHAR(1)  
PG\_RESTRICT\_MAINT: CHAR(1)  
PG\_RESTRICT\_CIRC: CHAR(1)  
RESERVE\_ADD\_UPDATE: CHAR(1)  
HOLD\_IGNORE\_OWNERSHIP: CHAR(1)  
DISTRIBUTION\_ITEM\_VIEW: CHAR(1)  
DISTRIBUTION\_ITEM\_DISTRIBUTE: CHAR(1)

RECALL\_FINE\_INTERVAL: CHAR(1)  
RECALL\_FINE\_RATE: NUMBER  
RECALL\_MIN\_LOAN: NUMBER  
RENEW\_FROM\_DUE\_DATE: CHAR(1)  
RECALL\_RETURN\_PERIOD: NUMBER  
PLACE\_CALL\_SLIP: CHAR(1)  
MAX\_RECALL\_FINE: NUMBER  
RECALL\_GRACE\_PERIOD: NUMBER  
COURTESY\_NOTICE\_INTERVAL: NUMBER  
COURTESY\_NOTICE\_MIN\_LOAN: NUMBER  
FIRST\_OVERDUE\_INTERVAL: NUMBER  
OTHER\_NOTICE\_COUNT: NUMBER  
OTHER\_NOTICE\_INTERVAL: NUMBER  
LOST\_NOTICE\_INTERVAL: NUMBER  
RECALL\_NOTICE\_INTERVAL: NUMBER  
RECALL\_NOTICE\_COUNT: NUMBER  
HOLD\_SHELF\_LIFE: NUMBER  
HOLD\_SHELF\_LIFE\_INTERVAL: CHAR(1)  
CHARGE\_LIMIT: NUMBER  
CHARGE\_LIMIT\_APPLY: CHAR(1)  
PLACE\_UB\_REQUEST: CHAR(1)  
ALLOW\_BOOKINGS\_ON\_OVERDUES:  
ADVANCED\_LOAN\_WARNING\_INTERVAL:  
CHAR(1)  
ADVANCED\_LOAN\_WARNING\_PERIOD:  
ALWAYS\_DUE\_NEXT\_OPEN\_DAY: CHAR(1)

### **CIRC\_PROFILE**

CIRC\_PROFILE\_ID: NUMBER  
CIRC\_PROFILE\_NAME: VARCHAR2(25)  
CHARGE\_RENEW: CHAR(1)  
DISCHARGE: CHAR(1)  
CHANGE\_DUE\_DATE: CHAR(1)  
CHANGE\_DISCHARGE\_DATE: CHAR(1)  
ITEM\_ADD\_UPDATE: CHAR(1)  
ITEM\_STATUS: CHAR(1)  
ITEM\_DELETE: CHAR(1)  
ADD\_FINES: CHAR(1)  
PAY\_FINES: CHAR(1)  
FORGIVE\_FINES: CHAR(1)

### **CIRC\_TRANS\_ARCHIVE**

OVER\_RECALL\_NOTICE\_DATE: DATE  
PATRON\_ID: NUMBER  
PATRON\_ID\_PROXY: NUMBER  
COURTESY\_NOTICE\_DATE: DATE  
DB\_ID: NUMBER

### **CIRC\_TRANS\_EXCEPT\_TYPE**

EXCEPTION\_TYPE: NUMBER  
EXCEPTION\_DESC: VARCHAR2(50)

### **CIRC\_TRANS\_EXCEPTION**

CIRC\_TRANS\_EXCEPT\_ID: NUMBER  
ITEM\_ID: NUMBER  
ITEM\_LOCATION: NUMBER  
PATRON\_ID: NUMBER

DISTRIBUTION\_ITEM\_CREATE: CHAR(1)  
DISTRIBUTION\_ITEM\_UPDATE: CHAR(1)  
DISTRIBUTION\_ITEM\_ORDER: CHAR(1)  
DISTRIBUTION\_ITEM\_RECEIVE: CHAR(1)  
DISTRIBUTION\_ITEM\_DELETE: CHAR(1)  
UPDATE\_PIN: CHAR(1)  
MFHD\_UPDATE: CHAR(1)  
PATRON\_MASK\_SSN: CHAR(1)  
EDIT\_STUB\_PATRON: CHAR(1)  
MANUALLY\_MAP\_PATRON: CHAR(1)  
VIEW\_PATRON\_CIRC\_HISTORY: CHAR(1)

### **CIRC\_SECURITY\_LOCS**

CIRC\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

### **CIRC\_SECURITY\_PG**

CIRC\_PROFILE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER

### **CIRC\_TRANS\_ARCHIVE**

CIRC\_TRANSACTION\_ID: NUMBER  
ITEM\_ID: NUMBER  
CIRC\_POLICY\_MATRIX\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
CHARGE\_DATE: DATE  
CHARGE\_LOCATION: NUMBER  
CHARGE\_TYPE: CHAR(1)  
CHARGE\_OPER\_ID: VARCHAR2(10)  
DUE\_DATE: DATE  
DISCHARGE\_DATE: DATE  
DISCHARGE\_LOCATION: NUMBER  
DISCHARGE\_TYPE: CHAR(1)  
DISCHARGE\_OPER\_ID: VARCHAR2(10)  
RENEWAL\_COUNT: NUMBER  
RECALL\_DATE: DATE  
RECALL\_DUE\_DATE: DATE  
RECALL\_NOTICE\_COUNT: NUMBER  
RECALL\_NOTICE\_DATE: DATE  
OVERDUE\_NOTICE\_COUNT: NUMBER  
OVERDUE\_NOTICE\_DATE: DATE  
OVER\_RECALL\_NOTICE\_COUNT: NUMBER

### **CIRCCHARGES\_VW**

ITEM\_ID: NUMBER  
MFHD\_ID: NUMBER  
BIB\_ID: NUMBER  
PERM\_LOCATION\_CODE: VARCHAR2(10)  
PERM\_LOCATION: VARCHAR2(25)  
GOV\_LOCATION\_CODE: VARCHAR2(10)  
GOV\_LOCATION: VARCHAR2(25)  
PERM\_ITEM\_TYPE\_CODE: VARCHAR2(10)

TRANS\_EXCEPT\_DATE: DATE  
TRANS\_EXCEPT\_LOCATION: NUMBER  
TRANS\_EXCEPT\_TYPE: NUMBER  
TRANS\_EXCEPT\_OPER\_ID: VARCHAR2(10)

### **CIRC\_TRANSACTION\_STATS**

CIRC\_TRANSACTION\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER

### **CIRC\_TRANSACTIONS**

CIRC\_TRANSACTION\_ID: NUMBER  
ITEM\_ID: NUMBER  
CIRC\_POLICY\_MATRIX\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_ID\_PROXY: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
CHARGE\_DATE: DATE  
CHARGE\_LOCATION: NUMBER  
CHARGE\_TYPE: CHAR(1)  
CHARGE\_OPER\_ID: VARCHAR2(10)  
CHARGE\_DUE\_DATE: DATE  
DISCHARGE\_DATE: DATE  
DISCHARGE\_LOCATION: NUMBER  
DISCHARGE\_TYPE: CHAR(1)  
DISCHARGE\_OPER\_ID: VARCHAR2(10)  
RENEWAL\_COUNT: NUMBER  
RECALL\_DATE: DATE  
RECALL\_DUE\_DATE: DATE  
CURRENT\_DUE\_DATE: DATE  
RECALL\_NOTICE\_COUNT: NUMBER  
RECALL\_NOTICE\_DATE: DATE  
OVERDUE\_NOTICE\_COUNT: NUMBER  
OVERDUE\_NOTICE\_DATE: DATE  
OVER\_RECALL\_NOTICE\_COUNT: NUMBER  
OVER\_RECALL\_NOTICE\_DATE: DATE  
COURTESY\_NOTICE\_DATE: DATE  
DB\_ID: NUMBER

### **CIRCCHARGES\_VW**

PATRON\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_CODE: VARCHAR2(10)  
PATRON\_GROUP\_NAME: VARCHAR2(25)

### **CLASS\_SECTION**

NORMAL\_SECTION\_NUMBER: VARCHAR2(10)  
NUMBER\_OF\_STUDENTS: NUMBER  
CIRC\_CLUSTER\_ID: NUMBER

### **COMPLEX\_COMP\_PATTERN**

CCP\_ID: NUMBER  
CP\_ID: NUMBER  
COMPONENT\_ID: NUMBER

PERM\_ITEM\_TYPE: VARCHAR2(25)  
GOV\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
GOV\_ITEM\_TYPE: VARCHAR2(25)  
CHARGE\_DATE\_TIME: DATE  
CHARGE\_DATE\_ONLY: DATE  
CHARGE\_OPER\_ID: VARCHAR2(10)  
  
CHARGE\_LOCATION: NUMBER  
  
CHARGE\_LOCATION\_CODE: VARCHAR2(10)  
CHARGE\_LOCATION\_NAME: VARCHAR2(25)  
  
RENEWAL\_COUNT: NUMBER  
  
NOTICE\_COUNT: NUMBER

### **CIRCRENEW\_VW**

PATRON\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_CODE: VARCHAR2(10)  
PATRON\_GROUP\_NAME: VARCHAR2(25)  
ITEM\_ID: NUMBER  
  
MFHD\_ID: NUMBER  
  
BIB\_ID: NUMBER  
  
PERM\_LOCATION\_CODE: VARCHAR2(10)  
PERM\_LOCATION: VARCHAR2(25)  
GOV\_LOCATION\_CODE: VARCHAR2(10)  
GOV\_LOCATION: VARCHAR2(25)  
PERM\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
PERM\_ITEM\_TYPE: VARCHAR2(25)  
GOV\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
GOV\_ITEM\_TYPE: VARCHAR2(25)  
CHARGE\_DATE\_TIME: DATE  
CHARGE\_DATE\_ONLY: DATE  
CHARGE\_OPER\_ID: VARCHAR2(10)  
CHARGE\_LOCATION: NUMBER  
CHARGE\_LOCATION\_CODE: VARCHAR2(10)  
CHARGE\_LOCATION\_NAME: VARCHAR2(25)  
RENEWAL\_COUNT: NUMBER  
RENEW\_DATE\_TIME: DATE  
RENEW\_DATE\_ONLY: DATE  
RENEW\_OPER\_ID: VARCHAR2(10)  
RENEW\_LOCATION\_CODE: VARCHAR2(10)  
LOCATION\_NAME: VARCHAR2(25)

### **CLAIM\_TYPES**

CLAIM\_TYPE: NUMBER

START\_ISSUE\_ID: NUMBER  
END\_ISSUE\_ID: NUMBER  
END\_DATE: DATE  
END\_CP\_ISSUE: NUMBER

### **COMPLEX\_PATTERN**

CP\_ID: NUMBER  
  
PATTERN\_NAME: VARCHAR2(40)  
PATTERN\_NAME\_NORM: VARCHAR2(40)  
  
CREATE\_DATE: DATE  
  
CREATE\_OPID: VARCHAR2(10)  
  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER

### **COMPONENT**

COMPONENT\_ID: NUMBER  
  
SUBSCRIPTION\_ID: NUMBER  
  
COMPONENT\_NAME: VARCHAR2(100)  
COMPONENT\_NAME\_NORM: VARCHAR2(100)  
  
UNIT\_TITLE: NUMBER  
  
CATEGORY: NUMBER  
  
PREDICT: CHAR(1)  
  
NEXT\_ISSUE\_ID: NUMBER  
  
NOTE: VARCHAR2(256)  
  
ITEM\_TYPE\_ID: NUMBER  
  
CREATE\_ITEMS: CHAR(1)  
  
CLAIM\_INTERVAL: NUMBER

### **COMPONENT\_ALTCHRONDAY**

COMPONENT\_ID: NUMBER  
CHRON\_DAY: NUMBER  
TYPE\_OF\_DAY: CHAR(3)

### **COMPONENT\_CHRONDAY**

COMPONENT\_ID: NUMBER  
CHRON\_DAY: NUMBER  
TYPE\_OF\_DAY: CHAR(3)

### **COMPONENT\_ISSUE\_DAY**

COMPONENT\_ID: NUMBER  
EXPECTED\_DAY: NUMBER

EDI\_CODE: VARCHAR2(11)  
CLAIM\_TYPE\_DESC: VARCHAR2(70)

### **CLASS\_SECTION**

SECTION\_ID: NUMBER  
SECTION\_NUMBER: VARCHAR2(10)

### **COMPONENT\_PATTERN**

COMPONENT\_ID: NUMBER  
PATTERN\_ID: NUMBER  
FREQUENCY\_CODE: CHAR(1)  
END\_DATE: DATE  
END\_ISSUE\_ID: NUMBER  
START\_ISSUE\_ID: NUMBER  
REGULARITY: CHAR(12)  
REGULARITY\_MARC: VARCHAR2(50)  
LVL1\_INC\_AT: NUMBER  
LVL2\_INC\_AT: NUMBER  
LVL3\_INC\_AT: NUMBER  
LVL4\_INC\_AT: NUMBER  
LVL5\_INC\_AT: NUMBER

LVL6\_INC\_AT: NUMBER

ALT\_LVL1\_INC\_AT: NUMBER

ALT\_LVL2\_INC\_AT: NUMBER

### **COMPONENT\_ROUTING**

ROUTING\_LIST\_ID: NUMBER  
COMPONENT\_ID: NUMBER

### **CONTROL\_TABLE**

CONTROL\_NAME: VARCHAR2(50)  
CONTROL\_VALUE: VARCHAR2(2000)

### **CONVERSION\_RATE\_AUDIT**

CURRENCY\_ID: NUMBER  
AUDIT\_ID: NUMBER  
CONVERSION\_RATE: NUMBER  
RATE\_CREATE\_DATE\_TIME: DATE  
RATE\_CREATE\_OPERATOR\_ID:

### **COURSE**

COURSE\_ID: NUMBER  
COURSE\_NAME: VARCHAR2(40)  
NORMAL\_COURSE\_NAME: VARCHAR2(40)  
COURSE\_NUMBER: VARCHAR2(10)  
NORMAL\_COURSE\_NUMBER: VARCHAR2(10)  
BEGIN\_DATE: DATE  
END\_DATE: DATE  
CIRC\_CLUSTER\_ID: NUMBER

### **CP\_CELL**

CP\_LEVEL\_ID: NUMBER  
CP\_ISSUE\_ID: NUMBER  
LEVEL\_INCREMENT: VARCHAR2(80)

TYPE\_OF\_DAY: CHAR(3)

### **COMPONENT\_ISSUES\_ROUTED**

ROUTING\_LIST\_ID: NUMBER  
ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER

### **CP\_ISSUE**

TIME\_UNIT\_CODE: CHAR(1)

### **CP\_LEVEL**

CP\_LEVEL\_ID: NUMBER  
CP\_ID: NUMBER  
CP\_DOMAIN\_TYPE\_ID: NUMBER  
CP\_LEVEL: NUMBER  
PRINT\_ORDER: NUMBER  
REG\_OR\_ALT: CHAR(1)  
CAPTION: VARCHAR2(50)  
IS\_CONSTANT: CHAR(1)

### **CURRENCY\_CONVERSION**

CURRENCY\_ID: NUMBER

COUNTRY\_NAME: VARCHAR2(45)

NORMAL\_COUNTRY\_NAME: VARCHAR2(45)

CURRENCY\_NAME: VARCHAR2(35)

NORMAL\_CURRENCY\_NAME: VARCHAR2(35)

CURRENCY\_CODE: VARCHAR2(3)

NORMAL\_CURRENCY\_CODE: VARCHAR2(3)

CREATE\_DATE: DATE

CREATE\_OPERATOR\_ID: VARCHAR2(10)

CONVERSION\_RATE: NUMBER

RATE\_CREATE\_DATE\_TIME: DATE

RATE\_CREATE\_OPERATOR\_ID:

DECIMALS: NUMBER

DECIMAL\_DELIMITER: CHAR(1)

### **DATABASE\_ADDRESS**

DB\_ID: NUMBER

DB\_ADDR: VARCHAR2(255)

DB\_PORT: NUMBER

APPLICATION\_TYPE: VARCHAR2(20)

### **DATABASE\_LICENSE**

LICENSE\_ID: NUMBER

DB\_CODE: VARCHAR2(8)

SESSION\_ID: NUMBER

INIT\_DATE: DATE

MODULE: VARCHAR2(20)

### **DEPARTMENT**

DEPARTMENT\_ID: NUMBER

DEPARTMENT\_NAME: VARCHAR2(40)

NORMAL\_DEPT\_NAME: VARCHAR2(40)

DEPARTMENT\_CODE: VARCHAR2(10)

NORMAL\_DEPT\_CODE: VARCHAR2(10)

**CP\_DOMAIN\_TYPE**

CP\_DOMAIN\_TYPE\_ID: NUMBER  
DOMAIN: CHAR(1)  
ENUM\_CHRON\_TYPE\_ID: NUMBER

**CP\_ISSUE**

CP\_ISSUE\_ID: NUMBER  
CP\_ID: NUMBER  
CP\_ISSUE: NUMBER  
EXPECTED\_DATE\_INC: NUMBER

**DISTRIBUTION\_ITEM**

ACTIVE: CHAR(1)  
ON\_HAND\_QUANTITY: NUMBER  
ORDER\_QUANTITY: NUMBER  
REORDER\_POINT: NUMBER  
REORDER\_AUTOMATIC: CHAR(1)  
HISTORICAL\_DISTRIBUTIONS: NUMBER  
  
CREATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
  
CREATE\_OPID: VARCHAR2(10)  
  
MODIFY\_DATE: DATE  
  
MODIFY\_LOCATION\_ID: NUMBER  
  
MODIFY\_OPID: VARCHAR2(10)

**DISTRIBUTION\_ORDER**

DISTRIBUTION\_ORDER\_ID: NUMBER  
ITEM\_ID: NUMBER  
VENDOR\_ID: NUMBER  
ORDER\_QUANTITY: NUMBER  
EXPECTED\_DATE: DATE  
NOT\_YET\_RECEIVED: NUMBER  
ORDER\_DATE: DATE  
ORDER\_LOCATION\_ID: NUMBER  
ORDER\_OPID: VARCHAR2(10)  
  
ORDER\_COMPLETE: CHAR(1)

**DISTRIBUTION\_RECEIPT**

DISTRIBUTION\_RECEIPT\_ID: NUMBER  
DISTRIBUTION\_ORDER\_ID: NUMBER  
RECEIPT\_QUANTITY: NUMBER  
RECEIPT\_DATE: DATE  
RECEIPT\_LOCATION\_ID: NUMBER  
RECEIPT\_OPID: VARCHAR2(10)

**DISTRIBUTION\_TRANSACTION**

DISTRIBUTION\_TRANSACTION\_ID: NUMBER  
ITEM\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
DISTRIBUTION\_DATE: DATE  
DISTRIBUTION\_LOCATION\_ID: NUMBER  
DISTRIBUTION\_OPID: VARCHAR2(10)

**DR\$HEADING\_CONTEXT\_IDX\$**

CIRC\_CLUSTER\_ID: NUMBER

**DEWEYCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(3)  
LONGCLASS: VARCHAR2(300)

**DISTRIBUTION\_ITEM**

ITEM\_ID: NUMBER  
VENDOR\_ID: NUMBER

**DR\$HEADING\_CONTEXT\_IDX\$R**

ROW\_NO: NUMBER  
DATA: BLOB

**DSL\_DIALECT**

DSL\_NAME: VARCHAR2(200)  
DSL\_CLOB: CLOB

**DUP\_DETECTION\_PROFILE**

RECORD\_TYPE: CHAR(1)  
  
DUP\_PROFILE\_ID: NUMBER  
  
DUP\_PROFILE\_NAME: VARCHAR2(25)  
  
DUP\_PROFILE\_CODE: VARCHAR2(8)  
  
DUP\_HANDLING: CHAR(1)  
CANCELLATION: CHAR(1)  
DUP\_REPLACE: NUMBER  
DUP\_WARN: NUMBER  
DISPLAYFIELD1: VARCHAR2(30)  
DISPLAYFIELD2: VARCHAR2(30)  
DISPLAYFIELD3: VARCHAR2(30)  
SORTFIELD1: VARCHAR2(30)  
SORTFIELD2: VARCHAR2(30)  
SORTFIELD3: VARCHAR2(30)  
DISCARD\_UNMATCHED: CHAR(1)

**DUP\_PROFILE\_FIELDS**

DUP\_PROFILE\_ID: NUMBER  
SEARCHCODE: CHAR(4)  
SEQNUM: NUMBER  
FIELDOVERRIDE: CHAR(3)  
SUBFIELDOVERRIDE: CHAR(10)  
WEIGHT: NUMBER  
INDICATOR\_1: VARCHAR2(1)  
INDICATOR\_2: VARCHAR2(1)

**DUP\_PROFILE\_QUALITY**

DUP\_PROFILE\_ID: NUMBER  
SEQNUM: NUMBER  
NUC\_CODE: VARCHAR2(15)  
ENCODING\_LEVEL: CHAR(1)  
MODIFYING\_AGENCY: VARCHAR2(15)  
RECORD\_TYPE: VARCHAR2(2)

**DUPE\_PROFILE\_MERGE**



TOKEN\_TEXT: VARCHAR2(64)  
TOKEN\_TYPE: NUMBER  
TOKEN\_FIRST: NUMBER  
TOKEN\_LAST: NUMBER  
TOKEN\_COUNT: NUMBER

TOKEN\_INFO: BLOB

### **DR\$HEADING\_CONTEXT\_IDX\$K**

DOCID: NUMBER  
TEXTKEY: ROWID

### **DR\$HEADING\_CONTEXT\_IDX\$N**

NLT\_DOCID: NUMBER  
NLT\_MARK: CHAR(1)

### **EDI\_CODE\_USAGES**

DESCR: VARCHAR2(70)

### **EDI\_CONNECTION\_PROFILE**

PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER  
VENDOR\_ID: NUMBER  
LIBRARY\_ENVELOPE\_ADDRESS:  
LIBRARY\_INSIDE\_ADDRESS: VARCHAR2(25)  
VENDOR\_ENVELOPE\_ADDRESS:  
VENDOR\_INSIDE\_ADDRESS: VARCHAR2(25)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
USE\_VENDOR\_ACCOUNT: CHAR(1)  
USE\_PO: CHAR(1)  
USE\_SC: CHAR(1)  
USE\_MC: CHAR(1)  
USE\_IV: CHAR(1)  
USE\_SR: CHAR(1)  
USE\_MR: CHAR(1)  
USE\_XM: CHAR(1)

### **EDI\_CURSOR**

CURSOR\_ID: NUMBER  
FILE\_ID: NUMBER  
MSG\_ID: NUMBER  
FILE\_NAME: VARCHAR2(30)  
FILE\_POSITION: NUMBER  
MSG\_DELIMITERS: VARCHAR2(6)

### **EDI\_EVENT\_TYPES**

EVENT\_TYPE: NUMBER  
  
EVENT\_DESC: VARCHAR2(25)

### **EDI\_FILE**

FILE\_ID: NUMBER  
FILE\_NAME: VARCHAR2(30)  
FILE\_TYPE: CHAR(1)  
  
FILE\_STATUS: NUMBER  
  
FILE\_SIZE: NUMBER

DUP\_PROFILE\_ID: NUMBER  
MARC\_FIELD: CHAR(3)  
MARC\_IND1: CHAR(1)  
MARC\_IND2: CHAR(1)  
NUC5: VARCHAR2(15)

### **EDI\_CODE\_REF**

USAGE: NUMBER  
CODE: VARCHAR2(3)  
DESCR: VARCHAR2(70)

### **EDI\_CODE\_USAGES**

USAGE: NUMBER  
DATA\_ELEMENT: VARCHAR2(4)

### **EDI\_HISTORY**

UPDATE\_DATE: DATE  
UPDATE\_OP\_ID: VARCHAR2(10)

### **EDI\_MESSAGE**

MSG\_ID: NUMBER  
MSG\_DIRECTION: CHAR(1)  
MSG\_TYPE: VARCHAR2(6)  
MSG\_TYPE\_CODE: NUMBER  
MSG\_VERSION\_CODE: NUMBER  
MSG\_STATUS: NUMBER  
MSG\_NUMBER: VARCHAR2(35)  
MSG\_DATE: DATE  
LOAD\_OR\_APPEND\_DATE: DATE  
LINE\_ITEM\_COUNT: NUMBER  
TOTAL\_AMOUNT: NUMBER  
LOCATION\_ID: NUMBER  
VENDOR\_ID: NUMBER  
SENDER\_CODE: VARCHAR2(55)  
RECEIVER\_CODE: VARCHAR2(55)  
DB\_REF\_ID: NUMBER  
FILE\_ID: NUMBER  
FILE\_START\_POS: NUMBER  
FILE\_END\_POS: NUMBER  
MATCHING\_PROFILE: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OP\_ID: VARCHAR2(10)  
CREATE\_LOC: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OP\_ID: VARCHAR2(10)  
UPDATE\_LOC: NUMBER  
TRANS\_INDEX: NUMBER  
GROUP\_INDEX: NUMBER

DOC\_MSG\_CODE: VARCHAR2(3)

MSG\_DELIMITERS: VARCHAR2(6)

DATA\_PRESENT: CHAR(1)  
RECEIVE\_ITEMS: CHAR(1)

### **EDI\_MISSING\_LINE\_ITEM**

EXCEPTION\_ID: NUMBER  
  
LINE\_ID: NUMBER  
  
PROBLEM\_CODE: NUMBER



FILE\_UPDATE\_DATE: DATE

CREATE\_DATE: DATE

CREATE\_OP\_ID: VARCHAR2(10)

UPDATE\_DATE: DATE

UPDATE\_OP\_ID: VARCHAR2(10)

TRANS\_COUNT: NUMBER

GROUP\_COUNT: NUMBER

MESSAGE\_COUNT: NUMBER

## **EDI\_HISTORY**

EVENT\_ID: NUMBER

FILE\_ID: NUMBER

MSG\_ID: NUMBER

EVENT\_TYPE: NUMBER

CREATE\_DATE: DATE

CREATE\_OP\_ID: VARCHAR2(10)

## **EDI\_SECTION**

SECTION\_ORDINAL: NUMBER

SEG\_COUNT: NUMBER

SEGMENTS: LONG RAW

## **EITEM**

EITEM\_ID: NUMBER

MFHD\_ID: NUMBER

ENUMERATION: VARCHAR2(80)

CHRONOLOGY: VARCHAR2(80)

YEAR: VARCHAR2(20)

CAPTION: VARCHAR2(255)

SEQUENCE: NUMBER

LINK: VARCHAR2(2048)

CREATE\_DATE: DATE

CREATE\_OPID: VARCHAR2(10)

CREATE\_LOCATION\_ID: NUMBER

UPDATE\_DATE: DATE

UPDATE\_OPID: VARCHAR2(10)

UPDATE\_LOCATION\_ID: NUMBER

RESERVE\_LIST\_UPDATE\_DATE: DATE

## **EITEM\_NOTE\_TYPE**

NOTE\_TYPE: NUMBER

NOTE\_DESC: VARCHAR2(25)

## **EITEM\_NOTES**

EITEM\_ID: NUMBER

EITEM\_NOTE\_TYPE\_ID: NUMBER

NOTE: VARCHAR2(2000)

## **ELINK\_INDEX**

ELINK\_ID: NUMBER

RECORD\_TYPE: CHAR(1)

TITLE: VARCHAR2(100)

STD\_NUMBER: VARCHAR2(40)

PRINT\_STD\_NUM: CHAR(2)

VENDOR\_TITLE\_NUM: VARCHAR2(40)

VENDOR\_REF\_QUAL: VARCHAR2(3)

VENDOR\_REF\_NUM: VARCHAR2(35)

## **EDI\_NOTE**

EVENT\_ID: NUMBER

NOTE\_CODE: NUMBER

POSITION: NUMBER

## **EDI\_SECTION**

SECTION\_ID: NUMBER

MSG\_ID: NUMBER

SECTION\_TYPE: VARCHAR2(3)

## **ENUM\_CHRON\_TYPES\_VW**

NAME: VARCHAR2(40)

ENUMERATION\_TYPE\_ID: NUMBER

CHRON\_TYPE\_ID: NUMBER

## **ENUMERATION\_TYPE**

ENUMERATION\_TYPE\_ID: NUMBER

CODE: CHAR(2)

NAME: VARCHAR2(40)

## **EQUIPMENT**

EQUIP\_ID: NUMBER

EQUIP\_NO: VARCHAR2(15)

EQUIP\_NO\_NORMALIZED: VARCHAR2(15)

GROUP\_EQUIP\_ID: NUMBER

IS\_GROUP: CHAR(1)

DATE\_PURCHASED: DATE

VALUE\_PURCHASE: NUMBER

VALUE\_REPLACEMENT: NUMBER

PART\_SUPPLIER: VARCHAR2(100)

PART\_SUPPLIER\_NORMALIZED:

DEALER: VARCHAR2(100)

DEALER\_NORMALIZED: VARCHAR2(100)

MANUFACTURER: VARCHAR2(100)

MANUFACTURER\_NORMALIZED:

MODEL: VARCHAR2(100)

MODEL\_NORMALIZED: VARCHAR2(100)

SERIAL\_NO: VARCHAR2(100)

SERIAL\_NO\_NORMALIZED: VARCHAR2(100)

PART\_NO: VARCHAR2(100)

PART\_NO\_NORMALIZED: VARCHAR2(100)

EQUIP\_FORMAT: VARCHAR2(25)

EQUIP\_FORMAT\_NORMALIZED:

EQUIP\_TYPE\_ID: NUMBER

RECORD\_ID: NUMBER  
SEQNUM: NUMBER  
LINK\_TYPE: CHAR(3)  
LINK: VARCHAR2(2048)  
LINK\_TEXT: VARCHAR2(1024)  
LINK\_TEXT\_NORMAL: VARCHAR2(1024)  
LINK\_SUBTYPE: VARCHAR2(10)  
URL\_HOST: VARCHAR2(255)  
URL\_PORT: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
CHECK\_DATE: DATE  
CHECK\_STATUS: CHAR(1)  
PARSE\_STATUS: CHAR(1)

#### **ELINK\_RECORD\_TYPE**

RECORD\_TYPE\_ID: VARCHAR2(10)  
RECORD\_TYPE: VARCHAR2(25)

#### **ENUM\_CHRON\_TYPES\_VW**

CP\_DOMAIN\_TYPE\_ID: NUMBER  
DOMAIN: CHAR(1)

DOMAIN\_DESC: VARCHAR2(13)

CODE: VARCHAR2(2)

#### **EQUIPMENT\_MEDIA\_TYPE**

EQUIP\_TYPE\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
PRIORITY: NUMBER

#### **EQUIPMENT\_NOTE\_TYPE**

EQUIP\_NOTE\_TYPE\_ID: NUMBER  
TYPE: VARCHAR2(15)

#### **EQUIPMENT\_NOTES**

EQUIP\_ID: NUMBER  
EQUIP\_NOTE\_TYPE\_ID: NUMBER  
NOTE: VARCHAR2(2000)  
OP\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE

#### **EQUIPMENT\_STATUS**

EQUIP\_ID: NUMBER

MEDIA\_ROOM\_ID: NUMBER  
TEMP\_ROOM\_ID: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER  
HISTORICAL\_MAINTENANCE: NUMBER  
LAST\_INVENTORIED: DATE  
NEXT\_MAINTENANCE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_OPID: VARCHAR2(10)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_LOCATION\_ID: NUMBER

#### **EQUIPMENT\_BARCODE**

EQUIP\_ID: NUMBER  
BARCODE\_NO: VARCHAR2(25)  
BARCODE\_NO\_NORMALIZED: VARCHAR2(25)  
EQUIP\_BARCODE\_STS\_ID: NUMBER  
STATUS\_DATE: DATE

#### **EQUIPMENT\_BARCODE\_STATUS**

EQUIP\_BARCODE\_STS\_ID: NUMBER  
BARCODE\_STS: VARCHAR2(25)

#### **FIELDWEIGHTS**

FIELD\_CODE: CHAR(4)  
FIELDWEIGHT: NUMBER

#### **FINE\_FEE**

FINE\_FEE\_ID: NUMBER  
PATRON\_ID: NUMBER  
ITEM\_ID: NUMBER  
CREATE\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)  
FINE\_FEE\_TYPE: NUMBER  
FINE\_FEE\_LOCATION: NUMBER  
FINE\_FEE\_AMOUNT: NUMBER  
FINE\_FEE\_BALANCE: NUMBER  
FINE\_FEE\_NOTE: VARCHAR2(1000)  
ORIG\_CHARGE\_DATE: DATE  
DUE\_DATE: DATE  
FINE\_FEE\_NOTICE\_DATE: DATE

DB\_ID: NUMBER

EQUIP\_STS\_TYPE\_ID: NUMBER

NOTE: VARCHAR2(100)

UPDATE\_DATE: DATE

OP\_ID: VARCHAR2(10)

### **EQUIPMENT\_STATUS\_TYPE**

EQUIP\_STS\_TYPE\_ID: NUMBER

STS\_TYPE: VARCHAR2(40)

DISPLAY\_PRIORITY: NUMBER

WARN\_ON\_BOOKING: CHAR(1)

BLOCK\_BOOKING: CHAR(1)

WARN\_ON\_CHARGE: CHAR(1)

BLOCK\_CHARGE: CHAR(1)

MESSAGE: VARCHAR2(50)

DISCHARGE\_MESSAGE\_SHOW: CHAR(1)

DISCHARGE\_MESSAGE: VARCHAR2(50)

### **EQUIPMENT\_TYPE**

EQUIP\_TYPE\_ID: NUMBER

TYPE\_CODE: VARCHAR2(10)

TYPE: VARCHAR2(50)

IS\_GROUP: CHAR(1)

REPLACEMENT\_DEFAULT: NUMBER

SETUP\_TIME: NUMBER

CLEANUP\_TIME: NUMBER

### **EXCEPTION\_CALENDAR**

CALENDAR\_ID: NUMBER

EXCEPTION\_DATE: DATE

EXCEPTION\_OPEN: CHAR(1)

EXCEPTION\_OPENHOUR: NUMBER

EXCEPTION\_CLOSEHOUR: NUMBER

EXCEPTION\_HOURLY\_EFFECT: NUMBER

EXCEPTION\_LOAN\_DUE: NUMBER

### **EXCEPTION\_TYPES**

EXCEPTION\_TYPE: NUMBER

EXCEPTION\_TYPE\_DESC: VARCHAR2(20)

### **FIELDWEIGHTS**

#### **FUND**

FUND\_ID: NUMBER

LEDGER\_ID: NUMBER

PARENT\_FUND: NUMBER

FUND\_NAME: VARCHAR2(25)

NORMAL\_FUND\_NAME: VARCHAR2(25)

FUND\_CODE: VARCHAR2(10)

NORMAL\_FUND\_CODE: VARCHAR2(10)

CATEGORY: NUMBER

FUND\_TYPE: NUMBER

BEGIN\_DATE: DATE

END\_DATE: DATE

INSTITUTION\_FUND\_ID: VARCHAR2(50)

EXPEND\_ONLY: CHAR(1)

ORIGINAL\_ALLOCATION: NUMBER

ALLOCATION\_INCREASE: NUMBER

DISCHARGE\_DATE: DATE

### **FINE\_FEE\_TRANS\_METHOD**

METHOD\_TYPE: NUMBER

METHOD\_DESC: VARCHAR2(25)

### **FINE\_FEE\_TRANS\_TYPE**

TRANSACTION\_TYPE: NUMBER

TRANSACTION\_DESC: VARCHAR2(25)

TYPE\_FINE: CHAR(1)

TYPE\_DEMERIT: CHAR(1)

### **FINE\_FEE\_TRANSACTIONS**

FINE\_FEE\_TRANS\_ID: NUMBER

FINE\_FEE\_ID: NUMBER

TRANS\_DATE: DATE

TRANS\_AMOUNT: NUMBER

TRANS\_TYPE: NUMBER

TRANS\_METHOD: NUMBER

TRANS\_LOCATION: NUMBER

OPERATOR\_ID: VARCHAR2(10)

TRANS\_NOTE: VARCHAR2(1000)

### **FINE\_FEE\_TYPE**

FINE\_FEE\_TYPE: NUMBER

FINE\_FEE\_DESC: VARCHAR2(25)

FINE\_FEE\_CODE: VARCHAR2(10)

### **FISCAL\_PERIOD**

FISCAL\_PERIOD\_ID: NUMBER

FISCAL\_PERIOD\_NAME: VARCHAR2(25)

START\_DATE: DATE

END\_DATE: DATE

### **FREQUENCY**

FREQUENCY\_CODE: CHAR(1)

FREQUENCY\_DESC: VARCHAR2(25)

FREQ\_INCREMENT: NUMBER

FREQ\_CALC\_TYPE: CHAR(1)

### **FUND\_TRANSACTION**

REFERENCE\_NO: VARCHAR2(25)

STATISTICAL\_FUND: NUMBER

NOTE: VARCHAR2(1900)

### **FUND\_TYPE**

FUND\_TYPE\_ID: NUMBER

FUND\_TYPE\_NAME: VARCHAR2(25)

COMMIT\_WARNING: NUMBER

EXPEND\_WARNING: NUMBER

OVERCOMMIT\_LIMIT: NUMBER

OVEREXPEND\_LIMIT: NUMBER

UNDERCOMMIT: NUMBER

UNDEREXPEND: NUMBER

### **FUNDLEDGER\_VW**

ALLOCATION\_DECREASE: NUMBER  
COMMIT\_PENDING: NUMBER  
COMMITMENTS: NUMBER  
EXPEND\_PENDING: NUMBER  
EXPENDITURES: NUMBER  
OVERCOMMIT: CHAR(1)  
OVERCOMMIT\_WARN: NUMBER  
OVERCOMMIT\_PERCENT: NUMBER  
COMMIT\_FREEZE: DATE  
UNDERCOMMIT\_PERCENT: NUMBER  
OVEREXPEND: CHAR(1)  
OVEREXPEND\_WARN: NUMBER  
OVEREXPEND\_PERCENT: NUMBER  
EXPEND\_FREEZE: DATE  
UNDEREXPEND\_PERCENT: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)

### **FUND\_NOTE**

FUND\_ID: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_NOTE: VARCHAR2(1900)

### **FUND\_PAYMENT**

PAYMENT\_ID: NUMBER  
SPLIT\_FUND\_SEQ: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_ID: NUMBER  
PERCENTAGE: NUMBER  
AMOUNT: NUMBER

### **FUND\_TRANSACTION**

FUND\_ID: NUMBER  
AUDIT\_ID: NUMBER  
LEDGER\_ID: NUMBER  
TRANS\_TYPE: NUMBER  
AMOUNT: NUMBER  
TRANS\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)

FUNDLINE: VARCHAR2(255)  
FISCAL\_PERIOD\_ID: NUMBER  
FISCAL\_PERIOD\_NAME: VARCHAR2(25)  
FISCAL\_PERIOD\_START: DATE  
FISCAL\_PERIOD\_END: DATE  
LEDGER\_ID: NUMBER  
LEDGER\_NAME: VARCHAR2(40)  
NORMAL\_LEDGER\_NAME: VARCHAR2(40)  
POLICY\_NAME: VARCHAR2(40)  
FUND\_TYPE: VARCHAR2(25)  
FUND\_CATEGORY: VARCHAR2(9)  
FUND\_ID: NUMBER  
FUND\_NAME: VARCHAR2(25)  
NORMAL\_FUND\_NAME: VARCHAR2(25)  
PARENT\_FUND\_ID: NUMBER  
PARENT\_FUND: VARCHAR2(25)  
INSTITUTION\_FUND\_ID: VARCHAR2(50)  
BEGIN\_DATE: DATE  
END\_DATE: DATE

ORIGINAL\_ALLOCATION: NUMBER  
CURRENT\_ALLOCATION: NUMBER  
CASH\_BALANCE: NUMBER  
FREE\_BALANCE: NUMBER  
EXPENDITURES: NUMBER  
COMMITMENTS: NUMBER  
COMMIT\_PENDING: NUMBER  
EXPEND\_PENDING: NUMBER

### **GDC\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
GDC\_PROFILE\_ID: NUMBER

### **GDC\_PROFILE**

GDC\_PROFILE\_ID: NUMBER  
GDC\_PROFILE\_NAME: VARCHAR2(25)  
RECORD\_SET\_BIB\_ADD: CHAR(1)  
RECORD\_SET\_BIB\_UPDATE: CHAR(1)  
RECORD\_SET\_BIB\_DELETE: CHAR(1)  
RECORD\_SET\_BIB\_VIEW: CHAR(1)  
RECORD\_SET\_BIB\_PREVIEW: CHAR(1)  
RECORD\_SET\_BIB\_DELETE\_RULE: CHAR(1)  
RECORD\_SET\_MFHD\_ADD: CHAR(1)

## **GDC\_PROFILE**

RECORD\_SET\_MFHD\_UPDATE: CHAR(1)  
RECORD\_SET\_MFHD\_DELETE: CHAR(1)  
RECORD\_SET\_MFHD\_VIEW: CHAR(1)  
RECORD\_SET\_MFHD\_PREVIEW: CHAR(1)  
RECORD\_SET\_MFHD\_DELETE\_RULE:  
RECORD\_SET\_AUTH\_ADD: CHAR(1)  
RECORD\_SET\_AUTH\_UPDATE: CHAR(1)  
RECORD\_SET\_AUTH\_DELETE: CHAR(1)  
RECORD\_SET\_AUTH\_VIEW: CHAR(1)  
RECORD\_SET\_AUTH\_PREVIEW: CHAR(1)  
RECORD\_SET\_AUTH\_DELETE\_RULE:  
DATA\_CHANGE\_RULE\_ADD: CHAR(1)  
DATA\_CHANGE\_RULE\_UPDATE: CHAR(1)  
DATA\_CHANGE\_RULE\_DELETE: CHAR(1)  
DATA\_CHANGE\_RULE\_VIEW: CHAR(1)  
SCAN\_RULE\_ADD: CHAR(1)  
SCAN\_RULE\_UPDATE: CHAR(1)  
SCAN\_RULE\_DELETE: CHAR(1)  
SCAN\_RULE\_VIEW: CHAR(1)  
JOB\_BIB\_DATA\_CHANGE: CHAR(1)  
JOB\_BIB\_SCAN: CHAR(1)  
JOB\_BIB\_VIEW\_HISTORY: CHAR(1)  
JOB\_BIB\_REMOVE\_LOGFILE: CHAR(1)  
JOB\_BIB\_REMOVE\_MARC\_FILE: CHAR(1)  
JOB\_MFHD\_DATA\_CHANGE: CHAR(1)  
JOB\_MFHD\_SCAN: CHAR(1)  
JOB\_MFHD\_VIEW\_HISTORY: CHAR(1)  
JOB\_MFHD\_REMOVE\_LOGFILE: CHAR(1)  
JOB\_MFHD\_REMOVE\_MARC\_FILE: CHAR(1)  
JOB\_AUTH\_DATA\_CHANGE: CHAR(1)  
JOB\_AUTH\_SCAN: CHAR(1)  
JOB\_AUTH\_VIEW\_HISTORY: CHAR(1)  
JOB\_AUTH\_REMOVE\_LOGFILE: CHAR(1)  
JOB\_AUTH\_REMOVE\_MARC\_FILE: CHAR(1)  
DATA\_CHANGE\_JOB\_KILL: CHAR(1)  
SCAN\_JOB\_KILL: CHAR(1)  
JOB\_INDEX\_ONLY: CHAR(1)  
INDEX\_JOB\_KILL: CHAR(1)

## **GDC\_SAVED\_SEARCHES**

SEARCH\_ID: NUMBER  
SEARCH\_NAME: VARCHAR2(200)  
SEARCH\_OPTION: VARCHAR2(20)  
SEND\_SEARCH: VARCHAR2(700)  
SEARCH\_CODE: VARCHAR2(20)  
SEARCH\_ARGUMENT: VARCHAR2(700)  
SEARCH\_VIEW: VARCHAR2(700)  
SUBDIVISION\_FILTER: VARCHAR2(300)  
LOCATION\_FILTER: VARCHAR2(10)  
HEADING\_TYPE\_FILTER: VARCHAR2(20)  
HIT\_COUNT: NUMBER  
BROWSE\_SCAN\_FLAG: CHAR(1)  
BROWSE\_FIND\_FLAG: CHAR(1)

## **GDC\_SAVED\_SEARCHES**

TAB\_KEY: VARCHAR2(20)

## **GDC\_SECURITY\_LOCS**

GDC\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

## **GEO\_COORD\_TYPE**

COORD\_TYPE: NUMBER  
COORD\_NAME: VARCHAR2(25)

## **GEO\_FORMAT\_TYPE**

FORMAT\_TYPE: NUMBER  
FORMAT\_NAME: VARCHAR2(30)  
COORD\_TYPE: NUMBER

## **GEO\_SEARCH**

SEARCH\_TYPE: NUMBER  
SEARCH\_NAME: VARCHAR2(25)

## **GEO\_UNITS**

UNIT\_TYPE: NUMBER  
UNIT\_NAME: VARCHAR2(25)

## **GLOBAL\_PARM**

PARM: VARCHAR2(25)  
VALUE: VARCHAR2(50)

## **HEAD\_SUBDIV\_LIST**

HEADING: NUMBER  
SUBDIVISION: NUMBER

## **HEADING**

HEADING\_ID: NUMBER  
NORMAL\_HEADING: VARCHAR2(300)  
DISPLAY\_HEADING: VARCHAR2(300)  
INDEX\_TYPE: CHAR(1)  
HEADING\_TYPE: VARCHAR2(12)  
STAFFBIBS: NUMBER  
OPACBIBS: NUMBER  
STAFFREFS: VARCHAR2(5)  
OPACREFS: VARCHAR2(5)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE

## **HEADING\_CHANGE**

HEADING\_CHANGE\_ID: NUMBER  
HEADING\_QUEUE\_ID: NUMBER  
NEW\_HEADING: VARCHAR2(330)  
INDEX\_TYPE: CHAR(1)  
HEADING\_ID\_OLD: NUMBER  
HEADING\_ID\_NEW: NUMBER  
PROCESS\_FLAG: CHAR(1)  
CHANGE\_DATE: DATE

## **HEADING\_CHANGE\_FIELDS**

KEYWORD\_HEADINGS\_FLAG: CHAR(1)  
KEYWORD\_SEARCH\_TYPE: NUMBER  
LIMITS: VARCHAR2(750)

### **HEADING\_CHANGE\_FIELDS**

MARC\_TAG: CHAR(3)  
MARC\_IND1: CHAR(1)  
MARC\_IND2: CHAR(1)  
OLD\_FIELD: VARCHAR2(330)  
NEW\_FIELD: VARCHAR2(330)  
CHANGE\_DATE: DATE

### **HEADING\_CHANGE\_QUEUE**

HEADING\_QUEUE\_ID: NUMBER  
REC\_ID: NUMBER  
INDEX\_TYPE: CHAR(1)  
HEADING\_ID\_OLD: NUMBER  
HEADING\_ID\_NEW: NUMBER  
CHANGE\_DATE: DATE  
PROCESS\_FLAG: CHAR(1)  
REC\_TYPE: CHAR(1)

### **HEADING\_SUBDIVISION**

HEADING\_ID: NUMBER  
SUBDIV\_ID: NUMBER

### **HEADING\_TYPE**

INDEX\_TYPE: CHAR(1)  
  
HEADING\_TYPE: VARCHAR2(12)  
  
HEADING\_CODE: VARCHAR2(20)  
  
HEADING\_TYPE\_DESC: VARCHAR2(50)  
  
STAFFSUPPRESS: CHAR(1)

### **HEADING\_VW**

AUTH\_ID: NUMBER  
  
HEADING\_ID: NUMBER  
  
REFERENCE\_TYPE: VARCHAR2(20)  
  
NORMAL\_HEADING: VARCHAR2(300)  
  
DISPLAY\_HEADING: VARCHAR2(300)  
  
OPACBIBS: NUMBER  
CREATE\_DATE: DATE  
INDEX\_NAME: VARCHAR2(30)  
HEADING\_TYPE: VARCHAR2(50)

### **HOLD\_RECALL**

HOLD\_RECALL\_ID: NUMBER  
  
PATRON\_ID: NUMBER  
  
HOLD\_RECALL\_TYPE: CHAR(1)  
PICKUP\_LOCATION: NUMBER

HEADING\_CHANGE\_ID: NUMBER  
REC\_ID: NUMBER  
REC\_TYPE: CHAR(1)

### **HOLD\_RECALL**

HOLDING\_DB\_ID: NUMBER  
MODIFY\_OPID: VARCHAR2(10)  
MODIFY\_DATE: DATE  
MODIFY\_LOCATION\_ID: NUMBER

### **HOLD\_RECALL\_ARCHIVE**

HOLD\_RECALL\_ID: NUMBER  
HOLD\_RECALL\_TYPE: CHAR(1)  
PICKUP\_LOCATION: NUMBER  
EXPIRE\_DATE: DATE  
AVAILABLE\_NOTICE\_COUNT: NUMBER  
AVAILABLE\_NOTICE\_DATE: DATE  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
BIB\_ID: NUMBER  
REQUEST\_LEVEL: CHAR(1)  
REQUEST\_ITEM\_COUNT: NUMBER  
REQUEST\_GROUP\_ID: NUMBER  
PATRON\_COMMENT: VARCHAR2(100)  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER

CALL\_SLIP\_ID: NUMBER  
  
HOLDING\_DB\_ID: NUMBER  
  
MODIFY\_OPID: VARCHAR2(10)  
  
MODIFY\_DATE: DATE  
  
MODIFY\_LOCATION\_ID: NUMBER

### **HOLD\_RECALL\_ITEM\_ARCHIVE**

HOLD\_RECALL\_ID: NUMBER  
  
ITEM\_ID: NUMBER  
  
HOLD\_RECALL\_TYPE: CHAR(1)  
  
HOLD\_RECALL\_STATUS: NUMBER  
  
HOLD\_RECALL\_STATUS\_DATE: DATE

### **HOLD\_RECALL\_ITEMS**

HOLD\_RECALL\_ID: NUMBER  
ITEM\_ID: NUMBER  
QUEUE\_POSITION: NUMBER  
HOLD\_RECALL\_TYPE: CHAR(1)  
  
HOLD\_RECALL\_STATUS: NUMBER  
  
HOLD\_RECALL\_STATUS\_DATE: DATE

### **HOLD\_RECALL\_STATS**

EXPIRE\_DATE: DATE  
AVAILABLE\_NOTICE\_COUNT: NUMBER  
AVAILABLE\_NOTICE\_DATE: DATE  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
BIB\_ID: NUMBER  
REQUEST\_LEVEL: CHAR(1)  
REQUEST\_ITEM\_COUNT: NUMBER  
REQUEST\_GROUP\_ID: NUMBER  
PATRON\_COMMENT: VARCHAR2(100)  
PATRON\_GROUP\_ID: NUMBER  
CALL\_SLIP\_ID: NUMBER

### **IMPORT\_RULE**

CREATE\_MFHDS\_ITEMS: CHAR(1)  
LIBRARY\_ID: NUMBER  
CAT\_REVIEW: CHAR(1)  
LOC\_FIELD: VARCHAR2(3)  
LOC\_SUBFIELD: CHAR(1)  
LOC\_IND1: CHAR(1)  
LOC\_IND2: CHAR(1)  
SUPPRESS\_IN\_OPAC: CHAR(1)  
IMPORT\_RULE\_PO\_ID: NUMBER  
ORDER\_CREATE: CHAR(1)  
CREATE\_MFHDS\_ONLY: CHAR(1)  
BIB\_TO\_MFHD: CHAR(1)  
BIB\_DUP\_EXIST: CHAR(1)  
CHAR\_SET\_ID: NUMBER  
IGNORE\_OPAC\_SUPPRESS: CHAR(1)  
CREATE\_MULTI\_MFHDS: CHAR(1)  
CREATE\_MULTI\_ITEMS: CHAR(1)  
UPDATE\_MFHDS\_ITEMS: CHAR(1)  
MAG\_MEDIA\_FIELD: VARCHAR2(3)  
MAG\_MEDIA\_SUBFIELD: CHAR(1)  
MAG\_MEDIA\_IND1: CHAR(1)  
MAG\_MEDIA\_IND2: CHAR(1)  
MAG\_MEDIA\_MATCH: VARCHAR2(50)  
SENSITIZE\_FIELD: VARCHAR2(3)  
SENSITIZE\_SUBFIELD: CHAR(1)  
SENSITIZE\_IND1: CHAR(1)  
SENSITIZE\_IND2: CHAR(1)  
SENSITIZE\_MATCH: VARCHAR2(50)

### **IMPORT\_RULE\_BIBTOMFHD**

IMPORT\_RULE\_ID: NUMBER  
MFHD\_FIELD: VARCHAR2(3)

### **IMPORT\_RULE\_PO**

IMPORT\_RULE\_PO\_ID: NUMBER  
LOCATION\_ID\_ORDER: NUMBER  
CURRENCY\_CODE: CHAR(3)  
VENDOR\_ID: NUMBER  
ACCOUNT\_ID: NUMBER  
ORDER\_TYPE: NUMBER

HOLD\_RECALL\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER

### **HOLD\_RECALL\_STATUS**

HR\_STATUS\_TYPE: NUMBER  
HR\_STATUS\_DESC: VARCHAR2(25)

### **IMPORT\_RULE**

IMPORT\_RULE\_ID: NUMBER  
CODE: VARCHAR2(8)  
NAME: VARCHAR2(25)  
BIB\_DUP\_PROFILE\_ID: NUMBER  
AUTH\_DUP\_PROFILE\_ID: NUMBER

### **IMPORT\_RULE\_PO**

NOTES\_SUBFIELD: CHAR(1)  
NOTES\_IND1: CHAR(1)  
NOTES\_IND2: CHAR(1)  
INSTRUCTION\_FIELD: CHAR(3)  
INSTRUCTION\_SUBFIELD: CHAR(1)  
INSTRUCTION\_IND1: CHAR(1)  
INSTRUCTION\_IND2: CHAR(1)  
TITLE\_NO\_FIELD: CHAR(3)  
TITLE\_NO\_SUBFIELD: CHAR(1)  
TITLE\_IND1: CHAR(1)  
TITLE\_IND2: CHAR(1)  
PIECE\_FIELD: CHAR(3)  
PIECE\_SUBFIELD: CHAR(1)  
PIECE\_IND1: CHAR(1)  
PIECE\_IND2: CHAR(1)  
LINE\_ITEM\_TYPE\_FIELD: CHAR(3)  
LINE\_ITEM\_TYPE\_SUBFIELD: CHAR(1)  
LINE\_ITEM\_TYPE\_IND1: CHAR(1)  
LINE\_ITEM\_TYPE\_IND2: CHAR(1)  
LINE\_ITEM\_TYPE\_DEFAULT: NUMBER  
ONE\_PO\_PER\_BIB: CHAR(1)  
PO\_NUMBER\_FIELD: VARCHAR2(3)  
PO\_NUMBER\_SUBFIELD: CHAR(1)  
PO\_NUMBER\_IND1: CHAR(1)  
PO\_NUMBER\_IND2: CHAR(1)  
VENDOR\_REF\_FIELD: VARCHAR2(3)  
VENDOR\_REF\_SUBFIELD: CHAR(1)  
VENDOR\_REF\_IND1: CHAR(1)  
VENDOR\_REF\_IND2: CHAR(1)  
LEDGER\_FIELD: VARCHAR2(3)  
LEDGER\_SUBFIELD: CHAR(1)  
LEDGER\_IND1: CHAR(1)  
LEDGER\_IND2: CHAR(1)  
LEDGER\_DEFAULT: NUMBER  
FISCAL\_PERIOD\_FIELD: VARCHAR2(3)  
FISCAL\_PERIOD\_SUBFIELD: CHAR(1)  
FISCAL\_PERIOD\_IND1: CHAR(1)  
FISCAL\_PERIOD\_IND2: CHAR(1)  
FISCAL\_PERIOD\_DEFAULT: NUMBER  
REQUESTER\_FIELD: VARCHAR2(3)



FUND\_CODE: VARCHAR2(10)

COPY\_FIELD: CHAR(3)

COPY\_SUBFIELD: CHAR(1)

COPY\_IND1: CHAR(1)

COPY\_IND2: CHAR(1)

COPY\_DEFAULT: NUMBER

PRICE\_FIELD: CHAR(3)

PRICE\_SUBFIELD: CHAR(1)

PRICE\_IND1: CHAR(1)

PRICE\_IND2: CHAR(1)

PRICE\_DEFAULT: NUMBER

FUND\_FIELD: CHAR(3)

FUND\_SUBFIELD: CHAR(1)

FUND\_IND1: CHAR(1)

FUND\_IND2: CHAR(1)

NOTES\_FIELD: CHAR(3)

### **INSTRUCTOR**

FIRST\_NAME: VARCHAR2(40)

TITLE: VARCHAR2(10)

CIRC\_CLUSTER\_ID: NUMBER

### **INTERVAL\_TYPE**

INTERVAL\_TYPE: CHAR(1)

INTERVAL\_DESC: VARCHAR2(25)

### **INV\_LINE\_ITEM\_NOTES**

INV\_LINE\_ITEM\_ID: NUMBER

INVOICE\_ID: NUMBER

NOTE: VARCHAR2(1900)

### **INVOICE**

INVOICE\_ID: NUMBER

VENDOR\_ID: NUMBER

ACCOUNT\_ID: NUMBER

INVOICE\_NUMBER: VARCHAR2(25)

NORMAL\_INVOICE\_NUMBER: VARCHAR2(25)

INVOICE\_STATUS: NUMBER

INVOICE\_STATUS\_DATE: DATE

INVOICE\_DATE: DATE

VOUCHER\_NUMBER: VARCHAR2(25)

CURRENCY\_CODE: VARCHAR2(3)

CONVERSION\_RATE: NUMBER

INVOICE\_TOTAL: NUMBER

BILL\_LOCATION: NUMBER

INVOICE\_QUANTITY: NUMBER

LINE\_ITEM\_COUNT: NUMBER

LINE\_ITEM\_SUBTOTAL: NUMBER

ADJUSTMENTS\_SUBTOTAL: NUMBER

TOTAL: NUMBER

INVOICE\_CREATE\_DATE: DATE

REQUESTER\_SUBFIELD: CHAR(1)

REQUESTER\_IND1: CHAR(1)

REQUESTER\_IND2: CHAR(1)

AUTOMATIC\_APPROVAL: CHAR(1)

### **IN\_CLAUSE\_LIST**

MEMBER: NUMBER

### **INDEX\_TYPE**

INDEX\_TYPE: CHAR(1)

INDEX\_NAME: VARCHAR2(30)

### **INSTRUCTOR**

INSTRUCTOR\_ID: NUMBER

LAST\_NAME: VARCHAR2(50)

NORMAL\_LAST\_NAME: VARCHAR2(50)

### **INVOICE\_LINE\_ITEM**

LINE\_PRICE: NUMBER

QUANTITY: NUMBER

PREPAY\_AMOUNT: NUMBER

PIECE\_IDENTIFIER: VARCHAR2(50)

CREATE\_DATE: DATE

CREATE\_OPID: VARCHAR2(10)

UPDATE\_DATE: DATE

UPDATE\_OPID: VARCHAR2(10)

EDI\_REF: NUMBER

### **INVOICE\_LINE\_ITEM\_FUNDS**

COPY\_ID: NUMBER

INV\_LINE\_ITEM\_ID: NUMBER

SPLIT\_FUND\_SEQ: NUMBER

LEDGER\_ID: NUMBER

FUND\_ID: NUMBER

PERCENTAGE: NUMBER

AMOUNT: NUMBER

### **INVOICE\_NOTE**

INVOICE\_ID: NUMBER

NOTE: VARCHAR2(1900)

### **INVOICE\_STATUS**

INVOICE\_STATUS: NUMBER

INVOICE\_STATUS\_DESC: VARCHAR2(25)

### **ISSUES\_RECEIVED**

ISSUE\_ID: NUMBER

COMPONENT\_ID: NUMBER

COPY\_ID: NUMBER

LOCATION\_ID: NUMBER

RECEIPT\_DATE: DATE



CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
INVOICE\_UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
  
UPDATE\_LOCATION\_ID: NUMBER  
EDI\_REF: NUMBER  
  
EXPEND\_DATE: DATE  
  
CHECK\_NUMBER: VARCHAR2(40)  
  
NORMAL\_CHECK\_NUMBER: VARCHAR2(40)

### **INVOICE FUNDS**

INVOICE\_ID: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_ID: NUMBER  
COMMIT\_PENDING: NUMBER  
COMMITMENTS: NUMBER  
EXPEND\_PENDING: NUMBER  
EXPENDITURES: NUMBER

### **INVOICE LINE ITEM**

INV\_LINE\_ITEM\_ID: NUMBER  
INVOICE\_ID: NUMBER  
LINE\_ITEM\_ID: NUMBER  
UNIT\_PRICE: NUMBER

### **ITEM**

MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
MODIFY\_LOCATION\_ID: NUMBER  
ITEM\_SEQUENCE\_NUMBER: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
SHORT\_LOAN\_CHARGES: NUMBER  
MAGNETIC\_MEDIA: CHAR(1)  
SENSITIZE: CHAR(1)

### **ITEM BARCODE**

ITEM\_ID: NUMBER  
ITEM\_BARCODE: VARCHAR2(30)  
BARCODE\_STATUS: NUMBER  
BARCODE\_STATUS\_DATE: DATE

### **ITEM BARCODE STATUS**

BARCODE\_STATUS\_TYPE: NUMBER  
BARCODE\_STATUS\_DESC: VARCHAR2(25)

### **ITEM NOTE**

ITEM\_ID: NUMBER  
ITEM\_NOTE: VARCHAR2(1000)  
ITEM\_NOTE\_TYPE: NUMBER  
LAST\_MODIFIED: DATE

### **ITEM NOTE TYPE**

NOTE\_TYPE: NUMBER  
  
NOTE\_DESC: VARCHAR2(20)

OPAC\_SUPPRESSED: NUMBER  
NOTE: VARCHAR2(256)  
COLLAPSED: CHAR(1)  
ITEM\_ID: NUMBER

### **ITEM**

ITEM\_ID: NUMBER  
  
PERM\_LOCATION: NUMBER  
  
TEMP\_LOCATION: NUMBER  
  
ITEM\_TYPE\_ID: NUMBER  
TEMP\_ITEM\_TYPE\_ID: NUMBER  
COPY\_NUMBER: NUMBER  
ON\_RESERVE: CHAR(1)  
RESERVE\_CHARGES: NUMBER  
PIECES: NUMBER  
PRICE: NUMBER  
SPINE\_LABEL: VARCHAR2(25)  
HISTORICAL\_CHARGES: NUMBER  
HISTORICAL\_BROWSES: NUMBER  
RECALLS\_PLACED: NUMBER  
HOLDS\_PLACED: NUMBER  
CREATE\_DATE: DATE  
MODIFY\_DATE: DATE  
CREATE\_OPERATOR\_ID: VARCHAR2(10)

### **ITEM TYPE MAPPING**

ITEM\_TYPE\_ID: NUMBER  
MARC\_LOCATION: VARCHAR2(50)  
LOCATION\_ID: NUMBER  
CALL\_NO\_HIERARCHY\_ID: NUMBER

### **ITEM TYPE POLICY**

CIRC\_GROUP\_ID: NUMBER  
ITEM\_TYPE\_ID: NUMBER  
REPLACE\_COST: NUMBER  
ORDER\_QUANTITY\_NUMBER: NUMBER  
REORDER\_POINT: NUMBER  
SHORT\_LOAN: CHAR(1)

### **ITEM VW**

MFHD\_ID: NUMBER  
CALL\_NO: VARCHAR2(300)  
CALL\_NO\_TYPE: CHAR(1)  
NORMALIZED\_CALL\_NO: VARCHAR2(300)  
ITEM\_ID: NUMBER  
BARCODE: VARCHAR2(30)  
PERM\_LOCATION\_CODE: VARCHAR2(10)  
PERM\_LOCATION: VARCHAR2(25)  
GOV\_LOCATION\_CODE: VARCHAR2(10)  
GOV\_LOCATION: VARCHAR2(25)  
PERM\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
PERM\_ITEM\_TYPE: VARCHAR2(25)  
GOV\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
  
GOV\_ITEM\_TYPE: VARCHAR2(25)

### **ITEM\_STAT\_CODE**

ITEM\_STAT\_ID: NUMBER  
ITEM\_STAT\_CODE: VARCHAR2(3)  
ITEM\_STAT\_CODE\_DESC: VARCHAR2(25)

### **ITEM\_STATS**

ITEM\_ID: NUMBER  
ITEM\_STAT\_ID: NUMBER  
DATE\_APPLIED: DATE

### **ITEM\_STATUS**

ITEM\_ID: NUMBER  
ITEM\_STATUS: NUMBER  
ITEM\_STATUS\_DATE: DATE

### **ITEM\_STATUS\_TYPE**

ITEM\_STATUS\_TYPE: NUMBER  
ITEM\_STATUS\_DESC: VARCHAR2(25)

### **ITEM\_TYPE**

ITEM\_TYPE\_ID: NUMBER  
ITEM\_TYPE\_CODE: VARCHAR2(10)  
ITEM\_TYPE\_NAME: VARCHAR2(25)  
ITEM\_TYPE\_DISPLAY: VARCHAR2(40)

### **ITEM\_TYPE\_MAPPING**

IMPORT\_RULE\_ID: NUMBER  
MARC\_ITEM\_TYPE: VARCHAR2(50)

### **JOB\_DATA**

CURRENT\_BULK\_NUM: NUMBER  
PARAMETER\_STRING: VARCHAR2(2000)  
PARAMETER\_PTR: CLOB

### **JOB\_STATUS**

ID: NUMBER  
DESCRIPTION: VARCHAR2(20)

### **JOB\_TYPE**

ID: NUMBER  
DESCRIPTION: VARCHAR2(20)

### **LCCLASS\_VW**

MFHD\_ID: NUMBER  
FIRSTLETTER: VARCHAR2(1)  
CLASS: VARCHAR2(5)

LONGCLASS: VARCHAR2(8)

CLASSNUMBER: NUMBER

### **LEDGER**

LEDGER\_ID: NUMBER  
FISCAL\_YEAR\_ID: NUMBER  
ACQ\_POLICY\_ID: NUMBER  
LEDGER\_NAME: VARCHAR2(40)  
NORMAL\_LEDGER\_NAME: VARCHAR2(40)  
OVERCOMMIT: CHAR(1)

MEDIA\_TYPE\_CODE: VARCHAR2(10)

MEDIA\_TYPE: VARCHAR2(50)

ENUMERATION: VARCHAR2(80)

CHRONOLOGY: VARCHAR2(80)

YEAR: VARCHAR2(20)

CAPTION: VARCHAR2(256)

HISTORICAL\_BROWSES: NUMBER

HISTORICAL\_CHARGES: NUMBER

HISTORICAL\_BOOKINGS: NUMBER

HOLDS\_PLACED: NUMBER

RECALLS\_PLACED: NUMBER

CREATE\_DATE: DATE

CREATE\_OPID: VARCHAR2(10)

### **JOB\_DATA**

ID: NUMBER

NAME: VARCHAR2(200)

RECORD\_TYPE: NUMBER

JOB\_TYPE: NUMBER

JOB\_STATUS: NUMBER

SCHEDULED\_START\_DATE: DATE

ACTUAL\_START\_DATE: DATE

OPERATOR\_ID: VARCHAR2(10)

MODIFY\_DATE: DATE

RECORDS\_TO\_PROCESS: NUMBER

RECORDS\_PROCESSED: NUMBER

ERROR\_RECORD\_COUNT: NUMBER

RECORDS\_DELETED: NUMBER

### **LIBRARY\_ADDRESS\_DEFAULT**

LIBRARY\_NAME: VARCHAR2(50)

CONTACT\_NAME: VARCHAR2(50)

EMAIL: VARCHAR2(50)

ADDRESS\_LINE1: VARCHAR2(50)

ADDRESS\_LINE2: VARCHAR2(50)

ADDRESS\_LINE3: VARCHAR2(50)

ADDRESS\_LINE4: VARCHAR2(50)

ADDRESS\_LINE5: VARCHAR2(50)

CITY: VARCHAR2(30)

STATE\_PROVINCE: VARCHAR2(7)

ZIP\_POSTAL: VARCHAR2(10)

COUNTRY: VARCHAR2(20)

SAN: VARCHAR2(10)

### **LINE\_ITEM**

LINE\_ITEM\_ID: NUMBER

PO\_ID: NUMBER

BIB\_ID: NUMBER

LINE\_ITEM\_TYPE: NUMBER

LINE\_ITEM\_NUMBER: NUMBER

PIECE\_IDENTIFIER: VARCHAR2(50)

UNIT\_PRICE: NUMBER

LINE\_PRICE: NUMBER

PRINT\_STD\_NUM: CHAR(2)

QUANTITY: NUMBER

OVERCOMMIT\_WARN: NUMBER  
OVERCOMMIT\_PERCENT: NUMBER  
COMMIT\_FREEZE: DATE  
UNDERCOMMIT\_PERCENT: NUMBER  
OVEREXPEND: CHAR(1)  
OVEREXPEND\_WARN: NUMBER  
OVEREXPEND\_PERCENT: NUMBER  
EXPEND\_FREEZE: DATE  
UNDEREXPEND\_PERCENT: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
RULE\_ID: NUMBER  
NEW\_LEDGER\_NAME: VARCHAR2(40)  
NORMAL\_NEW\_LEDGER\_NAME:  
NEW\_LEDGER\_ID: NUMBER

### **LEDGER\_LOCATIONS**

LEDGER\_ID: NUMBER  
LOCATION\_ID: NUMBER

### **LEDGER\_NOTE**

LEDGER\_ID: NUMBER  
NOTE: VARCHAR2(1900)

### **LIBRARY**

LIBRARY\_ID: NUMBER  
LIBRARY\_NAME: VARCHAR2(50)  
LIBRARY\_DISPLAY\_NAME: VARCHAR2(80)  
NUC\_CODE: VARCHAR2(15)

### **LINE\_ITEM\_COPY\_HISTORY**

COPY\_ID: NUMBER  
AUDIT\_ID: NUMBER  
LINE\_ITEM\_STATUS: NUMBER  
STATUS\_DATE: DATE  
INV\_LINE\_ITEM\_ID: NUMBER

### **LINE\_ITEM\_COPY\_MFHD\_HISTORY**

AUDIT\_ID: NUMBER  
MFHD\_ID: NUMBER  
COPY\_ID: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)

### **LINE\_ITEM\_COPY\_STATUS**

LINE\_ITEM\_ID: NUMBER  
LOCATION\_ID: NUMBER  
COPY\_ID: NUMBER  
MFHD\_ID: NUMBER  
LINE\_ITEM\_STATUS: NUMBER  
INVOICE\_ITEM\_STATUS: NUMBER  
STATUS\_DATE: DATE  
ITEM\_ID: NUMBER

### **LINE\_ITEM\_FUNDS**

COPY\_ID: NUMBER

PREPAY\_AMOUNT: NUMBER  
RUSH: CHAR(1)  
CLAIM\_INTERVAL: NUMBER  
CANCEL\_INTERVAL: NUMBER  
DONOR: VARCHAR2(50)  
REQUESTOR: VARCHAR2(50)  
VENDOR\_TITLE\_NUM: VARCHAR2(25)  
VENDOR\_REF\_QUAL: VARCHAR2(3)  
VENDOR\_REF\_NUM: VARCHAR2(35)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
EDI\_REF: NUMBER  
STANDARD\_NUM: VARCHAR2(25)

### **LINE\_ITEM\_BIB\_HISTORY**

AUDIT\_ID: NUMBER  
BIB\_ID: NUMBER  
LINE\_ITEM\_ID: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)

### **LINE\_ITEM\_COPY**

LINE\_ITEM\_ID: NUMBER  
LOCATION\_ID: NUMBER  
SHIP\_TO\_LOCATION: NUMBER  
COPY\_COUNT: NUMBER  
USE\_LEDGER: NUMBER  
USE\_FUND: NUMBER

### **LINE\_ITEM\_COPY\_HISTORY LOCATION**

LOCATION\_SPINE\_LABEL: VARCHAR2(25)  
LOCATION\_OPAC: CHAR(1)  
SUPPRESS\_IN\_OPAC: CHAR(1)  
MFHD\_COUNT: NUMBER  
LIBRARY\_ID: NUMBER

### **LOCATION\_ADDRESS**

ADDRESS\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CONTACT\_NAME: VARCHAR2(50)  
EMAIL: VARCHAR2(50)  
ADDRESS\_LINE1: VARCHAR2(50)  
ADDRESS\_LINE2: VARCHAR2(50)  
ADDRESS\_LINE3: VARCHAR2(50)  
ADDRESS\_LINE4: VARCHAR2(50)  
ADDRESS\_LINE5: VARCHAR2(50)  
CITY: VARCHAR2(30)  
STATE\_PROVINCE: VARCHAR2(7)  
ZIP\_POSTAL: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
SAN: VARCHAR2(10)  
SHIP\_TO\_ADDRESS: CHAR(1)  
BILL\_TO\_ADDRESS: CHAR(1)  
STREET\_ADDRESS: CHAR(1)

CAMPUS\_ADDRESS: CHAR(1)

SPLIT\_FUND\_SEQ: NUMBER

LEDGER\_ID: NUMBER

FUND\_ID: NUMBER

PERCENTAGE: NUMBER

PREPAY\_PERCENTAGE: NUMBER

AMOUNT: NUMBER

PREPAY: NUMBER

### **LINE\_ITEM\_NOTES**

LINE\_ITEM\_ID: NUMBER

PO\_ID: NUMBER

PRINT\_NOTE: VARCHAR2(60)

NOTE: VARCHAR2(1900)

### **LINE\_ITEM\_STATUS**

LINE\_ITEM\_STATUS: NUMBER

LINE\_ITEM\_STATUS\_DESC: VARCHAR2(25)

### **LINE\_ITEM\_TYPE**

LINE\_ITEM\_TYPE: NUMBER

LINE\_ITEM\_TYPE\_DESC: VARCHAR2(25)

### **LOADLINK**

ORIGINALID: VARCHAR2(25)

LIBID: NUMBER

BIBID: NUMBER

ITEMTYPE: CHAR(2)

### **LOCATION**

LOCATION\_ID: NUMBER

LOCATION\_CODE: VARCHAR2(10)

LOCATION\_NAME: VARCHAR2(25)

LOCATION\_DISPLAY\_NAME: VARCHAR2(60)

### **MAINTENANCE**

CREATE\_OPID: VARCHAR2(10)

UPDATE\_OPID: VARCHAR2(10)

CREATE\_DATE: DATE

UPDATE\_DATE: DATE

CREATE\_LOCATION\_ID: NUMBER

UPDATE\_LOCATION\_ID: NUMBER

### **MAINTENANCE\_DETAIL**

MAINT\_DTL\_ID: NUMBER

MAINT\_ID: NUMBER

MAINT\_TYPE\_ID: NUMBER

DETAIL\_COMMENT: VARCHAR2(100)

### **MAINTENANCE\_NOTE**

MAINT\_ID: NUMBER

NOTE: VARCHAR2(2000)

OP\_ID: VARCHAR2(10)

CIRC\_DESK\_ADDRESS: CHAR(1)

OTHER\_ADDRESS: CHAR(1)

### **LOCATION\_LIMIT**

LOCATION\_LIMIT\_ID: NUMBER

LIMIT\_NAME: VARCHAR2(60)

LIMIT\_CODE: VARCHAR2(10)

SUPPRESS\_IN\_OPAC: CHAR(1)

### **LOCATION\_LIMIT\_LOCS**

LOCATION\_LIMIT\_ID: NUMBER

LOCATION\_ID: NUMBER

### **LOCATION\_PHONE**

PHONE\_ID: NUMBER

ADDRESS\_ID: NUMBER

PHONE\_TYPE: NUMBER

PHONE\_NUMBER: VARCHAR2(25)

### **LOGIN\_AUDIT\_TRAIL**

LOGIN\_USER\_ID: VARCHAR2(10)

OPERATOR\_ID: VARCHAR2(10)

INVALID\_ATTEMPT\_TIME: DATE

LOCKOUT\_COUNTER: NUMBER

LOCKOUT\_TIME: DATE

WORKSTATION\_ID: VARCHAR2(40)

### **MAINTENANCE**

MAINT\_ID: NUMBER

EQUIP\_ID: NUMBER

DATE\_IN: DATE

DATE\_OUT: DATE

### **MARCBOOK\_VW**

BIBTYPE: VARCHAR2(1)

BIBLEVEL: VARCHAR2(1)

AUDIENCE: VARCHAR2(1)

ITEMFORM: VARCHAR2(1)

GOVERNMENTPUB: VARCHAR2(1)

CONFERENCEPUB: VARCHAR2(1)

LITERARYFORM: VARCHAR2(1)

BIOGRAPHY: VARCHAR2(1)

### **MARCCOMPUTER\_VW**

BIB\_ID: NUMBER

BIBTYPE: VARCHAR2(1)

BIBLEVEL: VARCHAR2(1)

AUDIENCE: VARCHAR2(1)

FILETYPE: VARCHAR2(1)

GOVERNMENTPUB: VARCHAR2(1)

UPDATE\_DATE: DATE

### **MAINTENANCE\_QUEUE**

RELEASE\_PROCESSED: VARCHAR2(30)  
MAINTENANCE\_CODE: CHAR(1)  
ENQUEUE\_DATE: DATE  
PROCESS\_DATE: DATE  
CAUSATION\_COMMENT: VARCHAR2(2000)

### **MAINTENANCE\_TYPE**

MAINT\_TYPE\_ID: NUMBER  
TYPE\_CODE: VARCHAR2(10)  
TYPE: VARCHAR2(50)

### **MAP\_INDEX**

BIB\_ID: NUMBER

MAP\_INDEX\_ID: NUMBER

WEST\_LONGITUDE\_DISPLAY: VARCHAR2(12)  
WEST\_LONGITUDE\_NORMAL: NUMBER  
EAST\_LONGITUDE\_DISPLAY: VARCHAR2(12)  
EAST\_LONGITUDE\_NORMAL: NUMBER  
NORTH\_LATITUDE\_DISPLAY: VARCHAR2(12)  
NORTH\_LATITUDE\_NORMAL: NUMBER  
SOUTH\_LATITUDE\_DISPLAY: VARCHAR2(12)  
SOUTH\_LATITUDE\_NORMAL: NUMBER

### **MAP\_INDEX\_G\_RING**

MAP\_INDEX\_ID: NUMBER

SEQNUM: NUMBER

G\_RING\_LATITUDE: VARCHAR2(12)

G\_RING\_LATITUDE\_NORMAL: NUMBER

G\_RING\_LONGITUDE: VARCHAR2(12)

G\_RING\_LONGITUDE\_NORMAL: NUMBER

### **MAP\_INDEX\_SCALE**

MAP\_INDEX\_ID: NUMBER

MAP\_SCALE: NUMBER

SCALE\_TYPE: CHAR(1)

### **MARCBOOK\_VW**

BIB\_ID: NUMBER

### **MARCVISUAL\_VW**

### **MARK\_REASON**

MARK\_REASON\_ID: NUMBER

CLAIM\_TYPE: NUMBER

MARK\_REASON\_NAME: VARCHAR2(25)

### **MARKED\_ISSUE**

MARKED\_ID: NUMBER

COMPONENT\_ID: NUMBER

### **MARCMAP\_VW**

BIB\_ID: NUMBER

BIBTYPE: VARCHAR2(1)

BIBLEVEL: VARCHAR2(1)

PROJECTION: VARCHAR2(2)

CARTOGRAPHICTYPE: VARCHAR2(1)

GOVERNMENTPUB: VARCHAR2(1)

INDEXED: VARCHAR2(1)

### **MARCMUSIC\_VW**

BIB\_ID: NUMBER

BIBTYPE: VARCHAR2(1)

BIBLEVEL: VARCHAR2(1)

COMPOSITIONFORM: VARCHAR2(2)

MUSICFORMAT: VARCHAR2(1)

AUDIENCE: VARCHAR2(1)

ITEMFORM: VARCHAR2(1)

### **MARCSERIAL\_VW**

BIB\_ID: NUMBER

BIBTYPE: VARCHAR2(1)

BIBLEVEL: VARCHAR2(1)

FREQUENCY: VARCHAR2(1)

REGULARITY: VARCHAR2(1)

TYPE: VARCHAR2(1)

ORIGINALFORM: VARCHAR2(1)

ITEMFORM: VARCHAR2(1)

ENTIRENATURE: VARCHAR2(1)

GOVERNMENTPUB: VARCHAR2(1)

CONFERENCEPUB: VARCHAR2(1)

### **MARCVISUAL\_VW**

BIB\_ID: NUMBER

BIBTYPE: VARCHAR2(1)

BIBLEVEL: VARCHAR2(1)

RUNNINGTIME: VARCHAR2(3)

AUDIENCE: VARCHAR2(1)

GOVERNMENTPUB: VARCHAR2(1)

VISUALTYPE: VARCHAR2(1)

TECHNIQUE: VARCHAR2(1)

### **MASTER\_SECURITY\_LOCS**

LOCATION\_ID: NUMBER

### **MEDIA\_BOOKING\_EXCEPTION**

MEDIA\_BOOKING\_EXCEPTION\_ID: NUMBER

PATRON\_ID: NUMBER

OP\_ID: VARCHAR2(10)

UPDATE\_DATE: DATE

LOCATION\_ID: NUMBER

ITEM\_ID: NUMBER

ISSUE\_ID: NUMBER  
SUBSCRIPTION\_ID: NUMBER  
MARK\_REASON: NUMBER  
LOCATION\_ID: NUMBER  
COPY\_ID: NUMBER  
OP\_ID: VARCHAR2(10)  
MARK\_DATE: DATE  
MARKED\_COMMENT: VARCHAR2(250)

### **MARKED\_LINE\_ITEM**

MARKED\_ID: NUMBER  
LINE\_ITEM\_ID: NUMBER  
LOCATION\_ID: NUMBER  
COPY\_ID: NUMBER  
MARK\_REASON: NUMBER  
OP\_ID: VARCHAR2(10)  
MARK\_DATE: DATE  
MARKED\_COMMENT: VARCHAR2(250)

### **MASTER\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
MASTER\_PROFILE\_ID: NUMBER

### **MASTER\_PROFILE**

MASTER\_PROFILE\_ID: NUMBER  
MASTER\_PROFILE\_NAME: VARCHAR2(25)  
SECURITY: CHAR(1)  
SYSTEM\_DEFINITIONS: CHAR(1)  
CURRENCY\_TABLES: CHAR(1)  
ACQ\_POLICIES: CHAR(1)  
CAT\_POLICIES: CHAR(1)  
CIRC\_POLICIES: CHAR(1)  
MEDIA\_POLICIES: CHAR(1)  
CLUSTER\_CREATE: CHAR(1)  
CLUSTER\_EDIT: CHAR(1)  
CLUSTER\_DELETE: CHAR(1)  
CLUSTER\_VIEW: CHAR(1)  
PATRON\_GROUP\_EDIT: CHAR(1)  
SECURITY\_VIEW: CHAR(1)  
SYSTEM\_DEFS\_VIEW: CHAR(1)  
CURRENCY\_VIEW: CHAR(1)  
ACQ\_POLICIES\_VIEW: CHAR(1)  
CAT\_POLICIES\_VIEW: CHAR(1)  
CIRC\_POLICIES\_VIEW: CHAR(1)  
PATRON\_GROUP\_VIEW: CHAR(1)

### **MASTER\_SECURITY\_LOCS**

MASTER\_PROFILE\_ID: NUMBER

### **MEDIA\_POLICY\_EQUIPMENT\_MATRIX**

EQUIP\_TYPE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SETTINGS\_ID: NUMBER

### **MEDIA\_POLICY\_EQUIPMENT\_TYPE**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER  
REPLACEMENT\_DEFAULT: NUMBER  
SETUP\_TIME: NUMBER

ITEM\_STATUS\_TYPE: NUMBER  
EQUIP\_ID: NUMBER  
EQUIP\_STS\_TYPE\_ID: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
ROOM\_STS\_TYPE\_ID: NUMBER  
ACTION: CHAR(1)

### **MEDIA\_BOOKING\_EXCEPTION\_TYPE**

MEDIA\_BOOKING\_EXCEPTION\_ID: NUMBER  
MEDIA\_BOOKING\_EXCEPTION: VARCHAR2(25)

### **MEDIA\_BOOKING\_TYPE**

MEDIA\_BOOKING\_TYPE\_ID: NUMBER  
TYPE: VARCHAR2(20)

### **MEDIA\_OPERATOR**

PATRON\_ID: NUMBER  
STATUS: CHAR(1)  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE

### **MEDIA\_POLICY\_DELIVERY\_CALENDAR**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
CALENDAR\_ID: NUMBER

### **MEDIA\_POLICY\_EQUIP\_SETTINGS**

SETTINGS\_ID: NUMBER  
SETTINGS\_NAME: VARCHAR2(40)  
CAN\_DELIVER: CHAR(1)  
CAN\_PICKUP: CHAR(1)  
BOOKING\_INTERVAL: CHAR(1)  
BOOKING\_PERIOD\_MAX: NUMBER  
BOOKING\_RENEW: NUMBER  
BOOKING\_RENEW\_COUNT: NUMBER  
FINE\_INTERVAL: CHAR(1)  
FINE\_RATE\_PICKUP: NUMBER  
FINE\_RATE\_DELIVERY: NUMBER  
FINE\_MAX: NUMBER  
FINE\_GRACE\_PERIOD: NUMBER  
USAGE\_FEE: NUMBER  
USAGE\_RATE: NUMBER  
USAGE\_RATE\_INTERVAL: CHAR(1)  
USAGE\_RATE\_PERIOD: NUMBER

### **MEDIA\_POLICY\_EQUIPMENT\_MATRIX**

MATRIX\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER

### **MEDIA\_POLICY\_ITEM\_SETTINGS**

RECALL\_FOR\_BOOKING: CHAR(1)

### **MEDIA\_POLICY\_LOCATION**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
LOCATION\_ID: NUMBER  
BOOKING: CHAR(1)  
PICKUP: CHAR(1)  
PICKUP\_SLIP\_PRINT: CHAR(1)  
DELIVERY: CHAR(1)

CLEANUP\_TIME: NUMBER  
REQUEST\_EQUIP\_USING\_OPAC: CHAR(1)

### **MEDIA\_POLICY\_GROUP**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
SCHEDULE\_POLICY: VARCHAR2(40)  
WARNING\_INTERVAL: NUMBER  
BLOCK\_INTERVAL: NUMBER  
DELIVERY\_COUNT\_CLOSED: CHAR(1)  
DELIVERY\_COUNT\_CLOSED\_FEES: CHAR(1)  
PICKUP\_COUNT\_CLOSED: CHAR(1)  
PICKUP\_COUNT\_CLOSED\_FEES: CHAR(1)  
CANCEL\_UNCLAIMED\_BOOKING: NUMBER  
OVERDUE\_CONFLICT\_LIST\_INTERVAL:  
OVERDUE\_FIRST\_INTERVAL: NUMBER  
OVERDUE\_NOTICE\_INTERVAL: NUMBER  
OVERDUE\_NOTICE\_COUNT: NUMBER  
OVERDUE\_LOST\_INTERVAL: NUMBER  
OVERDUE\_LOST\_FEE: CHAR(1)  
OVERDUE\_LOST\_FEE\_AMT: NUMBER  
OVERDUE\_LOST\_MAX\_FINE: CHAR(1)  
OVERDUE\_RENEW: CHAR(1)

### **MEDIA\_POLICY\_ITEM\_MATRIX**

MATRIX\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SETTINGS\_ID: NUMBER

### **MEDIA\_POLICY\_ITEM\_SETTINGS**

SETTINGS\_ID: NUMBER  
SETTINGS\_NAME: VARCHAR2(40)  
CAN\_PICKUP: CHAR(1)  
CAN\_DELIVER: CHAR(1)  
BOOKING\_INTERVAL: CHAR(1)  
BOOKING\_PERIOD\_MAX: NUMBER  
BOOKING\_RENEW: NUMBER  
BOOKING\_RENEW\_COUNT: NUMBER  
FINE\_INTERVAL: CHAR(1)  
FINE\_RATE\_PICKUP: NUMBER  
FINE\_RATE\_DELIVERY: NUMBER  
FINE\_MAX: NUMBER  
FINE\_GRACE\_PERIOD: NUMBER  
USAGE\_FEE: NUMBER  
USAGE\_RATE: NUMBER  
USAGE\_RATE\_INTERVAL: CHAR(1)  
USAGE\_RATE\_PERIOD: NUMBER

### **MEDIA\_POLICY\_PICKUP\_CALENDAR**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
CALENDAR\_ID: NUMBER

### **MEDIA\_POLICY\_ROOM\_CALENDAR**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
CALENDAR\_ID: NUMBER

### **MEDIA\_POLICY\_ROOM\_MATRIX**

MATRIX\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER

DELIVERY\_SLIP\_PRINT: CHAR(1)  
COLLECT\_FINES: CHAR(1)  
COURTESY\_DISCHARGE\_ITEM: CHAR(1)  
COURTESY\_DISCHARGE\_EQUIPMENT:  
COURTESY\_DISCHARGE\_ROOM\_KEY:  
ITEM\_SHELVING\_INTERVAL: CHAR(1)  
ITEM\_SHELVING\_PERIOD: NUMBER  
ITEM\_TRANSIT\_PERIOD: NUMBER  
FLY\_ITEM\_SUPPRESS: CHAR(1)  
FLY\_ITEM\_TYPE: NUMBER  
FLY\_ITEM\_LOCATION: NUMBER  
PRINT\_LOCATION\_ID: NUMBER  
PRINT\_CONFIRMATION: CHAR(1)  
DELIVERY\_TIME: NUMBER  
RETURN\_TIME: NUMBER  
EQUIP\_RESTRICTED: CHAR(1)

### **MEDIA\_POLICY\_MEDIA\_TYPE**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
REPLACEMENT\_DEFAULT: NUMBER  
REQUEST\_ITEM\_USING\_OPAC: CHAR(1)

### **MEDIA\_POLICY\_PATRON\_GROUP**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
OVERLAPPING\_BOOKINGS: CHAR(1)  
FINES\_APPLY: CHAR(1)  
FEES\_APPLY: CHAR(1)  
OUTSTANDING\_BALANCE\_LIMIT: CHAR(1)  
OUTSTANDING\_BALANCE\_MAX: NUMBER  
BOOKING\_LIMIT: CHAR(1)  
BOOKING\_MAX: NUMBER  
ITEM\_BOOKING\_LIMIT: CHAR(1)  
ITEM\_BOOKING\_MAX: NUMBER  
EQUIP\_BOOKING\_LIMIT: CHAR(1)  
EQUIP\_BOOKING\_MAX: NUMBER  
LATE\_RETURN\_LIMIT: CHAR(1)  
LATE\_RETURN\_MAX: NUMBER  
CANCELLED\_BOOKING\_LIMIT: CHAR(1)  
CANCELLED\_BOOKING\_MAX: NUMBER  
UNCLAIMED\_BOOKING\_LIMIT: CHAR(1)  
UNCLAIMED\_BOOKING\_MAX: NUMBER  
EARLY\_PICKUP: NUMBER  
EARLY\_PICKUP\_INTERVAL: CHAR(1)  
OVERDUE\_NOTICE\_APPLY: CHAR(1)  
REQUEST\_PATRON\_USING\_OPAC: CHAR(1)

### **MEDIA\_ROOM\_DETAILS**

MEDIA\_ROOM\_ID: NUMBER  
MEDIA\_ROOM\_DTL\_TYPE\_ID: NUMBER  
ROOM\_DTL: VARCHAR2(100)

### **MEDIA\_ROOM\_KEY**

MEDIA\_ROOM\_KEY\_ID: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
KEY\_NO: VARCHAR2(15)

### **MEDIA\_ROOM\_NOTE\_TYPE**



MEDIA\_ROOM\_TYPE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SETTINGS\_ID: NUMBER

### **MEDIA\_POLICY\_ROOM\_SETTINGS**

SETTINGS\_ID: NUMBER  
SETTINGS\_NAME: VARCHAR2(40)  
CAN\_BOOK: CHAR(1)  
BOOKING\_INTERVAL: CHAR(1)  
BOOKING\_PERIOD\_MAX: NUMBER  
USAGE\_FEE: NUMBER  
USAGE\_RATE: NUMBER  
USAGE\_RATE\_INTERVAL: CHAR(1)  
USAGE\_RATE\_PERIOD: NUMBER

### **MEDIA\_POLICY\_ROOM\_TYPE**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
ROOM\_SCHEDULED: CHAR(1)  
CAN\_DELIVER: CHAR(1)

### **MEDIA\_ROOM**

MEDIA\_ROOM\_ID: NUMBER  
ROOM\_NO: VARCHAR2(15)  
ROOM\_NO\_NORMALIZED: VARCHAR2(15)  
ROOM\_NAME: VARCHAR2(40)  
ROOM\_NAME\_NORMALIZED: VARCHAR2(40)  
LOCATION\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
STORAGE: VARCHAR2(1)  
CAPACITY: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER  
  
CREATE\_OPID: VARCHAR2(10)  
  
UPDATE\_OPID: VARCHAR2(10)  
  
CREATE\_DATE: DATE  
  
UPDATE\_DATE: DATE  
  
CREATE\_LOCATION\_ID: NUMBER  
  
UPDATE\_LOCATION\_ID: NUMBER

### **MEDIA\_ROOM\_DETAIL\_TYPE**

MEDIA\_ROOM\_DTL\_TYPE\_ID: NUMBER  
TYPE\_CODE: VARCHAR2(10)  
TYPE: VARCHAR2(50)  
REPEATABLE: CHAR(1)

### **MEDIA\_ROOM\_DETAILS**

MEDIA\_ROOM\_DETAILS\_ID: NUMBER

### **MEDIA\_SCHEDULE**

BOOKING\_CLEANUP: NUMBER  
SCHED\_COMMENT: VARCHAR2(1000)  
OPERATOR\_DELIVERY: NUMBER  
OPERATOR\_PICKUP: NUMBER

MEDIA\_ROOM\_NOTE\_TYPE\_ID: NUMBER  
TYPE: VARCHAR2(15)

### **MEDIA\_ROOM\_NOTES**

MEDIA\_ROOM\_ID: NUMBER  
MEDIA\_ROOM\_NOTE\_TYPE\_ID: NUMBER  
NOTE: VARCHAR2(2000)  
OP\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE

### **MEDIA\_ROOM\_STATUS**

MEDIA\_ROOM\_ID: NUMBER  
MEDIA\_ROOM\_STS\_TYPE\_ID: NUMBER  
NOTE: VARCHAR2(100)  
UPDATE\_DATE: DATE  
OP\_ID: VARCHAR2(10)

### **MEDIA\_ROOM\_STATUS\_TYPE**

MEDIA\_ROOM\_STS\_TYPE\_ID: NUMBER  
STS\_TYPE: VARCHAR2(40)  
DISPLAY\_PRIORITY: NUMBER  
WARN\_ON\_BOOKING: CHAR(1)  
BLOCK\_BOOKING: CHAR(1)  
MESSAGE: VARCHAR2(50)

### **MEDIA\_ROOM\_TYPE**

MEDIA\_ROOM\_TYPE\_ID: NUMBER  
TYPE\_CODE: VARCHAR2(10)  
TYPE: VARCHAR2(50)  
EQUIP\_STORAGE: CHAR(1)

### **MEDIA\_SCHEDULE**

MEDIA\_SCHEDULE\_ID: NUMBER  
  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
  
PATRON\_GROUP\_ID: NUMBER  
  
PATRON\_ID: NUMBER  
  
PATRON\_ID\_PICKED\_UP: NUMBER  
  
CONFIRM\_NO: VARCHAR2(77)  
  
CONFIRM\_DATE: DATE  
MEDIA\_BOOKING\_TYPE\_ID: NUMBER  
ADMIN\_BOOKING: CHAR(1)  
STAGING\_LOCATION\_ID: NUMBER  
BOOKING\_SETUP\_DATE: DATE  
BOOKING\_SETUP: NUMBER  
BOOKING\_START: DATE  
BOOKING\_END: DATE  
BOOKING\_CLEANUP\_DATE: DATE

### **MEDIA\_SCHEDULE\_EQUIPMENT**

COUNT\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER  
EQUIP\_ID: NUMBER  
FULFILL\_ITEM: CHAR(1)



WIZARD: CHAR(1)  
CREATE\_LOCATION\_ID: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE

### **MEDIA\_SCHEDULE\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
  
PATRON\_ID: NUMBER  
CONFIRM\_NO: VARCHAR2(77)  
  
CONFIRM\_DATE: DATE  
  
PATRON\_ID\_PICKED\_UP: NUMBER  
  
STAGING\_LOCATION\_ID: NUMBER  
  
MEDIA\_BOOKING\_TYPE\_ID: NUMBER  
  
ADMIN\_BOOKING: CHAR(1)  
  
BOOKING\_SETUP: NUMBER  
  
BOOKING\_START: DATE  
  
BOOKING\_END: DATE  
  
BOOKING\_CLEANUP: NUMBER  
  
SCHED\_COMMENT: VARCHAR2(1000)  
  
BOOKING\_RESULT: NUMBER  
OPERATOR\_DELIVERY: NUMBER  
OPERATOR\_PICKUP: NUMBER  
WIZARD: CHAR(1)  
CREATE\_LOCATION\_ID: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE

### **MEDIA\_SCHEDULE\_EQUIP\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID:  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER  
EQUIP\_ID: NUMBER  
FULFILL\_ITEM: CHAR(1)  
IN\_ROOM: CHAR(1)  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

IN\_ROOM: CHAR(1)  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

### **MEDIA\_SCHEDULE\_FINE**

MEDIA\_SCHEDULE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER

### **MEDIA\_SCHEDULE\_FINE\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER

### **MEDIA\_SCHEDULE\_ITEM**

MEDIA\_SCHEDULE\_ID: NUMBER  
  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID:  
  
FINE\_FEE\_ID: NUMBER  
  
COUNT\_ID: NUMBER  
  
MEDIA\_TYPE\_ID: NUMBER  
  
BIB\_ID: NUMBER  
  
MFHD\_ID: NUMBER  
  
ITEM\_ID: NUMBER  
  
UPDATE\_DATE: DATE  
  
LOCATION\_ID: NUMBER  
  
OP\_ID: VARCHAR2(10)

### **MEDIA\_SCHEDULE\_ITEM\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID:  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
  
OP\_ID: VARCHAR2(10)

### **MEDIA\_SCHEDULE\_ROOM**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID:  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CAPACITY\_NEEDED: NUMBER  
CAPACITY\_OPERATOR: NUMBER

## **MEDIA\_SCHEDULE\_EQUIPMENT**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID:  
FINE\_FEE\_ID: NUMBER

## **MEDIA\_SCHEDULE\_ROOM**

### **MEDIA\_SCHEDULE\_ROOM\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID:  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CAPACITY\_NEEDED: NUMBER  
CAPACITY\_OPERATOR: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
ROOM\_KEY\_ID: NUMBER  
UPDATE\_DATE: DATE  
TRANS\_LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

### **MEDIA\_SCHEDULE\_TRANS\_TYPE**

MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID:  
TYPE: VARCHAR2(15)

### **MEDIA\_SECURITY\_LOCATION**

MEDIA\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

### **MEDIA\_SECURITY\_OPERATOR**

MEDIA\_PROFILE\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)

### **MEDIA\_SECURITY\_PROFILE**

MEDIA\_PROFILE\_ID: NUMBER  
  
MEDIA\_PROFILE\_NAME: VARCHAR2(25)  
EQUIP\_ADD: CHAR(1)  
EQUIP\_DELETE: CHAR(1)  
EQUIP\_UPDATE: CHAR(1)  
EQUIP\_VIEW: CHAR(1)  
EQUIP\_MAINT\_ADD: CHAR(1)  
EQUIP\_MAINT\_DELETE: CHAR(1)  
EQUIP\_MAINT\_UPDATE: CHAR(1)  
EQUIP\_MAINT\_VIEW: CHAR(1)  
ROOM\_ADD: CHAR(1)  
ROOM\_DELETE: CHAR(1)  
ROOM\_UPDATE: CHAR(1)  
ROOM\_VIEW: CHAR(1)  
ITEM\_ADD: CHAR(1)  
ITEM\_DELETE: CHAR(1)  
ITEM\_UPDATE: CHAR(1)  
ITEM\_VIEW: CHAR(1)

MEDIA\_ROOM\_ID: NUMBER  
ROOM\_KEY\_ID: NUMBER

UPDATE\_DATE: DATE

TRANS\_LOCATION\_ID: NUMBER

OP\_ID: VARCHAR2(10)

### **MEDIA\_SECURITY\_PROFILE**

BOOKING\_CHARGE: CHAR(1)  
BOOKING\_DISCHARGE: CHAR(1)  
BOOKING\_RENEW: CHAR(1)  
OVERRIDE\_PATRON\_BLOCK: CHAR(1)  
OVERRIDE\_ITEM\_BLOCK: CHAR(1)  
OVERRIDE\_OTHER\_BLOCK: CHAR(1)  
CHANGE\_DISCHARGE\_DATE: CHAR(1)  
FEES\_ADD: CHAR(1)  
FEES\_PAY: CHAR(1)  
FEES\_ADJUST: CHAR(1)  
EQUIP\_BOOKED\_MOVE: CHAR(1)

### **MEDIA\_TYPE**

MEDIA\_TYPE\_ID: NUMBER  
TYPE\_CODE: VARCHAR2(10)  
TYPE: VARCHAR2(50)

### **MFHD\_DATA**

MFHD\_ID: NUMBER  
SEQNUM: NUMBER  
RECORD\_SEGMENT: VARCHAR2(300)

### **MFHD\_HISTORY**

MFHD\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
ACTION\_DATE: DATE  
LOCATION\_ID: NUMBER  
ENCODING\_LEVEL: CHAR(1)  
SUPPRESS\_IN\_OPAC: VARCHAR2(1)  
  
ACTION\_TYPE\_ID: NUMBER

### **MFHD\_ITEM**

MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
ITEM\_ENUM: VARCHAR2(80)  
CHRON: VARCHAR2(80)  
YEAR: VARCHAR2(20)  
CAPTION: VARCHAR2(256)  
FREETEXT: VARCHAR2(256)

### **MFHD\_MASTER**

MFHD\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CALL\_NO\_TYPE: CHAR(1)  
NORMALIZED\_CALL\_NO: VARCHAR2(300)  
DISPLAY\_CALL\_NO: VARCHAR2(300)  
SUPPRESS\_IN\_OPAC: CHAR(1)

PATRON\_ADD: CHAR(1)  
PATRON\_DELETE: CHAR(1)  
PATRON\_UPDATE: CHAR(1)  
PATRON\_VIEW: CHAR(1)  
PATRON\_COUNTERS: CHAR(1)  
BOOKING\_ADD: CHAR(1)  
BOOKING\_UPDATE: CHAR(1)  
BOOKING\_CANCEL: CHAR(1)  
BOOKING\_VIEW: CHAR(1)  
BOOKING\_VIEW\_HISTORICAL: CHAR(1)

### **MFHD\_MASTER**

EXPORT\_OK\_OPID: VARCHAR2(10)  
EXPORT\_OK\_LOCATION\_ID: NUMBER  
EXPORT\_DATE: DATE

### **MFHDBLOB\_VW**

MFHD\_ID: NUMBER  
MARC\_RECORD: CLOB

### **MFHDHISTORY\_VW**

MFHD\_ID: NUMBER

CREATE\_OPERATOR\_ID: VARCHAR2(10)  
CREATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPERATOR\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER

### **MISCELLANEOUS**

PATRON\_ID\_RETAIN: CHAR(1)  
  
MEDIA\_PATRON\_ID\_RETAIN: CHAR(1)  
  
DISTRIBUTION\_PATRON\_ID\_RETAIN: CHAR(1)  
BIBREADONLY: CHAR(1)  
MFHDREADONLY: CHAR(1)  
AUTHREADONLY: CHAR(1)  
AUTO\_RETRIEVE\_SYSTEM: CHAR(1)  
UNIQUE\_ID\_OFFSET: NUMBER  
UNIQUE\_ID\_FIELD: VARCHAR2(6)  
CALL\_SLIP\_ITEM\_REQUIRED: CHAR(1)  
OPAC\_ITEM\_SORT: CHAR(1)  
CUSTOM\_1: CHAR(1)  
ON\_SHELF\_HOLD: CHAR(1)  
USE\_DEFAULT\_POLICY: CHAR(1)  
DATABASELANGUAGE: VARCHAR2(30)  
  
UBPAGING: CHAR(1)  
PATRON\_EXPIRE\_DATE: DATE  
  
PATRON\_EXPIRE\_OFFSET: VARCHAR2(5)  
  
PATRON\_PURGE\_DATE: DATE  
  
PATRON\_PURGE\_OFFSET: VARCHAR2(5)

### **MONO\_CLAIM**

CLAIM\_THREAD: NUMBER

SOURCE\_MODULE: CHAR(1)  
RECORD\_STATUS: CHAR(1)  
RECORD\_TYPE: CHAR(1)  
ENCODING\_LEVEL: CHAR(1)  
FIELD\_007: VARCHAR2(23)  
FIELD\_008: VARCHAR2(32)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE  
EXPORT\_OK: CHAR(1)  
EXPORT\_OK\_DATE: DATE

### **MONO\_CLAIM\_ARCHIVE**

VENDOR\_ID: NUMBER  
CLAIM\_TYPE: NUMBER  
CLAIM\_DATE: DATE  
CLAIM\_COUNT: NUMBER  
OVERRIDE\_CLAIM\_DATE: DATE  
CLAIM\_STATUS: NUMBER  
OP\_ID: VARCHAR2(10)  
NOTE: VARCHAR2(256)  
EDI\_REF: NUMBER

ARCHIVE\_DATE: DATE

### **MONO\_SUPPLIER\_REPORT**

AUDIT\_ID: NUMBER  
CLAIM\_ID: NUMBER  
REPORT\_DATE: DATE  
ACTION\_DATE: DATE  
ACTION\_QUANTITY: NUMBER  
REPORT\_TYPE: NUMBER

EDI\_REF: NUMBER

NOTE: VARCHAR2(512)

### **MY\_OPAC\_DB**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER

### **MY\_OPAC\_PREFERENCES**

PATRON\_ID: NUMBER  
SEARCH\_PREFERENCES: VARCHAR2(50)

### **NALCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(3)  
LONGCLASS: VARCHAR2(300)

### **NLMCLASS\_VW**

MFHD\_ID: NUMBER  
  
FIRSTLETTER: VARCHAR2(1)  
  
CLASS: VARCHAR2(300)  
  
LONGCLASS: VARCHAR2(7)  
CLASSNUMBER: NUMBER

### **NO\_FILL\_REASON**

COPY\_ID: NUMBER

CLAIM\_ID: NUMBER

VENDOR\_ID: NUMBER

CLAIM\_TYPE: NUMBER

CLAIM\_DATE: DATE

CLAIM\_COUNT: NUMBER

OVERRIDE\_CLAIM\_DATE: DATE

CLAIM\_STATUS: NUMBER

OP\_ID: VARCHAR2(10)

NOTE: VARCHAR2(256)

EDI\_REF: NUMBER

### **MONO\_CLAIM\_ARCHIVE**

CLAIM\_THREAD: NUMBER

COPY\_ID: NUMBER

CLAIM\_ID: NUMBER

### **OPAC\_CHANGE\_TYPE**

### **OPAC\_CIRC\_SETTINGS**

PATRON\_PURGE\_PERIOD: NUMBER

SELF\_REG\_DFLT\_PATRON\_GRP: NUMBER

### **OPAC\_FORM**

FORM\_ID: NUMBER

FORM\_CODE: VARCHAR2(10)

FORM\_NAME: VARCHAR2(40)

EMAIL: VARCHAR2(100)

INSTRUCTIONS: VARCHAR2(1000)

BLANK\_FORM: CHAR(1)

SUPPRESS\_IN\_OPAC: CHAR(1)

FORM\_TYPE: CHAR(1)

OUTPUT\_TYPE: CHAR(1)

LOGIN: VARCHAR2(15)

PASSWORD: VARCHAR2(15)

VOUCHER\_START: NUMBER

VOUCHER\_END: NUMBER

VOUCHER\_LAST\_USED: NUMBER

VOUCHER\_PREFIX: VARCHAR2(4)

### **OPAC\_FORM\_DATABASES**

FORM\_ID: NUMBER

DB\_CODE: VARCHAR2(8)

DB\_ID: NUMBER

### **OPAC\_FORM\_FIELDS**

FORM\_ID: NUMBER

FIELD\_LABEL: VARCHAR2(20)

FIELD\_REQUIRED: CHAR(1)

FIELD\_SEQUENCE: NUMBER

CLIO\_TAG: VARCHAR2(20)

MAPPING: VARCHAR2(10)

OPAC\_CHANGE: NUMBER

REASON\_ID: NUMBER

REASON\_CODE: VARCHAR2(10)

REASON\_DESC: VARCHAR2(50)

SUPPRESS: CHAR(1)

### **NOTE\_TYPE**

NOTE\_TYPE: NUMBER

NOTE\_DESC: VARCHAR2(25)

### **OLDYALECLASS\_VW**

MFHD\_ID: NUMBER

CLASS: VARCHAR2(6)

### **OPAC\_CHANGE\_TYPE**

OPAC\_CHANGE\_TYPE: NUMBER

OPAC\_CHANGE\_DESC: VARCHAR2(25)

### **OPAC\_FORM\_REQUEST\_FILE**

VOUCHER\_NUMBER: NUMBER

EMAIL\_TEXT: VARCHAR2(2000)

### **OPAC\_FORM\_TYPE**

FORM\_TYPE: CHAR(1)

FORM\_TYPE\_DESC: VARCHAR2(25)

### **OPAC\_MESSAGES**

TAB\_NUMBER: NUMBER

LINE\_NUMBER: NUMBER

OPAC\_LINE: VARCHAR2(70)

### **OPAC\_SEARCH\_LOG**

SEARCH\_DATE: DATE

STAT\_STRING: VARCHAR2(15)

SESSION\_ID: VARCHAR2(16)

SEARCH\_TYPE: VARCHAR2(25)

SEARCH\_STRING: VARCHAR2(250)

LIMIT\_FLAG: CHAR(1)

LIMIT\_STRING: VARCHAR2(250)

INDEX\_TYPE: CHAR(1)

RELEVANCE: CHAR(1)

HYPERLINK: CHAR(1)

HITS: NUMBER

SEARCH\_TAB: CHAR(1)

CLIENT\_TYPE: CHAR(1)

CLIENT\_IP: VARCHAR2(40)

DBKEY: VARCHAR2(100)

REDIRECT\_FLAG: CHAR(1)

### **OPERATOR**

OPERATOR\_ID: VARCHAR2(10)

FIRST\_NAME: VARCHAR2(25)

MIDDLE\_INITIAL: VARCHAR2(1)

LAST\_NAME: VARCHAR2(25)

CREATE\_DATE: DATE

## **OPAC\_FORM\_PATRON\_GROUP**

FORM\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER

## **OPAC\_FORM\_REQUEST\_FILE**

REQUEST\_ID: NUMBER

FORM\_ID: NUMBER

BIB\_ID: NUMBER

MFHD\_ID: NUMBER

ITEM\_ID: NUMBER

PATRON\_ID: NUMBER

PATRON\_GROUP\_ID: NUMBER

DATE\_REQUESTED: DATE

FREE\_TEXT1: VARCHAR2(100)

FREE\_TEXT2: VARCHAR2(100)

FREE\_TEXT3: VARCHAR2(100)

FREE\_TEXT4: VARCHAR2(100)

FREE\_TEXT5: VARCHAR2(100)

FREE\_TEXT6: VARCHAR2(100)

NOTE: VARCHAR2(100)

EXPIRE\_DATE: DATE

## **PATCH\_REGISTRY**

PATCH\_STATUS: VARCHAR2(30)

PATCH\_OPID: VARCHAR2(30)

PATCH\_DATE: DATE

## **PATRON**

PATRON\_ID: NUMBER

NAME\_TYPE: NUMBER

LAST\_NAME: VARCHAR2(50)

NORMAL\_LAST\_NAME: VARCHAR2(50)

FIRST\_NAME: VARCHAR2(50)

NORMAL\_FIRST\_NAME: VARCHAR2(50)

MIDDLE\_NAME: VARCHAR2(50)

NORMAL\_MIDDLE\_NAME: VARCHAR2(50)

TITLE: VARCHAR2(20)

SSAN: VARCHAR2(11)

INSTITUTION\_ID: VARCHAR2(30)

NORMAL\_INSTITUTION\_ID: VARCHAR2(30)

REGISTRATION\_DATE: DATE

CREATE\_OPERATOR\_ID: VARCHAR2(10)

HOME\_LOCATION: NUMBER

CREATE\_DATE: DATE

MODIFY\_OPERATOR\_ID: VARCHAR2(10)

MODIFY\_LOCATION\_ID: NUMBER

MODIFY\_DATE: DATE

EXPIRE\_DATE: DATE

PURGE\_DATE: DATE

CURRENT\_CHARGES: NUMBER

TOTAL\_FEES\_DUE: NUMBER

NOTE\_COUNT: NUMBER

CURRENT\_HOLD\_SHELF: NUMBER

RECALLS\_PLACED: NUMBER

HOLDS\_PLACED: NUMBER

ITEMS\_RECALLED: NUMBER

HISTORICAL\_CHARGES: NUMBER

CREATE\_OPID: VARCHAR2(10)

MODIFY\_DATE: DATE

MODIFY\_OPID: VARCHAR2(10)

NEVER\_EXPIRE: CHAR(1)

MANUAL\_EXPIRE: CHAR(1)

INVALID\_LOGIN\_TIME: DATE

LOCKOUT\_TIME: DATE

LOCKOUT\_COUNTER: NUMBER

## **OPERATOR\_PASSWORD**

OPERATOR\_ID: VARCHAR2(10)

PASSWORD: VARCHAR2(1000)

PASSWORD\_DATE: DATE

## **ORDER\_TYPES**

ORDER\_TYPE: NUMBER

ORDER\_TYPE\_DESC: VARCHAR2(25)

## **PATCH\_REGISTRY**

RELEASE\_PROCESSED: VARCHAR2(30)

PATCH\_FILE: VARCHAR2(30)

## **PATRON**

REQUESTS\_UB: NUMBER

HISTORICAL\_REQUESTS\_UB: NUMBER

CLAIMS\_RETURN\_UB: NUMBER

LOST\_ITEMS\_UB: NUMBER

TOTAL\_FEES\_DUE\_UB: NUMBER

SELF\_SHELVED\_UB: NUMBER

PATRON\_PIN: VARCHAR2(12)

SUSPENSION\_DATE: DATE

TOTAL\_DEMERITS: NUMBER

TOTAL\_DEMERITS\_DUE\_UB: NUMBER

SMS\_NUMBER: VARCHAR2(50)

BIRTH\_DATE: DATE

MAJOR: VARCHAR2(50)

DEPARTMENT: VARCHAR2(50)

## **PATRON\_ADDRESS**

ADDRESS\_ID: NUMBER

PATRON\_ID: NUMBER

ADDRESS\_TYPE: NUMBER

ADDRESS\_STATUS: CHAR(1)

PROTECT\_ADDRESS: CHAR(1)

ADDRESS\_LINE1: VARCHAR2(100)

ADDRESS\_LINE2: VARCHAR2(100)

ADDRESS\_LINE3: VARCHAR2(100)

ADDRESS\_LINE4: VARCHAR2(100)

ADDRESS\_LINE5: VARCHAR2(100)

CITY: VARCHAR2(40)

STATE\_PROVINCE: VARCHAR2(7)

ZIP\_POSTAL: VARCHAR2(10)

COUNTRY: VARCHAR2(20)

EFFECT\_DATE: DATE

EXPIRE\_DATE: DATE

MODIFY\_DATE: DATE

MODIFY\_OPERATOR\_ID: VARCHAR2(10)

CLAIMS\_RETURN: NUMBER  
LOST\_ITEMS: NUMBER  
SELF\_SHELVED: NUMBER  
COUNTER\_RESET\_DATE: DATE  
COUNTER\_RESET\_OPER\_ID: VARCHAR2(10)  
CURRENT\_BOOKINGS: NUMBER  
LATE\_MEDIA\_RETURNS: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER  
CANCELLED\_BOOKINGS: NUMBER  
UNCLAIMED\_BOOKINGS: NUMBER  
MEDIA\_COUNTER\_RESET\_DATE: DATE  
MEDIA\_COUNTER\_RESET\_OPID:  
CURRENT\_CALL\_SLIPS: NUMBER

HISTORICAL\_CALL\_SLIPS: NUMBER

HISTORICAL\_DISTRIBUTIONS: NUMBER  
CURRENT\_SHORT\_LOANS: NUMBER  
HISTORICAL\_SHORT\_LOANS: NUMBER  
UNCLAIMED\_SHORT\_LOANS: NUMBER  
DB\_ID: NUMBER  
PATRON\_ID\_UB: NUMBER  
CURRENT\_CHARGES\_UB: NUMBER  
HISTORICAL\_CHARGES\_UB: NUMBER

#### **PATRON\_GROUP**

SUSPENSION\_DAYS: NUMBER  
CIRC\_CLUSTER\_ID: NUMBER  
CHARGED\_STATUS\_DISPLAY: CHAR(1)  
CHARGE\_LIMIT: NUMBER  
CHARGE\_LIMIT\_APPLY: CHAR(1)

#### **PATRON\_GROUP\_ITEM\_TYPE**

PATRON\_GROUP\_ID: NUMBER  
ITEM\_TYPE\_ID: NUMBER  
CHARGE\_LIMIT: NUMBER

#### **PATRON\_GROUP\_POLICY**

CIRC\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
FEES\_APPLIES: CHAR(1)  
MAX\_OUTSTANDING\_BALANCE: NUMBER  
OVERDUE\_NOTICE\_APPLIES: CHAR(1)  
MIN\_BALANCE\_FOR\_NOTICE: NUMBER  
MAX\_ITEM\_LIMIT: CHAR(1)  
ITEM\_LIMIT: NUMBER  
MAX\_OVERDUE\_LIMIT: CHAR(1)  
OVERDUE\_LIMIT: NUMBER  
MAX\_OVERDUE\_RECALL\_LIMIT: CHAR(1)  
OVERDUE\_RECALL\_LIMIT: NUMBER  
MAX\_RECALL\_LIMIT: CHAR(1)  
RECALL\_LIMIT: NUMBER

MAX\_SELF\_SHELVE\_LIMIT: CHAR(1)

SELF\_SHELVE\_LIMIT: NUMBER

MAX\_CLAIM\_RETURN\_LIMIT: CHAR(1)

#### **PATRON\_BARCODE**

PATRON\_BARCODE\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
PATRON\_BARCODE: VARCHAR2(25)  
BARCODE\_STATUS: NUMBER  
BARCODE\_STATUS\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
HOME\_BARCODE\_ID: NUMBER  
HOME\_PATRON\_GROUP\_ID: NUMBER

#### **PATRON\_BARCODE\_STATUS**

BARCODE\_STATUS\_TYPE: NUMBER  
BARCODE\_STATUS\_DESC: VARCHAR2(25)

#### **PATRON\_GROUP**

PATRON\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_CODE: VARCHAR2(10)  
PATRON\_GROUP\_NAME: VARCHAR2(25)  
PATRON\_GROUP\_DISPLAY: VARCHAR2(40)  
DEMERITS\_APPLIES: CHAR(1)  
MAX\_DEMERITS: NUMBER

#### **PATRON\_NAME\_TYPE**

PATRON\_NAME\_TYPE: NUMBER  
PATRON\_NAME\_DESC: VARCHAR2(25)

#### **PATRON\_NOTES**

PATRON\_NOTE\_ID: NUMBER  
PATRON\_ID: NUMBER  
NOTE\_TYPE: NUMBER  
ADDRESS\_ID: NUMBER  
NOTE: VARCHAR2(1900)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

#### **PATRON\_PHONE**

PATRON\_PHONE\_ID: NUMBER  
ADDRESS\_ID: NUMBER  
PHONE\_TYPE: NUMBER  
PHONE\_NUMBER: VARCHAR2(25)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

#### **PATRON\_STAT\_CODE**

PATRON\_STAT\_ID: NUMBER  
PATRON\_STAT\_CODE: VARCHAR2(3)  
PATRON\_STAT\_DESC: VARCHAR2(25)

#### **PATRON\_STATS**

PATRON\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER  
DATE\_APPLIED: DATE

CLAIM\_RETURN\_LIMIT: NUMBER  
MAX\_LOST\_LIMIT: CHAR(1)  
LOST\_LIMIT: NUMBER  
PLACE\_HOLD\_OUTSIDE\_LIB: CHAR(1)  
PLACE\_HOLD\_INSIDE\_LIB: CHAR(1)  
PLACE\_RECALL\_OUTSIDE\_LIB: CHAR(1)  
PLACE\_RECALL\_INSIDE\_LIB: CHAR(1)  
PLACE\_INTERLIB\_LOAN\_REQ: CHAR(1)  
PLACE\_PURCHASE\_REQ: CHAR(1)  
COURTESY\_NOTICE\_APPLIES: CHAR(1)  
CALL\_SLIP\_LIMIT: NUMBER  
MAX\_CALL\_SLIPS: CHAR(1)  
PLACE\_CALL\_SLIPS: CHAR(1)  
EMAIL\_COURTESY\_NOTICE: CHAR(1)  
EMAIL\_CANCELLATION\_NOTICE: CHAR(1)  
EMAIL\_ITEM\_AVAILABLE\_NOTICE: CHAR(1)  
EMAIL\_OVERDUE\_NOTICE: CHAR(1)  
EMAIL\_OVERDUE\_NOTICE\_OTHER: CHAR(1)  
EMAIL\_OVERDUE\_RECALL\_NOTICE: CHAR(1)  
EMAIL\_RECALL\_NOTICE: CHAR(1)  
PLACE\_SHORT\_LOAN\_IN\_LIB: CHAR(1)  
MAX\_TOTAL\_SHORT\_LOAN: CHAR(1)  
TOTAL\_SHORT\_LOAN: NUMBER  
MAX\_TITLE\_SHORT\_LOAN: CHAR(1)  
TITLE\_SHORT\_LOAN: NUMBER  
MAX\_DAY\_SHORT\_LOAN: CHAR(1)  
DAY\_SHORT\_LOAN: NUMBER

#### **PATTERN**

ALT\_LVL1: VARCHAR2(20)  
ALT\_LVL1\_SCHEME: CHAR(2)  
ALT\_LVL2: VARCHAR2(20)  
ALT\_LVL2\_MAX: NUMBER  
ALT\_LVL2\_SCHEME: CHAR(2)  
ALT\_LVL2\_NUM\_CONT: NUMBER  
CHRON1: NUMBER  
CHRON2: NUMBER  
CHRON3: NUMBER  
CHRON4: NUMBER

ALT\_CHRON1: NUMBER  
CREATE\_DATE: DATE

CREATE\_OPID: VARCHAR2(10)

CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER

#### **PHONE\_TYPE**

PHONE\_TYPE: NUMBER  
PHONE\_DESC: VARCHAR2(25)

#### **PLAN\_TABLE**

STATEMENT\_ID: VARCHAR2(30)

TIMESTAMP: DATE

REMARKS: VARCHAR2(80)

OPERATION: VARCHAR2(30)

#### **PATTERN**

PATTERN\_ID: NUMBER  
PATTERN\_NAME: VARCHAR2(40)  
PATTERN\_NAME\_NORM: VARCHAR2(40)  
FREQUENCY\_CODE: CHAR(1)  
LVL1: VARCHAR2(20)  
LVL1\_SCHEME: CHAR(2)  
LVL2: VARCHAR2(20)  
LVL2\_MAX: NUMBER  
LVL2\_SCHEME: CHAR(2)  
LVL2\_NUM\_CONT: NUMBER  
LVL3: VARCHAR2(20)  
LVL3\_MAX: NUMBER  
LVL3\_SCHEME: CHAR(2)  
LVL3\_NUM\_CONT: NUMBER  
LVL4: VARCHAR2(20)  
LVL4\_MAX: NUMBER  
LVL4\_SCHEME: CHAR(2)  
LVL4\_NUM\_CONT: NUMBER  
LVL5: VARCHAR2(20)  
LVL5\_MAX: NUMBER  
LVL5\_SCHEME: CHAR(2)  
LVL5\_NUM\_CONT: NUMBER  
LVL6: VARCHAR2(20)  
LVL6\_MAX: NUMBER  
LVL6\_SCHEME: CHAR(2)  
LVL6\_NUM\_CONT: NUMBER

#### **PO\_FUNDS**

FUND\_ID: NUMBER  
COMMIT\_PENDING: NUMBER  
COMMITMENTS: NUMBER  
EXPEND\_PENDING: NUMBER  
EXPENDITURES: NUMBER

#### **PO\_NOTES**

PO\_ID: NUMBER  
PRINT\_NOTE: VARCHAR2(60)  
NOTE: VARCHAR2(1900)

#### **PO\_STATUS**

PO\_STATUS: NUMBER

PO\_STATUS\_DESC: VARCHAR2(25)

#### **PO\_TYPE**

PO\_TYPE: NUMBER  
PO\_TYPE\_DESC: VARCHAR2(25)

#### **PO\_TYPE\_RULES**

RULE\_ID: NUMBER  
PO\_TYPE\_ID: NUMBER  
SINGLE\_PART: CHAR(1)  
SP\_INCREASE: NUMBER

SUBSCRIPTION: CHAR(1)

SUB\_INCREASE: NUMBER

MEMBERSHIP: CHAR(1)



OPTIONS: VARCHAR2(255)  
OBJECT\_NODE: VARCHAR2(128)  
OBJECT\_OWNER: VARCHAR2(30)  
OBJECT\_NAME: VARCHAR2(30)  
OBJECT\_INSTANCE: NUMBER  
OBJECT\_TYPE: VARCHAR2(30)  
OPTIMIZER: VARCHAR2(255)  
SEARCH\_COLUMNS: NUMBER  
  
ID: NUMBER  
PARENT\_ID: NUMBER  
POSITION: NUMBER  
COST: NUMBER  
CARDINALITY: NUMBER  
BYTES: NUMBER  
OTHER\_TAG: VARCHAR2(255)  
PARTITION\_START: VARCHAR2(255)  
PARTITION\_STOP: VARCHAR2(255)  
PARTITION\_ID: NUMBER  
OTHER: LONG  
DISTRIBUTION: VARCHAR2(30)  
CPU\_COST: NUMBER  
IO\_COST: NUMBER  
TEMP\_SPACE: NUMBER  
ACCESS\_PREDICATES: VARCHAR2(4000)  
FILTER\_PREDICATES: VARCHAR2(4000)

### **PO\_FUNDS**

PO\_ID: NUMBER  
LEDGER\_ID: NUMBER

### **PRIMO\_AVAIL**

DELETED\_YN: CHAR(1)  
AVAIL\_HASH: NUMBER

### **PRINT\_LOCATION**

PRINT\_LOCATION\_ID: NUMBER  
PRINT\_LOCATION\_CODE: VARCHAR2(10)  
PRINT\_LOCATION\_NAME: VARCHAR2(25)  
DEFAULT\_PRINTING: CHAR(1)  
CIRC\_GLOBAL\_PRINTING: CHAR(1)  
ACQ\_GLOBAL\_PRINTING: CHAR(1)  
CAT\_GLOBAL\_PRINTING: CHAR(1)  
MEDIA\_GLOBAL\_PRINTING: CHAR(1)

### **PROXY\_PATRON**

PATRON\_BARCODE\_ID: NUMBER  
PATRON\_BARCODE\_ID\_PROXY: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION: NUMBER

MEM\_INCREASE: NUMBER  
STANDING\_ORDER: CHAR(1)  
SO\_INCREASE: NUMBER  
BLANKET\_ORDER: CHAR(1)  
BO\_INCREASE: NUMBER  
MULTI\_PART: CHAR(1)  
MP\_INCREASE: NUMBER  
APPROVAL: CHAR(1)  
APL\_INCREASE: NUMBER

### **PO\_VENDOR\_HISTORY**

AUDIT\_ID: NUMBER  
PO\_ID: NUMBER  
VENDOR\_ID: NUMBER  
ACCOUNT\_ID: NUMBER  
REPLACE\_DATE: DATE  
REPLACE\_OPID: VARCHAR2(10)  
REPLACE\_LOCATION: NUMBER

### **PRICE\_ADJUSTMENT**

OBJECT\_TYPE: CHAR(1)  
OBJECT\_ID: NUMBER  
SEQUENCE: NUMBER  
REASON\_ID: NUMBER  
METHOD: NUMBER  
ADJUST\_AMOUNT: NUMBER  
PAYMENT\_ID: NUMBER

### **PRIMO\_AVAIL**

BIB\_ID: NUMBER

### **RECORD\_SET**

RECORD\_SET\_ID: NUMBER  
RECORD\_SET\_NAME: VARCHAR2(200)  
DESCRIPTION: VARCHAR2(2000)  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
LAST\_MODIFY\_DATE: DATE  
RECORD\_SET\_TYPE\_ID: NUMBER  
RECORD\_TYPE\_ID: NUMBER

### **RECORD\_SET\_RECORDS**

RECORD\_SET\_ID: NUMBER  
RECORD\_ID: NUMBER  
RECORD\_SET\_BULK\_NUM: NUMBER

### **RECORD\_SET\_TYPE**

RECORD\_SET\_TYPE\_ID: NUMBER  
RECORD\_SET\_TYPE\_DESC: VARCHAR2(200)

### **RECORD\_TYPE**



EXPIRATION\_DATE: DATE

## **PURCHASE\_ORDER**

PO\_ID: NUMBER

VENDOR\_ID: NUMBER

ACCOUNT\_ID: NUMBER

PO\_TYPE: NUMBER

PO\_NUMBER: VARCHAR2(25)

NORMAL\_PO\_NUMBER: VARCHAR2(25)

ORDER\_LOCATION: NUMBER

SHIP\_LOCATION: NUMBER

BILL\_LOCATION: NUMBER

CURRENCY\_CODE: VARCHAR2(3)

CONVERSION\_RATE: NUMBER

PO\_STATUS: NUMBER

PO\_STATUS\_DATE: DATE

PO\_CREATE\_DATE: DATE

CREATE\_OPID: VARCHAR2(10)

PO\_UPDATE\_DATE: DATE

UPDATE\_OPID: VARCHAR2(10)

CREATE\_LOCATION\_ID: NUMBER

UPDATE\_LOCATION\_ID: NUMBER

SHIP\_VIA: VARCHAR2(20)

NOT\_NEEDED\_AFTER: DATE

RUSH: CHAR(1)

CLAIM\_INTERVAL: NUMBER

CANCEL\_INTERVAL: NUMBER

LINE\_ITEM\_COUNT: NUMBER

LINE\_ITEM\_SUBTOTAL: NUMBER

ADJUSTMENTS\_SUBTOTAL: NUMBER

TOTAL: NUMBER

EDI\_REF: NUMBER

PO\_APPROVE\_DATE: DATE

APPROVE\_OPID: VARCHAR2(10)

APPROVE\_LOCATION\_ID: NUMBER

PREPAY\_CONVERSION\_RATE: NUMBER

## **RECORD\_SET**

### **RENEW\_TRANS\_ARCHIVE**

RENEW\_DUE\_DATE: DATE

RENEW\_LOCATION: NUMBER

RENEW\_TYPE: CHAR(1)

RENEW\_OPER\_ID: VARCHAR2(10)

### **RENEW\_TRANSACTIONS**

CIRC\_TRANSACTION\_ID: NUMBER

RENEW\_DATE: DATE

RENEW\_DUE\_DATE: DATE

RECORD\_TYPE\_ID: NUMBER

RECORD\_TYPE\_DESC: VARCHAR2(200)

## **RECORDCOUNT\_VW**

RecordType: VARCHAR2(21)

Count: NUMBER

## **REFERENCE\_TYPE**

REFERENCE\_TYPE: CHAR(1)

REFERENCE\_TYPE\_DESC: VARCHAR2(20)

DISPLAY\_CONSTANT: VARCHAR2(80)

## **REMOTE\_CIRC\_CLUSTER\_CACHE**

DB\_ID: NUMBER

REMOTE\_CIRC\_CLUSTER\_ID: NUMBER

REMOTE\_CIRC\_CLUSTER\_CODE:

REMOTE\_CIRC\_CLUSTER\_NAME:

VARCHAR2(100)

UPDATE\_DATE: DATE

## **REMOTE\_PATRON\_GROUP\_CACHE**

DB\_ID: NUMBER

REMOTE\_CIRC\_CLUSTER\_ID: NUMBER

REMOTE\_PATRON\_GROUP\_ID: NUMBER

UPDATE\_DATE: DATE

## **REMOTE\_STORAGE\_QUEUE**

QUEUE\_ID: NUMBER

LOCATION\_ID: NUMBER

MESSAGE\_TYPE: CHAR(4)

ITEM\_BARCODE: VARCHAR2(30)

ITEM\_ID: NUMBER

PATRON\_ID: NUMBER

SENT: CHAR(1)

PICKUP\_LOCATION\_ID: NUMBER

## **RENEW\_TRANS\_ARCHIVE**

CIRC\_TRANSACTION\_ID: NUMBER

RENEW\_DATE: DATE

## **RESERVE\_ITEM\_HISTORY**

EFFECT\_DATE: DATE

EXPIRE\_DATE: DATE

RESERVE\_CHARGES: NUMBER

## **RESERVE\_LIST**

RESERVE\_LIST\_ID: NUMBER

RESERVE\_LOCATION: NUMBER

RESERVE\_ITEM\_TYPE: NUMBER

LIST\_TITLE: VARCHAR2(40)

RENEW\_LOCATION: NUMBER  
RENEW\_TYPE: CHAR(1)  
RENEW\_OPER\_ID: VARCHAR2(10)

### **REPORT\_TYPES**

REPORT\_TYPE: NUMBER  
EDI\_CODE: VARCHAR2(11)  
REPORT\_TYPE\_DESC: VARCHAR2(70)

### **REPORTING\_LEVEL**

REPORTING\_LEVEL\_ID: NUMBER  
REPORTING\_LEVEL\_NAME: VARCHAR2(50)

### **REPORTING\_OPERATOR**

REPORTING\_PROFILE\_ID: NUMBER

OPERATOR\_ID: VARCHAR2(10)

### **REPORTING\_PROFILE**

REPORTING\_PROFILE\_ID: NUMBER

REPORTING\_PROFILE\_NAME: VARCHAR2(25)

REPORTING\_LEVEL\_ID: NUMBER  
DATABASE\_MODEL: CHAR(1)  
SYSADMIN: CHAR(1)  
CATALOGING: CHAR(1)  
ACQUISITIONS\_SERIALS: CHAR(1)  
CIRCULATION\_CALL\_SLIP: CHAR(1)  
MEDIA\_SCHEDULING: CHAR(1)  
OPAC: CHAR(1)  
REMOTE\_STORAGE: CHAR(1)  
LOCAL\_UB: CHAR(1)

### **REQUEST\_GROUP**

GROUP\_ID: NUMBER  
GROUP\_CODE: VARCHAR2(10)  
GROUP\_NAME: VARCHAR2(25)

### **REQUEST\_GROUP\_LOCATION**

GROUP\_ID: NUMBER  
LOCATION\_ID: NUMBER

### **REQUEST\_HISTORY**

CALL\_SLIP\_ID: NUMBER  
DB\_KEY: VARCHAR2(100)  
CIRC\_CLUSTER\_ID: NUMBER  
SEQUENCE: NUMBER  
PROMOTE\_DATE: DATE

### **RESERVE\_ITEM\_HISTORY**

ITEM\_ID: NUMBER

### **ROLLOVER\_RULES**

UPDATE\_DATE: DATE  
UPDATE\_OP\_ID: VARCHAR2(10)  
ACTION\_INDICATOR: CHAR(1)

### **ROUTING\_LIST**

NORMAL\_LIST\_TITLE: VARCHAR2(40)  
EFFECT\_DATE: DATE  
EXPIRE\_DATE: DATE  
CREATE\_DATE: DATE

CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER

### **RESERVE\_LIST\_COURSES**

RESERVE\_LIST\_ID: NUMBER  
DEPARTMENT\_ID: NUMBER  
INSTRUCTOR\_ID: NUMBER

COURSE\_ID: NUMBER

SECTION\_ID: NUMBER

### **RESERVE\_LIST\_EITEMS**

EITEM\_ID: NUMBER

RESERVE\_LIST\_ID: NUMBER

### **RESERVE\_LIST\_ITEMS**

RESERVE\_LIST\_ID: NUMBER  
ITEM\_ID: NUMBER

### **ROLLOVER\_AUDIT**

AUDIT\_ID: NUMBER  
RUN\_ID: NUMBER  
RECORD\_ID: NUMBER  
PARENT\_ID: NUMBER  
RECORD\_TYPE: NUMBER  
RESULT\_CODE: NUMBER  
TIMESTAMP: DATE  
OTHER\_INFO: VARCHAR2(50)

### **ROLLOVER\_RESULT\_CODES**

RESULT\_CODE: NUMBER  
DESCRIPTION: VARCHAR2(256)

### **ROLLOVER\_RULES**

RULE\_ID: NUMBER  
RULE\_NAME: VARCHAR2(25)  
NORMAL\_RULE\_NAME: VARCHAR2(25)  
FISCAL\_PERIOD\_ID: NUMBER  
NEW\_FISCAL\_PERIOD\_ID: NUMBER  
INITIALIZE\_TYPE: CHAR(1)  
CREATE\_DATE: DATE  
CREATE\_OP\_ID: VARCHAR2(10)

### **SAVED\_SEARCHES**

PATRON\_ID: NUMBER  
SEARCH\_DATE: DATE  
SEARCH\_TYPE: VARCHAR2(250)  
SEARCH\_STRING: VARCHAR2(700)  
LIMIT\_FLAG: CHAR(1)

ROUTING\_LIST\_ID: NUMBER  
NAME: VARCHAR2(45)  
NORMAL\_NAME: VARCHAR2(45)  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
CREATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
NOTE: VARCHAR2(256)  
PRINT\_NOTE: CHAR(1)

### **ROUTING\_LIST\_MEMBERS**

ROUTING\_LIST\_ID: NUMBER  
MEMBER\_ID: NUMBER  
MEMBER\_TYPE: CHAR(1)  
RANK: NUMBER  
ADD\_DATE: DATE

### **RULE\_DOC**

RULE\_DOC\_ID: NUMBER  
NAME: VARCHAR2(200)  
DSL\_NAME: VARCHAR2(200)  
RULES: BLOB  
TYPE: NUMBER  
DESCRIPTION: VARCHAR2(2000)  
CREATE\_OPERATOR: VARCHAR2(10)  
UPDATE\_OPERATOR: VARCHAR2(10)  
LAST\_MODIFY\_DATE: DATE

### **RULE\_SET**

RULE\_SET\_ID: NUMBER  
NAME: VARCHAR2(200)  
TYPE: NUMBER  
DESCRIPTION: VARCHAR2(2000)  
CREATE\_OPERATOR: VARCHAR2(10)  
UPDATE\_OPERATOR: VARCHAR2(10)  
LAST\_MODIFY\_DATE: DATE

### **RULESET\_RULEDOC**

RULE\_SET\_ID: NUMBER  
RULE\_DOC\_ID: NUMBER  
RULE\_ORDER: NUMBER

### **SAVED\_RECORDS\_RESULTS**

PATRON\_ID: NUMBER  
  
DB\_ID: NUMBER  
  
BIB\_ID: NUMBER  
  
SAVE\_DATE: DATE

### **SAVED\_SEARCHES**

SAVED\_SEARCHES\_ID: NUMBER

### **SERIAL\_CLAIM**

OP\_ID: VARCHAR2(10)  
NOTE: VARCHAR2(256)  
EDI\_REF: NUMBER

LIMIT\_STRING: VARCHAR2(250)  
INDEX\_TYPE: CHAR(1)  
RELEVANCE: CHAR(1)  
SEARCH\_TAB: CHAR(1)  
LAST\_EXECUTED: DATE  
SDI\_NEW\_HITS: CHAR(1)  
SDI\_INTERVAL\_ID: NUMBER  
SEARCH\_PAGE: VARCHAR2(3000)  
NUMBER\_HITS: NUMBER

### **SDI\_INTERVALS**

SDI\_INTERVAL\_ID: NUMBER  
SDI\_INTERVAL\_CODE: VARCHAR2(10)  
SDI\_INTERVAL\_DAYS: NUMBER

### **SEARCHFIELDS**

SEARCHCODE: CHAR(4)  
FIELD\_CODE: CHAR(4)

### **SEARCHPARM**

SEARCHCODE: CHAR(4)  
SEARCHNAME: VARCHAR2(40)  
INDEXRULES: VARCHAR2(300)  
OPACSUPPRESS: CHAR(1)  
STAFFSUPPRESS: CHAR(1)  
DISPLAYFIELD1: VARCHAR2(30)  
DISPLAYFIELD2: VARCHAR2(30)  
DISPLAYFIELD3: VARCHAR2(30)  
SORTFIELD1: VARCHAR2(30)  
SORTFIELD2: VARCHAR2(30)  
SORTFIELD3: VARCHAR2(30)  
OPACCOUNT: NUMBER  
CIRCCOUNT: NUMBER  
ACQCOUNT: NUMBER  
CATCOUNT: NUMBER  
ORDERING: NUMBER  
Z3950\_USE\_ATTRIBUTE: NUMBER  
MEDIACOUNT: NUMBER

### **SERIAL\_CLAIM**

CLAIM\_THREAD: NUMBER  
ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
COPY\_ID: NUMBER  
LOCATION\_ID: NUMBER

CLAIM\_ID: NUMBER

VENDOR\_ID: NUMBER

CLAIM\_TYPE: NUMBER

CLAIM\_DATE: DATE

CLAIM\_COUNT: NUMBER

OVERRIDE\_CLAIM\_DATE: DATE

CLAIM\_STATUS: NUMBER

### **SERIALS\_VW**

COMPONENT\_NAME: VARCHAR2(100)  
COMPONENT\_NAME\_NORM: VARCHAR2(100)  
PREDICT: CHAR(1)

## **SERIAL\_CLAIM\_ARCHIVE**

CLAIM\_THREAD: NUMBER  
ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
COPY\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CLAIM\_ID: NUMBER  
VENDOR\_ID: NUMBER  
CLAIM\_TYPE: NUMBER  
CLAIM\_DATE: DATE  
CLAIM\_COUNT: NUMBER  
OVERRIDE\_CLAIM\_DATE: DATE  
CLAIM\_STATUS: NUMBER  
OP\_ID: VARCHAR2(10)  
NOTE: VARCHAR2(256)  
EDI\_REF: NUMBER  
ARCHIVE\_DATE: DATE

## **SERIAL\_ISSUES**

ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
ENUMCHRON: VARCHAR2(256)  
LVL1: NUMBER  
LVL2: NUMBER  
LVL3: NUMBER  
LVL4: NUMBER  
LVL5: NUMBER  
LVL6: NUMBER  
ALT\_LVL1: NUMBER  
ALT\_LVL2: NUMBER  
CHRON1: NUMBER  
CHRON2: NUMBER  
CHRON3: NUMBER  
CHRON4: NUMBER  
ALT\_CHRON: NUMBER  
EXPECTED\_DATE: DATE  
RECEIPT\_DATE: DATE  
RECEIVED: NUMBER

## **SERIAL\_SUPPLIER\_REPORT**

AUDIT\_ID: NUMBER  
CLAIM\_ID: NUMBER  
REPORT\_DATE: DATE  
ACTION\_DATE: DATE  
ACTION\_QUANTITY: NUMBER  
REPORT\_TYPE: NUMBER  
EDI\_REF: NUMBER  
NOTE: VARCHAR2(512)

## **SERIALS\_VW**

BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
COMPONENT\_ID: NUMBER

## **SHORT\_LOAN\_STATUS**

SHORT\_LOAN\_STATUS\_DESC:

## **SIMUL\_MERGE\_PROFILE**

NEXT\_ISSUE\_ID: NUMBER  
NOTE: VARCHAR2(256)  
ISSUE\_ID: NUMBER  
ENUMCHRON: VARCHAR2(256)  
EXPECTED\_DATE: DATE  
RECEIPT\_DATE: DATE  
RECEIVED: NUMBER

## **SHORT\_LOAN**

SHORT\_LOAN\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SHORT\_LOAN\_STATUS\_ID: NUMBER  
STATUS\_DATE: DATE  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
START\_TIME: DATE  
END\_TIME: DATE  
PICKUP\_LOCATION: NUMBER  
NOTE: VARCHAR2(100)  
CREATE\_DATE: DATE  
CREATE\_LOCATION: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION: NUMBER  
UPDATE\_OPID: VARCHAR2(10)

## **SHORT\_LOAN\_ARCHIVE**

SHORT\_LOAN\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SHORT\_LOAN\_STATUS\_ID: NUMBER  
STATUS\_DATE: DATE  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
START\_TIME: DATE  
END\_TIME: DATE  
PICKUP\_LOCATION: NUMBER  
NOTE: VARCHAR2(100)  
CREATE\_DATE: DATE  
CREATE\_LOCATION: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION: NUMBER  
UPDATE\_OPID: VARCHAR2(10)

## **SHORT\_LOAN\_STATS**

SHORT\_LOAN\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER

## **SHORT\_LOAN\_STATUS**

SHORT\_LOAN\_STATUS\_ID: NUMBER

## **SUBSCRIPTION**

LENGTH\_TYPE: NUMBER  
RENEWAL\_DATE: DATE  
AUTO\_RENEWAL: CHAR(1)

BIB\_FIELD1: VARCHAR2(30)  
BIB\_FIELD2: VARCHAR2(30)  
BIB\_FIELD3: VARCHAR2(30)  
CITATION\_FIELD1: VARCHAR2(30)  
CITATION\_FIELD2: VARCHAR2(30)  
CITATION\_FIELD3: VARCHAR2(30)  
PSEUDO\_RELEVANCE: CHAR(1)

### **SNV\_FIELDS**

SNV\_FIELDS\_ID: NUMBER  
SNV\_ID: NUMBER  
RECORD\_TYPE: CHAR(1)  
FIELD: CHAR(3)  
SUBFIELD: CHAR(1)  
IND1: CHAR(1)  
IND2: CHAR(1)  
SNV\_VALIDATION\_TYPE: VARCHAR2(10)  
NORMRULES: VARCHAR2(10)

### **SORT\_GROUP**

SORT\_GROUP\_ID: NUMBER  
SEQUENCE\_NUMBER: NUMBER  
SORT\_GROUP\_DEFAULT: CHAR(1)  
SORT\_GROUP\_NAME: VARCHAR2(40)  
SORT\_GROUP\_CODE: VARCHAR2(8)

### **SORT\_GROUP\_LOCATION**

SORT\_GROUP\_ID: NUMBER  
SEQUENCE\_NUMBER: NUMBER  
LOCATION\_ID: NUMBER

### **STANDARD\_NUMBER\_VALIDATION**

SNV\_ID: NUMBER  
SNV\_CODE: CHAR(7)  
SNV\_NAME: VARCHAR2(20)

### **SUBDIVISION**

SUBDIV\_ID: NUMBER  
  
NORMAL\_SUBDIV: VARCHAR2(300)  
DISPLAY\_SUBDIV: VARCHAR2(300)  
SUBDIV\_TYPE: CHAR(1)  
HEADING\_TYPE: VARCHAR2(12)  
AUTHORIZED: CHAR(1)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE

### **SUBDIVISION\_TYPE**

SUBDIV\_TYPE: CHAR(1)  
SUBDIV\_TYPE\_DESC: VARCHAR2(50)

### **SUBSCRIPTION**

SUBSCRIPTION\_ID: NUMBER  
  
LINE\_ITEM\_ID: NUMBER  
  
START\_DATE: DATE  
  
SUBSCRIPTION\_LENGTH: NUMBER

SICI: VARCHAR2(45)  
NORMAL\_SICI: VARCHAR2(45)  
UPC: VARCHAR2(30)  
NORMAL\_UPC: VARCHAR2(30)  
NOTE: VARCHAR2(256)

### **SUDOCCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(300)  
LONGCLASS: VARCHAR2(12)

### **SUPPRESS\_SYSTEM\_CLAIMS**

COMPONENT\_ID: NUMBER  
ISSUE\_ID: NUMBER

### **TEMP\_ARCHIVE\_SEARCHFIELDS**

SEARCHCODE: CHAR(4)  
FIELDPCODE: CHAR(4)

### **TEMP\_ARCHIVE\_SEARCHPARAM**

SEARCHCODE: CHAR(4)  
SEARCHNAME: VARCHAR2(40)  
INDEXRULES: VARCHAR2(300)  
OPACSUPPRESS: CHAR(1)  
STAFFSUPPRESS: CHAR(1)  
DISPLAYFIELD1: VARCHAR2(30)  
DISPLAYFIELD2: VARCHAR2(30)  
DISPLAYFIELD3: VARCHAR2(30)  
SORTFIELD1: VARCHAR2(30)  
SORTFIELD2: VARCHAR2(30)  
SORTFIELD3: VARCHAR2(30)  
OPACCOUNT: NUMBER  
CIRCCOUNT: NUMBER  
ACQCOUNT: NUMBER  
CATCOUNT: NUMBER  
ORDERING: NUMBER  
Z3950\_USE\_ATTRIBUTE: NUMBER  
  
MEDIACOUNT: NUMBER

### **UB\_CHARGE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
CIRC\_TRANSACTION\_ID: NUMBER  
DUE\_DATE: DATE  
DISCHARGE\_DATE: DATE  
RECALL\_DATE: DATE

### **UB\_CHARGE\_ARCHIVE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
CIRC\_TRANSACTION\_ID: NUMBER  
  
DUE\_DATE: DATE  
  
DISCHARGE\_DATE: DATE  
  
RECALL\_DATE: DATE

**UB\_FINE\_FEE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
FINE\_FEE\_TOTAL: NUMBER  
UPDATE\_DATE: DATE  
DEMERITS\_TOTAL: NUMBER

**UB\_HOLD**

PICKUP\_DB\_ID: NUMBER  
HOLD\_RECALL\_ID: NUMBER  
PATRON\_ID: NUMBER  
ITEM\_ID: NUMBER

**UB\_PATRON\_GROUP\_MAP**

PATRON\_GROUP\_ID: NUMBER  
DB\_ID: NUMBER  
PATRON\_GROUP\_ID\_MAPPED: NUMBER  
MANUAL\_MAP: CHAR(1)  
CIRC\_CLUSTER\_ID: NUMBER  
REMOTE\_CIRC\_CLUSTER\_ID: NUMBER

**UB\_PATRON\_RECORD**

PATRON\_ID: NUMBER  
PATRON\_STUB\_ID: NUMBER  
DB\_ID: NUMBER  
CIRC\_CLUSTER\_ID: NUMBER  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE

**UB\_PG\_HOME\_POLICY**

PATRON\_GROUP\_ID: NUMBER  
UB\_ELIGIBLE: CHAR(1)  
FEES\_APPLIES: CHAR(1)  
MAX\_OUTSTANDING\_BALANCE: NUMBER  
MAX\_ITEM\_LIMIT: CHAR(1)  
ITEM\_LIMIT: NUMBER  
MAX\_OVERDUE\_LIMIT: CHAR(1)  
OVERDUE\_LIMIT: NUMBER  
MAX\_OVERDUE\_RECALL\_LIMIT: CHAR(1)  
OVERDUE\_RECALL\_LIMIT: NUMBER  
MAX\_SELF\_SHELVE\_LIMIT: CHAR(1)  
SELF\_SHELVE\_LIMIT: NUMBER  
MAX\_CLAIM\_RETURN\_LIMIT: CHAR(1)  
CLAIM\_RETURN\_LIMIT: NUMBER  
MAX\_LOST\_LIMIT: CHAR(1)  
LOST\_LIMIT: NUMBER  
MAX\_UB\_REQUESTS: CHAR(1)  
UB\_REQUEST\_LIMIT: NUMBER  
MAX\_DEMERITS\_LIMIT: CHAR(1)  
DEMERITS\_LIMIT: NUMBER  
OUTSTANDING\_BALANCE\_LCLBLOCK:  
ITEM\_LIMIT\_LCLBLOCK: CHAR(1)  
OVERDUE\_LIMIT\_LCLBLOCK: CHAR(1)  
OVERDUE\_RECALL\_LCLBLOCK: CHAR(1)  
SELF\_SHELVE\_LIMIT\_LCLBLOCK: CHAR(1)  
CLAIM\_RETURN\_LIMIT\_LCLBLOCK: CHAR(1)  
LOST\_LIMIT\_LCLBLOCK: CHAR(1)

**UB\_PG\_HOME\_POLICY**

DEMERITS\_LIMIT\_LCLBLOCK: CHAR(1)

**UB\_REQUEST**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
CALL\_SLIP\_ID: NUMBER  
DATE\_REQUESTED: DATE  
REQUEST\_STATUS: VARCHAR2(25)  
STATUS\_DATE: DATE  
NOT\_NEEDED\_AFTER: NUMBER  
HOLDING\_ITEM\_ID: NUMBER  
PICKUP\_DB\_ID: NUMBER

**UB\_REQUEST\_ARCHIVE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
CALL\_SLIP\_ID: NUMBER  
DATE\_REQUESTED: DATE  
REQUEST\_STATUS: VARCHAR2(25)  
STATUS\_DATE: DATE  
NOT\_NEEDED\_AFTER: NUMBER  
HOLDING\_ITEM\_ID: NUMBER  
PICKUP\_DB\_ID: NUMBER

**UB\_REQUEST\_STATUS**

STATUS\_TYPE\_UB: NUMBER  
STATUS\_DESC\_UB: VARCHAR2(25)

**UB\_ROUTING**

UB\_ROUTING\_ID: NUMBER  
DB\_ID\_FROM: NUMBER  
DB\_ID\_TO: NUMBER  
LOCATION\_ID\_TO: NUMBER  
DB\_ID\_PATRON: NUMBER  
PATRON\_ID\_UB: NUMBER  
DB\_ID\_ITEM: NUMBER  
ITEM\_ID\_UB: NUMBER  
SHIPPED\_DATE: DATE  
RECEIVED\_DATE: DATE  
DB\_ID\_RECEIVED: NUMBER

**UB\_ROUTING\_ARCHIVE**

UB\_ROUTING\_ID: NUMBER  
DB\_ID\_FROM: NUMBER  
DB\_ID\_TO: NUMBER  
LOCATION\_ID\_TO: NUMBER  
DB\_ID\_PATRON: NUMBER  
PATRON\_ID\_UB: NUMBER  
DB\_ID\_ITEM: NUMBER  
ITEM\_ID\_UB: NUMBER  
SHIPPED\_DATE: DATE  
RECEIVED\_DATE: DATE  
DB\_ID\_RECEIVED: NUMBER

**UDCCCLASS\_VW**

MFHD\_ID: NUMBER

UB\_REQUESTS\_LIMIT\_LCLBLOCK: CHAR(1)

## **VENDOR**

VENDOR\_ID: NUMBER  
VENDOR\_TYPE: CHAR(2)  
NORMAL\_VENDOR\_TYPE: CHAR(2)  
VENDOR\_CODE: VARCHAR2(10)  
NORMAL\_VENDOR\_CODE: VARCHAR2(10)  
VENDOR\_NAME: VARCHAR2(60)  
NORMAL\_VENDOR\_NAME: VARCHAR2(60)  
FEDERAL\_TAX\_ID: VARCHAR2(10)  
INSTITUTION\_ID: VARCHAR2(25)  
DEFAULT\_CURRENCY: VARCHAR2(3)  
CLAIM\_INTERVAL: NUMBER  
CLAIM\_COUNT: NUMBER  
CANCEL\_INTERVAL: NUMBER  
SHIP\_VIA: VARCHAR2(20)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)

## **VENDOR\_ACCOUNT**

ACCOUNT\_ID: NUMBER  
VENDOR\_ID: NUMBER  
ACCOUNT\_NUMBER: VARCHAR2(25)  
ACCOUNT\_NAME: VARCHAR2(25)  
DEFAULT\_PO\_TYPE: NUMBER  
DEPOSIT: CHAR(1)  
DEFAULT\_DISCOUNT: NUMBER  
ACCOUNT\_STATUS: NUMBER  
STATUS\_DATE: DATE

## **VENDOR\_ADDRESS**

ADDRESS\_ID: NUMBER  
VENDOR\_ID: NUMBER  
STD\_ADDRESS\_NUMBER: VARCHAR2(8)  
ORDER\_ADDRESS: CHAR(1)  
PAYMENT\_ADDRESS: CHAR(1)  
RETURN\_ADDRESS: CHAR(1)  
CLAIM\_ADDRESS: CHAR(1)  
EMAIL\_ADDRESS: CHAR(1)  
OTHER\_ADDRESS: CHAR(1)

CONTACT\_NAME: VARCHAR2(40)

CONTACT\_TITLE: VARCHAR2(40)  
ADDRESS\_LINE1: VARCHAR2(50)  
ADDRESS\_LINE2: VARCHAR2(40)  
ADDRESS\_LINE3: VARCHAR2(40)  
ADDRESS\_LINE4: VARCHAR2(40)  
ADDRESS\_LINE5: VARCHAR2(40)  
CITY: VARCHAR2(30)  
STATE\_PROVINCE: VARCHAR2(7)  
ZIP\_POSTAL: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **VENDOR\_BANK\_INFO**

CLASS: VARCHAR2(6)

## **VENDOR\_BANK\_INFO**

ACCOUNT\_NUMBER: VARCHAR2(25)  
TRANSIT\_NUMBER: VARCHAR2(25)  
TAX\_ID\_NUMBER: VARCHAR2(11)  
BANK\_NAME: VARCHAR2(60)  
ADDRESS\_LINE1: VARCHAR2(50)  
ADDRESS\_LINE2: VARCHAR2(40)  
ADDRESS\_LINE3: VARCHAR2(40)  
ADDRESS\_LINE4: VARCHAR2(40)  
ADDRESS\_LINE5: VARCHAR2(40)  
CITY: VARCHAR2(30)  
STATE\_PROVINCE: VARCHAR2(7)  
ZIP\_POSTAL: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
PHONE: VARCHAR2(25)  
FAX: VARCHAR2(25)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **VENDOR\_NOTE**

VENDOR\_ID: NUMBER  
NOTE: VARCHAR2(1900)

## **VENDOR\_PHONE**

ADDRESS\_ID: NUMBER  
PHONE\_TYPE: NUMBER  
PHONE\_NUMBER: VARCHAR2(25)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **VENDOR\_TYPE\_DEFAULTS**

ACQ\_POLICY\_ID: NUMBER  
VENDOR\_TYPE: CHAR(2)  
ORDER\_TYPE: NUMBER  
DISCOUNT: NUMBER  
CLAIM\_INTERVAL: NUMBER  
CLAIM\_COUNT: NUMBER  
CANCEL\_INTERVAL: NUMBER  
SHIP\_VIA: VARCHAR2(20)

## **VENDOR\_TYPES**

VENDOR\_TYPE: CHAR(2)  
VENDOR\_TYPE\_DESC: CHAR(40)

## **VENDORINVOICE\_VW**

VENDOR\_CODE: VARCHAR2(10)  
VENDOR\_NAME: VARCHAR2(60)  
VENDOR\_TYPE: CHAR(40)  
INSTITUTION\_ID: VARCHAR2(25)  
BILL\_TO\_LOCATION\_CODE: VARCHAR2(10)  
BILL\_TO\_LOCATION: VARCHAR2(25)  
INVOICE\_DATE: DATE  
INVOICE\_NUMBER: VARCHAR2(25)  
INVOICE\_ID: NUMBER  
CURRENCY\_CODE: VARCHAR2(3)  
CURRENCY\_NAME: VARCHAR2(35)



VENDOR\_ID: NUMBER

### **VENDORINVOICE\_VW**

VOUCHER\_NUMBER: VARCHAR2(25)  
EXPENDITURES: NUMBER  
EXPEND\_PENDING: NUMBER  
POLICY\_NAME: VARCHAR2(40)  
FISCAL\_PERIOD\_NAME: VARCHAR2(25)  
FISCAL\_PERIOD\_START: DATE  
FISCAL\_PERIOD\_END: DATE  
LEDGER\_NAME: VARCHAR2(40)  
FUND\_NAME: VARCHAR2(25)  
INSTITUTION\_FUND\_ID: VARCHAR2(50)

### **VENDORORDER\_VW**

VENDOR\_CODE: VARCHAR2(10)  
VENDOR\_NAME: VARCHAR2(60)  
INSTITUTION\_ID: VARCHAR2(25)  
VENDOR\_TYPE: CHAR(40)  
PO\_NUMBER: VARCHAR2(25)  
PO\_TYPE: VARCHAR2(25)  
ORDER\_LOCATION\_CODE: VARCHAR2(10)  
ORDER\_LOCATION: VARCHAR2(25)  
PO\_STATUS: VARCHAR2(25)  
PO\_STATUS\_DATE: DATE  
CURRENCY\_NAME: VARCHAR2(35)  
TOTAL: NUMBER  
UNIT\_PRICE: NUMBER  
QUANTITY: NUMBER  
LINE\_PRICE: NUMBER  
MFHD\_ID: NUMBER  
PO\_LINE\_STATUS: VARCHAR2(25)  
INVOICE\_STATUS: VARCHAR2(25)  
LINE\_STATUS\_DATE: DATE

### **VERSIONS**

MODULE: VARCHAR2(20)  
VERSION: VARCHAR2(30)  
SYNCPOINT: NUMBER

### **VOYAGER\_DATABASES**

DB\_CODE: VARCHAR2(10)  
DB\_NAME: VARCHAR2(100)  
DB\_DESC: VARCHAR2(200)  
DB\_PROTOCOL: CHAR(1)  
DB\_TYPE: CHAR(1)  
DB\_SUBTYPE: CHAR(1)  
DB\_WEIGHT: NUMBER  
DATABASE\_NAME: VARCHAR2(50)  
USERID: VARCHAR2(50)  
PASSWORD: VARCHAR2(50)  
MAXHITS: NUMBER  
SEARCHTIMEOUT: NUMBER  
RETRIEVALTIMEOUT: NUMBER  
IMPLEMENTOR: VARCHAR2(5)  
DUP\_PROFILE\_ID: NUMBER  
OPACSUPPRESS: CHAR(1)  
STAFFSUPPRESS: CHAR(1)  
DB\_PUBLIC: CHAR(1)

INVOICE\_STATUS: VARCHAR2(25)

INVOICE\_STATUS\_DATE: DATE

### **VOYAGER\_DATABASES**

MAX\_LICENSE: NUMBER  
STAFF\_POOL: NUMBER  
PUBLIC\_POOL: NUMBER  
ACTION: VARCHAR2(10)  
PUBLIC\_HIGHWATER: NUMBER  
STAFF\_HIGHWATER: NUMBER  
DB\_KEY: VARCHAR2(100)  
DB\_ID: NUMBER  
UB\_DB: CHAR(1)  
CONNECTTIMEOUT: NUMBER  
CHAR\_SET\_ID: NUMBER

### **WOPAC\_PID\_PATRON\_KEYS**

PID: VARCHAR2(80)  
PATRON\_KEY: VARCHAR2(30)

### **Z3950\_ATTRIBUTES**

DB\_CODE: VARCHAR2(8)  
SEARCHCODE: CHAR(4)  
ATTRIBUTES: VARCHAR2(40)  
ATTRIB\_DESC: VARCHAR2(50)  
RH\_TRUNCATION: CHAR(1)  
LH\_TRUNCATION: CHAR(1)  
BOOLEAN\_ENABLED: CHAR(1)  
DB\_ID: NUMBER