

## **ACCESS\_GROUP**

ACCESS\_GROUP\_ID: NUMBER  
ACCESS\_GROUP\_CODE: VARCHAR2(8)  
ACCESS\_GROUP\_NAME: VARCHAR2(40)  
ACCESS\_GROUP\_TYPE: CHAR(1)

## **ACCESS\_GROUP\_DATABASES**

ACCESS\_GROUP\_ID: NUMBER  
DB\_CODE: VARCHAR2(8)  
DB\_ID: NUMBER

## **ACCESS\_GROUP\_DOMAIN**

ACCESS\_GROUP\_DOMAIN\_ID: NUMBER  
ACCESS\_GROUP\_ID: NUMBER  
DOMAIN\_NAME: VARCHAR2(256)

## **ACCESS\_GROUP\_IP**

ACCESS\_GROUP\_IP\_ID: NUMBER  
ACCESS\_GROUP\_ID: NUMBER  
MIN\_IP\_ADDR: NUMBER  
MAX\_IP\_ADDR: NUMBER  
MIN\_IPV6\_ADDR: VARCHAR2(32)  
MAX\_IPV6\_ADDR: VARCHAR2(32)

## **ACCESS\_GROUP\_PATRON\_GROUP**

ACCESS\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER

## **ACCESS\_GROUP\_SORT\_GROUP**

ACCESS\_GROUP\_ID: NUMBER  
SORT\_GROUP\_ID: NUMBER

## **ACCOUNT\_LOCATION**

ACCOUNT\_ID: NUMBER  
ACCOUNT\_LOCATION: NUMBER

## **ACCOUNT\_NOTE**

ACCOUNT\_ID: NUMBER  
VENDOR\_ID: NUMBER  
NOTE: VARCHAR2(1900)

## **ACQ\_LOCATIONS**

ACQ\_POLICY\_ID: NUMBER  
LOCATION\_ID: NUMBER  
ORDER\_LOC: CHAR(1)  
RECEIVE\_LOC: CHAR(1)  
DESTINATION\_LOC: CHAR(1)  
ORDER\_OPAC: CHAR(1)  
ORDER\_DEFAULT\_ITEM\_TYPE: NUMBER  
RECEIVE\_DEFAULT\_ITEM\_TYPE: NUMBER  
PRINT\_LOCATION: NUMBER

## **ACQ\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
ACQ\_PROFILE\_ID: NUMBER

## **ACQ\_POLICY\_GROUP**

ACQ\_POLICY\_ID: NUMBER  
ACQ\_POLICY\_NAME: VARCHAR2(40)

## **ACQ\_POLICY\_GROUP**

DUP\_PROFILE\_ID: NUMBER

## **ACQ\_PROFILE**

ACQ\_PROFILE\_ID: NUMBER

ACQ\_PROFILE\_NAME: VARCHAR2(25)

ORDER\_ADD\_UPDATE: CHAR(1)

ORDER\_APPROVE: CHAR(1)

OVERRIDE\_COMMIT: CHAR(1)

OVERRIDE\_EXPEND: CHAR(1)

RECEIVE: CHAR(1)

SERIAL\_CHECKIN: CHAR(1)

ORDER\_VIEW\_ONLY: CHAR(1)

INVOICE\_ADD\_UPDATE: CHAR(1)

INVOICE\_APPROVE: CHAR(1)

INVOICE\_VIEW\_ONLY: CHAR(1)

LEDGER\_ADD\_UPDATE: CHAR(1)

CHANGE\_FUND\_ALLOC: CHAR(1)

LEDGER\_VIEW\_ONLY: CHAR(1)

FISCAL\_CLOSE: CHAR(1)

VENDOR\_ADD\_UPDATE: CHAR(1)

VENDOR\_VIEW\_ONLY: CHAR(1)

MONO\_CLAIMS: CHAR(1)

SERIAL\_CLAIMS: CHAR(1)

PATTERN\_ADD\_UPDATE: CHAR(1)

PATTERN\_VIEW\_ONLY: CHAR(1)

ORDER\_DELETE: CHAR(1)

INVOICE\_DELETE: CHAR(1)

LEDGER\_DELETE: CHAR(1)

PATTERN\_DELETE: CHAR(1)

VENDOR\_DELETE: CHAR(1)

CURRENCY\_MAINTENANCE: CHAR(1)

EDI\_INCOMING: CHAR(1)

EDI\_OUTGOING: CHAR(1)

HOLD\_IGNORE\_OWNERSHIP: CHAR(1)

MODIFY\_EDI\_OUTGOING: CHAR(1)

ITEM\_ADD\_UPDATE: CHAR(1)

ITEM\_VIEW\_ONLY: CHAR(1)

ITEM\_DELETE: CHAR(1)

SERIALS\_VIEW\_ONLY: CHAR(1)

PROBLEMS\_CLAIMS\_VIEW\_ONLY: CHAR(1)

BIND\_VIEW\_VOL\_ISSUE: CHAR(1)

BIND\_EDIT\_VOL: CHAR(1)

BIND\_EDIT\_ISSUE: CHAR(1)

BIND\_PRINT: CHAR(1)

CHANGE\_LINE\_ITEM\_BIB: CHAR(1)

COMPONENT\_DELETE: CHAR(1)

## **ACQ\_SECURITY\_LOCS**

ACQ\_PROFILE\_ID: NUMBER

LOCATION\_ID: NUMBER

## **ACTION\_TYPE**

ACTION\_TYPE\_ID: NUMBER

ACTION\_TYPE: VARCHAR2(20)

## **ADDRESS\_TYPE**

## **ADDRESS\_TYPE**

ADDRESS\_TYPE: NUMBER  
ADDRESS\_DESC: VARCHAR2(25)

## **ADJUST\_REASON**

REASON\_ID: NUMBER  
REASON\_TEXT: VARCHAR2(50)  
CHARGE\_OR\_CREDIT: CHAR(1)  
REASON\_EDI\_CODE: VARCHAR2(250)  
VENDOR\_ID: NUMBER

## **ALT\_VENDOR\_NAMES**

ALT\_VENDOR\_NAME\_ID: NUMBER  
VENDOR\_ID: NUMBER  
ALT\_VENDOR\_NAME: VARCHAR2(60)  
NORMAL\_ALT\_VENDOR\_NAME: VARCHAR2(60)

## **AUTH\_DATA**

AUTH\_ID: NUMBER  
SEQNUM: NUMBER  
RECORD\_SEGMENT: VARCHAR2(990)

## **AUTH\_HEADING**

HEADING\_ID\_POINTER: NUMBER  
HEADING\_ID\_POINTEE: NUMBER  
AUTH\_ID: NUMBER  
REFERENCE\_TYPE: CHAR(1)  
DISPLAY\_HEADING: VARCHAR2(330)  
SCOPE\_NOTE\_PRESENT: CHAR(1)

## **AUTH\_HISTORY**

AUTH\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
ACTION\_DATE: DATE  
LOCATION\_ID: NUMBER  
ENCODING\_LEVEL: CHAR(1)  
ACTION\_TYPE\_ID: NUMBER

## **AUTH\_INDEX**

AUTH\_ID: NUMBER  
INDEX\_CODE: CHAR(4)  
NORMAL\_HEADING: VARCHAR2(150)  
DISPLAY\_HEADING: VARCHAR2(150)

## **AUTH\_MASTER**

AUTH\_ID: NUMBER  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE  
EXPORT\_OK: CHAR(1)  
EXPORT\_OK\_DATE: DATE  
EXPORT\_OK\_OPID: VARCHAR2(10)  
EXPORT\_OK\_LOCATION\_ID: NUMBER  
EXPORT\_DATE: DATE

## **AUTH\_SUBDIVISION**

SUBDIV\_ID\_POINTER: NUMBER  
SUBDIV\_ID\_POINTEE: NUMBER  
REFERENCE\_TYPE: CHAR(1)

## **AUTH\_SUBDIVISION**

AUTH\_ID: NUMBER  
DISPLAY\_SUBDIV: VARCHAR2(330)

## **AUTHBLOB\_VW**

AUTH\_ID: NUMBER  
MARC\_RECORD: CLOB

## **AUTHHEADING\_VW**

HEADING\_ID\_POINTER: NUMBER  
HEADING\_ID\_POINTEE: NUMBER  
AUTH\_ID: NUMBER  
REFERENCE\_TYPE: VARCHAR2(20)

## **AUTHHISTORY\_VW**

AUTH\_ID: NUMBER  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
CREATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPERATOR\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER

## **AUTHORITY1XX4XX\_VW**

INDEX\_TYPE: VARCHAR2(10)  
AUTH\_ID\_1XX: NUMBER  
AUTH\_ID\_4XX: NUMBER  
STAFFBIBS: NUMBER  
OPACBIBS: NUMBER  
DISPLAY\_HEADING: VARCHAR2(330)

## **AUTHORITY5XX1XX\_VW**

INDEX\_TYPE: VARCHAR2(10)  
AUTH\_ID\_5XX: NUMBER  
DISPLAY\_HEADING: VARCHAR2(300)

## **AUTHORITYDUPE\_VW**

AUTH\_ID: NUMBER  
DISPLAY\_HEADING: VARCHAR2(330)

## **AUTHORITYRECORDS\_VW**

AUTH\_ID: NUMBER  
INDEX\_TYPE: VARCHAR2(10)  
REFERENCE\_TYPE\_DESC: VARCHAR2(20)  
DISPLAY\_HEADING: VARCHAR2(300)  
NORMAL\_HEADING: VARCHAR2(300)

## **BASE\_CURRENCY**

BASE\_COUNTRY\_NAME: VARCHAR2(25)  
BASE\_CURRENCY\_NAME: VARCHAR2(25)  
BASE\_CURRENCY\_CODE: VARCHAR2(3)  
BASE\_DECIMALS: NUMBER  
DECIMAL\_DELIMITER: CHAR(1)

## **BIB\_CARRIER**

CARRIER: CHAR(2)  
BIB\_ID: NUMBER

## **BIB\_CONTENT**

## **BIB\_CONTENT**

CONTENT: CHAR(3)  
BIB\_ID: NUMBER

## **BIB\_DATA**

BIB\_ID: NUMBER  
SEQNUM: NUMBER  
RECORD\_SEGMENT: VARCHAR2(990)

## **BIB\_FACET**

BIB\_ID: NUMBER  
INDEX\_CODE: CHAR(4)  
FACET1: VARCHAR2(20)  
FACET2: VARCHAR2(20)  
FACET3: VARCHAR2(20)

## **BIB\_FORMAT\_DISPLAY**

BIB\_FORMAT: VARCHAR2(2)  
BIB\_FORMAT\_DISPLAY: VARCHAR2(20)

## **BIB\_HEADING**

HEADING\_ID: NUMBER  
BIB\_ID: NUMBER  
DISPLAY\_HEADING: VARCHAR2(330)  
SUPPRESS\_IN\_OPAC: CHAR(1)

## **BIB\_HISTORY**

BIB\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
ACTION\_DATE: DATE  
LOCATION\_ID: NUMBER  
ENCODING\_LEVEL: CHAR(1)  
SUPPRESS\_IN\_OPAC: VARCHAR2(1)  
ACTION\_TYPE\_ID: NUMBER

## **BIB\_INDEX**

BIB\_ID: NUMBER  
INDEX\_CODE: CHAR(4)  
NORMAL\_HEADING: VARCHAR2(150)  
DISPLAY\_HEADING: VARCHAR2(150)

## **BIB\_ITEM**

BIB\_ID: NUMBER  
ITEM\_ID: NUMBER  
ADD\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)

## **BIB\_LOCATION**

BIB\_ID: NUMBER  
LOCATION\_ID: NUMBER

## **BIB\_MASTER**

BIB\_ID: NUMBER  
LIBRARY\_ID: NUMBER  
SUPPRESS\_IN\_OPAC: CHAR(1)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE  
EXPORT\_OK: CHAR(1)  
EXPORT\_OK\_DATE: DATE

## **BIB\_MASTER**

EXPORT\_OK\_OPID: VARCHAR2(10)  
EXPORT\_OK\_LOCATION\_ID: NUMBER  
EXPORT\_DATE: DATE  
EXISTS\_IN\_DPS: CHAR(1)  
EXISTS\_IN\_DPS\_DATE: DATE

## **BIB\_MEDIA**

MEDIA: CHAR(1)  
BIB\_ID: NUMBER

## **BIB\_MEDIUM**

MEDIUM: CHAR(1)  
BIB\_ID: NUMBER

## **BIB\_MFHD**

BIB\_ID: NUMBER  
MFHD\_ID: NUMBER

## **BIB\_SUBDIVISION**

BIB\_ID: NUMBER  
SUBDIV\_ID: NUMBER  
DISPLAY\_SUBDIV: VARCHAR2(330)

## **BIB\_TEXT**

BIB\_ID: NUMBER  
AUTHOR: VARCHAR2(255)  
TITLE: VARCHAR2(255)  
TITLE\_BRIEF: VARCHAR2(150)  
UNIFORM\_TITLE: VARCHAR2(255)  
EDITION: VARCHAR2(100)  
ISBN: VARCHAR2(50)  
ISSN: VARCHAR2(20)  
LCCN: VARCHAR2(20)  
NETWORK\_NUMBER: VARCHAR2(30)  
SERIES: VARCHAR2(255)  
CODEN: VARCHAR2(6)  
GPONUM: VARCHAR2(20)  
STDTECH: VARCHAR2(30)  
OTHER\_STD\_NUM: VARCHAR2(30)  
BEGIN\_PUB\_DATE: VARCHAR2(4)  
END\_PUB\_DATE: VARCHAR2(4)  
PUB\_DATES\_COMBINED: VARCHAR2(9)  
PUBLISHER\_DATE: VARCHAR2(25)  
PUB\_PLACE: VARCHAR2(100)  
PUBLISHER: VARCHAR2(150)  
PUBLISHER\_NUMBER: VARCHAR2(40)  
IMPRINT: VARCHAR2(200)  
LANGUAGE: VARCHAR2(3)  
BIB\_FORMAT: VARCHAR2(2)  
RECORD\_STATUS: VARCHAR2(1)  
ENCODING\_LEVEL: VARCHAR2(1)  
DESCRIP\_FORM: VARCHAR2(1)  
FIELD\_008: VARCHAR2(40)  
PLACE\_CODE: VARCHAR2(3)  
DATE\_TYPE\_STATUS: CHAR(1)  
MAP\_PROJECTION: CHAR(2)

## **BIB\_TEXT**

MAP\_MATH\_DATA: VARCHAR2(255)  
STOCK\_NUMBER: VARCHAR2(50)  
RDA\_MEDIA: VARCHAR2(250)  
RDA\_CONTENT: VARCHAR2(250)  
RDA\_CARRIER: VARCHAR2(250)

## **BIB\_TEXT\_DISPLAYFIELD**

BIB\_TEXT\_FIELD: VARCHAR2(30)  
DISPLAY\_NAME: VARCHAR2(40)

## **BIB\_USAGE\_LOG**

CLIENT\_TYPE: CHAR(1)  
USE\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)  
LOCATION\_ID: NUMBER  
SESSION\_ID: VARCHAR2(16)  
STAT\_STRING: VARCHAR2(15)  
CLIENT\_IP: VARCHAR2(40)  
BIB\_ID: NUMBER  
USE\_TYPE: CHAR(1)

## **BIB\_VW**

TITLE: VARCHAR2(150)  
SORT\_TITLE: VARCHAR2(150)  
BIB\_ID: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPERATOR: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
MFHD\_ID: NUMBER  
CALL\_NO: VARCHAR2(300)  
CALL\_NO\_TYPE: CHAR(1)  
NORMALIZED\_CALL\_NO: VARCHAR2(300)  
MFHD\_CREATE\_DATE: DATE  
MFHD\_CREATE\_OPERATOR: VARCHAR2(10)  
MFHD\_CREATE\_LOCATION\_ID: NUMBER  
MFHD\_LOCATION\_ID: NUMBER  
MFHD\_LOCATION\_CODE: VARCHAR2(10)  
MFHD\_LOCATION: VARCHAR2(25)

## **BIBBLOB\_VW**

BIB\_ID: NUMBER  
MARC\_RECORD: CLOB

## **BIBCOMPOSITEINDEX\_VW**

COMPOSITE\_SEARCHCODE: CHAR(4)  
COMPONENT\_SEARCHCODE: CHAR(4)

## **BIBHISTORY\_VW**

BIB\_ID: NUMBER  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
CREATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPERATOR\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER

## **BIBLOC\_VW**

## **BIBLOC\_VW**

BIB\_ID: NUMBER  
MARCLOCCODE: VARCHAR2(3)

## **BIBSORTING\_VW**

BIB\_ID: NUMBER  
DISPLAY\_TITLE: VARCHAR2(150)  
NORMAL\_TITLE: VARCHAR2(150)  
DISPLAY\_AUTHOR: VARCHAR2(150)  
NORMAL\_AUTHOR: VARCHAR2(150)  
PUB\_DATE: VARCHAR2(4)

## **BINDERY\_COPY**

BINDERY\_COPY\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
COPY\_ID: NUMBER

## **BINDERY\_COPY\_DATA**

BINDERY\_DATA\_ID: NUMBER  
BINDERY\_COPY\_ID: NUMBER  
BINDERY\_DATA\_TYPE\_ID: NUMBER  
BINDERY\_DATA: VARCHAR2(1000)

## **BINDERY\_COPY\_DATA\_TYPE**

BINDERY\_DATA\_TYPE\_ID: NUMBER  
BINDERY\_COPY\_DATA\_TYPE\_DESC:  
VARCHAR2(25)

## **BINDERY\_VOLUME**

BINDERY\_VOLUME\_ID: NUMBER  
BINDERY\_COPY\_ID: NUMBER  
BIND\_ON\_DATE: DATE  
ITEM\_ID: NUMBER  
ITEM\_ENUM: VARCHAR2(80)  
CHRON: VARCHAR2(80)  
YEAR: VARCHAR2(20)  
CAPTION: VARCHAR2(256)  
FREETEXT: VARCHAR2(256)  
VOLUME\_NOTE: VARCHAR2(200)  
OTHER\_VOLUME\_DATA: VARCHAR2(200)

## **BINDERY\_VOLUME\_ISSUES**

BINDERY\_VOLUME\_ID: NUMBER  
ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
COPY\_ID: NUMBER  
SEQUENCE\_NUMBER: NUMBER

## **BOOKING\_RESULT**

BOOKING\_RESULT\_ID: NUMBER  
BOOKING\_RESULT: VARCHAR2(20)

## **BROWSE\_STATS**

STAT\_ID: NUMBER  
STAT\_SAMPLE: VARCHAR2(50)  
STAT\_TYPE: CHAR(1)  
SUB\_TYPE: VARCHAR2(12)  
SUBSUB\_TYPE: NUMBER



## **CACHE\_MAPS**

CACHE\_ID: NUMBER  
CODE: CHAR(4)  
ARG: VARCHAR2(60)  
DATE\_UPDATED: DATE  
BITS: NUMBER  
SEGSIZE: NUMBER

## **CACHE\_SEGS**

CACHE\_ID: NUMBER  
SEQNUM: NUMBER  
RECORD\_SEGMENT: LONG RAW

## **CALENDAR**

CALENDAR\_ID: NUMBER  
CALENDAR\_BEGIN\_DATE: DATE  
CALENDAR\_END\_DATE: DATE  
FIXED\_DUE\_DATE: DATE  
CALENDAR\_DESC: VARCHAR2(25)  
SUNDAY\_OPEN: CHAR(1)  
SUNDAY\_OPENHOUR: NUMBER  
SUNDAY\_CLOSEHOUR: NUMBER  
MONDAY\_OPEN: CHAR(1)  
MONDAY\_OPENHOUR: NUMBER  
MONDAY\_CLOSEHOUR: NUMBER  
TUESDAY\_OPEN: CHAR(1)  
TUESDAY\_OPENHOUR: NUMBER  
TUESDAY\_CLOSEHOUR: NUMBER  
WEDNESDAY\_OPEN: CHAR(1)  
WEDNESDAY\_OPENHOUR: NUMBER  
WEDNESDAY\_CLOSEHOUR: NUMBER  
THURSDAY\_OPEN: CHAR(1)  
THURSDAY\_OPENHOUR: NUMBER  
THURSDAY\_CLOSEHOUR: NUMBER  
FRIDAY\_OPEN: CHAR(1)  
FRIDAY\_OPENHOUR: NUMBER  
FRIDAY\_CLOSEHOUR: NUMBER  
SATURDAY\_OPEN: CHAR(1)  
SATURDAY\_OPENHOUR: NUMBER  
SATURDAY\_CLOSEHOUR: NUMBER  
CIRC\_CLUSTER\_ID: NUMBER  
MONDAY\_HOURLY\_EFFECT: NUMBER  
MONDAY\_LOAN\_DUE: NUMBER  
TUESDAY\_HOURLY\_EFFECT: NUMBER  
TUESDAY\_LOAN\_DUE: NUMBER  
WEDNESDAY\_HOURLY\_EFFECT: NUMBER  
WEDNESDAY\_LOAN\_DUE: NUMBER  
THURSDAY\_HOURLY\_EFFECT: NUMBER  
THURSDAY\_LOAN\_DUE: NUMBER  
FRIDAY\_HOURLY\_EFFECT: NUMBER  
FRIDAY\_LOAN\_DUE: NUMBER  
SATURDAY\_HOURLY\_EFFECT: NUMBER  
SATURDAY\_LOAN\_DUE: NUMBER  
SUNDAY\_HOURLY\_EFFECT: NUMBER  
SUNDAY\_LOAN\_DUE: NUMBER

## **CALENDAR\_TERM\_DATE**

## **CALENDAR\_TERM\_DATE**

CALENDAR\_ID: NUMBER  
LEAD\_DAYS: NUMBER  
END\_OF\_TERM\_DATE: DATE

## **CALL\_NO\_HIERARCHY**

CALL\_NO\_HIERARCHY\_ID: NUMBER  
CALL\_NO\_TYPE: CHAR(1)  
CODE: VARCHAR2(8)  
NAME: VARCHAR2(25)  
USE\_AS\_DEFAULT: CHAR(1)

## **CALL\_NO\_TYPE**

CALL\_NO\_TYPE: CHAR(1)  
CALL\_NO\_DESC: VARCHAR2(25)  
INDEXRULES: VARCHAR2(300)  
CALL\_NO\_CODE: VARCHAR2(16)  
MAP\_CODE: CHAR(1)

## **CALL\_SLIP**

CALL\_SLIP\_ID: NUMBER  
PRINT\_GROUP\_ID: NUMBER  
BIB\_ID: NUMBER  
ITEM\_ID: NUMBER  
MFHD\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
DATE\_REQUESTED: DATE  
DATE\_PROCESSED: DATE  
LOCATION\_ID: NUMBER  
STATUS: NUMBER  
STATUS\_DATE: DATE  
STATUS\_OPID: VARCHAR2(10)  
NO\_FILL\_REASON: NUMBER  
ITEM\_YEAR: VARCHAR2(20)  
ITEM\_ENUM: VARCHAR2(80)  
ITEM\_CHRON: VARCHAR2(80)  
NOTE: VARCHAR2(100)  
PICKUP\_LOCATION\_ID: NUMBER  
PICKUP\_DB\_ID: NUMBER  
PATRON\_DB\_ID: NUMBER  
NOT\_NEEDED\_AFTER: NUMBER  
REPLY\_NOTE: VARCHAR2(100)

## **CALL\_SLIP\_ARCHIVE**

ARCHIVE\_ID: NUMBER  
PRINT\_GROUP\_ID: NUMBER  
BIB\_ID: NUMBER  
ITEM\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
DATE\_REQUESTED: DATE  
DATE\_PROCESSED: DATE  
LOCATION\_ID: NUMBER  
STATUS: NUMBER  
STATUS\_DATE: DATE  
STATUS\_OPID: VARCHAR2(10)

## **CALL\_SLIP\_ARCHIVE**

NO\_FILL\_REASON: NUMBER  
ITEM\_YEAR: VARCHAR2(20)  
ITEM\_ENUM: VARCHAR2(80)  
ITEM\_CHRON: VARCHAR2(80)  
NOTE: VARCHAR2(100)  
MFHD\_ID: NUMBER  
PICKUP\_LOCATION\_ID: NUMBER  
PICKUP\_DB\_ID: NUMBER  
PATRON\_DB\_ID: NUMBER  
NOT\_NEEDED\_AFTER: NUMBER  
REPLY\_NOTE: VARCHAR2(100)

## **CALL\_SLIP\_GROUP\_LOCATION**

GROUP\_ID: NUMBER  
LOCATION\_ID: NUMBER  
RULE\_RANK: NUMBER  
CALL\_NO\_TYPE: CHAR(1)  
CALL\_NO\_MIN\_NORM: VARCHAR2(112)  
CALL\_NO\_MIN\_DISPLAY: VARCHAR2(144)  
CALL\_NO\_MAX\_NORM: VARCHAR2(112)  
CALL\_NO\_MAX\_DISPLAY: VARCHAR2(144)  
PERM\_LOCATION: NUMBER  
TEMP\_LOCATION: NUMBER  
ITEM\_TYPE\_ID: NUMBER  
TEMP\_ITEM\_TYPE\_ID: NUMBER  
YEAR\_MIN: VARCHAR2(20)  
YEAR\_MAX: VARCHAR2(20)

## **CALL\_SLIP\_MSG**

MESSAGE\_ID: NUMBER  
MESSAGE\_CODE: VARCHAR2(10)  
MESSAGE\_NAME: VARCHAR2(25)  
SUSPENSION\_MESSAGE: CHAR(1)  
ACTIVE: CHAR(1)

## **CALL\_SLIP\_PRINT\_GROUP**

GROUP\_ID: NUMBER  
GROUP\_CODE: VARCHAR2(10)  
GROUP\_NAME: VARCHAR2(25)  
DEFAULT\_GROUP: CHAR(1)  
PROCESS\_METHOD: CHAR(1)  
LOCATION\_ID: NUMBER  
ARCHIVE\_INTERVAL: CHAR(1)  
ARCHIVE\_PERIOD: NUMBER  
EXPIRE\_INTERVAL: CHAR(1)  
EXPIRE\_PERIOD: NUMBER  
PATRON\_INFO: CHAR(1)  
CAT\_REVIEW: CHAR(1)  
CIRC\_REVIEW: CHAR(1)  
DEFAULT\_ITEM\_TYPE\_ID: NUMBER

## **CALL\_SLIP\_REASSIGN\_ARCHIVE**

ARCHIVE\_ID: NUMBER  
PRINT\_GROUP\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
REASSIGN\_DATE: DATE

### **CALL\_SLIP\_REASSIGNMENT**

CALL\_SLIP\_ID: NUMBER  
PRINT\_GROUP\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
REASSIGN\_DATE: DATE

### **CALL\_SLIP\_STATS**

CALL\_SLIP\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER

### **CALL\_SLIP\_STATUS\_TYPE**

STATUS\_TYPE: NUMBER  
STATUS\_DESC: VARCHAR2(25)

### **CAMBRIDGEDEPTCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(6)

### **CAMBRIDGEMAINCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(6)

### **CAMBRIDGEMEDICALCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(6)

### **CAT\_CONTROL\_BARCODE**

IMPORT\_RULE\_ID: NUMBER  
INDICATOR1: CHAR(1)  
INDICATOR2: CHAR(1)  
FIELD: VARCHAR2(3)  
SUBFIELD: CHAR(1)  
SEQUENCE: NUMBER

### **CAT\_CONTROL\_CALL\_NO**

CALL\_NO\_HIERARCHY\_ID: NUMBER  
INDICATOR1: CHAR(1)  
INDICATOR2: CHAR(1)  
FIELD: VARCHAR2(3)  
MAIN\_SUBFIELD: CHAR(1)  
CUTTER\_SUBFIELD: CHAR(1)  
SEQUENCE: NUMBER

### **CAT\_CONTROL\_ITEM\_STATUS**

IMPORT\_RULE\_ID: NUMBER  
BINDERY: CHAR(1)  
CAT\_REVIEW: CHAR(1)  
CIRC\_REVIEW: CHAR(1)  
DAMAGED: CHAR(1)  
IN\_PROCESS: CHAR(1)  
LOST\_LIB\_APP: CHAR(1)  
MISSING: CHAR(1)  
WITHDRAWN: CHAR(1)

### **CAT\_CONTROL\_ITEM\_TYPE**

IMPORT\_RULE\_ID: NUMBER  
INDICATOR1: CHAR(1)  
INDICATOR2: CHAR(1)  
FIELD: VARCHAR2(3)

## **CAT\_CONTROL\_ITEM\_TYPE**

SUBFIELD: CHAR(1)  
SEQUENCE: NUMBER  
FIXED\_START: NUMBER  
FIXED\_END: NUMBER

## **CAT\_CONTROL\_MULTI\_ITEMS**

IMPORT\_RULE\_ID: NUMBER  
MAIN\_FIELD: VARCHAR2(3)  
MAIN\_IND1: CHAR(1)  
MAIN\_IND2: CHAR(1)  
LOCATION\_SUBFIELD: CHAR(1)  
ITEM\_TYPE\_SUBFIELD: CHAR(1)  
BARCODE\_SUBFIELD: CHAR(1)  
COLLAPSE\_MFHDS: CHAR(1)  
ENUM\_SUBFIELD: CHAR(1)  
CHRON\_SUBFIELD: CHAR(1)  
YEAR\_SUBFIELD: CHAR(1)  
NOTE\_SUBFIELD: CHAR(1)  
PIECES\_SUBFIELD: CHAR(1)  
CHARGE\_NOTE\_SUBFIELD: CHAR(1)  
CAPTION\_SUBFIELD: CHAR(1)  
FREE\_TEXT\_SUBFIELD: CHAR(1)  
PRICE\_SUBFIELD: CHAR(1)  
SHELVING\_CNTL\_NBR\_SUBFIELD: CHAR(1)  
SHELVING\_FRM\_OF\_TTL\_SUBFIELD: CHAR(1)  
CALL\_NBR\_PREFIX\_SUBFIELD: CHAR(1)  
CALL\_NBR\_SUFFIX\_SUBFIELD: CHAR(1)  
NON\_PUBLIC\_NOTE\_SUBFIELD: CHAR(1)  
PUBLIC\_NOTE\_SUBFIELD: CHAR(1)  
PIECE\_DESIGNATION\_SUBFIELD: CHAR(1)  
COPY\_NUMBER\_SUBFIELD: CHAR(1)  
COPY\_NUMBER\_METHOD: NUMBER  
COPY\_NUMBER\_START: NUMBER  
MFHD\_COPY\_NUMBER\_SUBFIELD: CHAR(1)

## **CAT\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
CAT\_PROFILE\_ID: NUMBER

## **CAT\_POLICY\_DUP**

CAT\_POLICY\_ID: NUMBER  
DUP\_PROFILE\_ID: NUMBER

## **CAT\_POLICY\_GROUP**

CAT\_POLICY\_ID: NUMBER  
CAT\_POLICY\_NAME: VARCHAR2(40)  
NUC\_CODE: VARCHAR2(15)  
OPAC\_DISPLAY: CHAR(1)

## **CAT\_POLICY\_HIERARCHY**

CAT\_POLICY\_ID: NUMBER  
CALL\_NO\_HIERARCHY\_ID: NUMBER

## **CAT\_POLICY\_LOCS**

CAT\_GROUP\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CATALOGING\_LOCATION: CHAR(1)

## **CAT\_POLICY\_LOCS**

CIRC\_LOCATION: CHAR(1)  
ROUTING\_LOCATION: CHAR(1)  
CALL\_NO\_TYPE: CHAR(1)  
NUC\_CODE: VARCHAR2(15)  
DEFAULT\_ITEM\_TYPE: NUMBER

## **CAT\_PROFILE**

CAT\_PROFILE\_ID: NUMBER  
CAT\_PROFILE\_NAME: VARCHAR2(25)  
BIB\_ADD: CHAR(1)  
BIB\_UPDATE: CHAR(1)  
BIB\_DELETE: CHAR(1)  
BIB\_VIEW\_ONLY: CHAR(1)  
HOLD\_ADD: CHAR(1)  
HOLD\_UPDATE: CHAR(1)  
HOLD\_DELETE: CHAR(1)  
HOLD\_VIEW\_ONLY: CHAR(1)  
ITEM\_ADD: CHAR(1)  
ITEM\_UPDATE: CHAR(1)  
ITEM\_DELETE: CHAR(1)  
ITEM\_VIEW\_ONLY: CHAR(1)  
AUTH\_ADD: CHAR(1)  
AUTH\_UPDATE: CHAR(1)  
AUTH\_DELETE: CHAR(1)  
AUTH\_VIEW\_ONLY: CHAR(1)  
MARCAUTH\_ADD\_UPDATE: CHAR(1)  
MARCAUTH\_VIEW\_ONLY: CHAR(1)  
MARCIBIB\_ADD\_UPDATE: CHAR(1)  
MARCIBIB\_VIEW\_ONLY: CHAR(1)  
MARCHOLD\_ADD\_UPDATE: CHAR(1)  
MARCHOLD\_VIEW\_ONLY: CHAR(1)  
GLOBAL\_REPLACE: CHAR(1)  
CHANGE\_OWNERSHIP: CHAR(1)  
HOLD\_IGNORE\_OWNERSHIP: CHAR(1)  
AUTH\_EXPORT\_OK: CHAR(1)  
BIB\_EXPORT\_OK: CHAR(1)  
MFHD\_EXPORT\_OK: CHAR(1)  
USE\_TEMPLATE: CHAR(1)  
BIB\_OVERLAY: CHAR(1)

## **CAT\_SECURITY\_LOCS**

CAT\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

## **CHARACTER\_SET**

CHAR\_SET\_ID: NUMBER  
CHAR\_SET\_CODE: CHAR(1)  
CHAR\_SET\_NAME: VARCHAR2(30)

## **CHRON**

CHRON\_TYPE\_ID: NUMBER  
CHRON\_SEQ: NUMBER  
CHRON\_VALUE: VARCHAR2(20)

## **CHRON\_TYPE**

CHRON\_TYPE\_ID: NUMBER

## **CHRON\_TYPE**

CHRON\_NAME: VARCHAR2(40)  
CHRON\_TYPE\_CODE: CHAR(2)

## **CIRC\_ALERT\_CONDITIONS**

LOC\_ID: NUMBER  
ALERT\_ID: NUMBER  
ALERT\_DISPLAY: NUMBER  
ALERT\_USE\_PATRON\_NAME: CHAR(1)  
ALERT\_USE\_PATRON\_BARCODE: CHAR(1)  
ALERT\_USE\_PATRON\_PHONE: CHAR(1)

## **CIRC\_ALERT\_TYPES**

ALERT\_TYPE: NUMBER  
ALERT\_TYPE\_DESC: VARCHAR2(100)

## **CIRC\_ALERTS**

ALERT\_ID: NUMBER  
ALERT\_TYPE: NUMBER  
ALERT\_NAME: VARCHAR2(30)  
ALERT\_TEXT: VARCHAR2(100)

## **CIRC\_BLOCK\_OVERRIDE**

CIRC\_PROFILE\_ID: NUMBER  
BLOCK\_ID: NUMBER

## **CIRC\_BLOCKS**

BLOCK\_ID: NUMBER  
BLOCK\_TYPE: VARCHAR2(6)  
BLOCK\_NAME: VARCHAR2(50)  
BLOCK\_DISPLAY\_NAME: VARCHAR2(100)

## **CIRC\_CLUSTER**

CIRC\_CLUSTER\_ID: NUMBER  
CIRC\_CLUSTER\_CODE: VARCHAR2(10)  
CIRC\_CLUSTER\_NAME: VARCHAR2(100)  
DEFAULT\_PICKUP\_LOCATION: NUMBER

## **CIRC\_GROUP\_CALENDAR**

CIRC\_GROUP\_ID: NUMBER  
CALENDAR\_ID: NUMBER

## **CIRC\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
CIRC\_PROFILE\_ID: NUMBER

## **CIRC\_POLICY\_GROUP**

CIRC\_GROUP\_ID: NUMBER  
CIRC\_GROUP\_NAME: VARCHAR2(40)  
RENEW\_IF\_RECALL: CHAR(1)  
RENEW\_IF\_HOLD: CHAR(1)  
RENEW\_IF\_OVERDUE: CHAR(1)  
CLOSED\_DAYS\_FOR\_LOANS: CHAR(1)  
CLOSED\_DAYS\_FOR\_FINES: CHAR(1)  
LOST\_PROCESS\_FEE: CHAR(1)  
PROCESS\_FEE: NUMBER  
MAX\_FINE\_FEE\_FOR\_LOST: CHAR(1)  
EARLY\_PICKUP\_WINDOW: NUMBER  
UNCLAIMED\_INTERVAL: NUMBER

## **CIRC\_POLICY\_GROUP**

EXTEND\_RECALL\_DUE\_DATE: CHAR(1)  
CIRC\_CLUSTER\_ID: NUMBER  
FIXED\_DUE\_TIME: CHAR(1)  
LOST\_REMOVE\_OVERDUE: CHAR(1)  
LOST\_REMOVE\_REPL\_FEE: CHAR(1)  
LOST\_UPDATE\_PATRON\_COUNTER: CHAR(1)  
LOST\_REMOVE\_PROC\_FEE: CHAR(1)  
LOST\_CREDIT\_TRANS\_TYPE: NUMBER  
IN\_TRANSIT\_FULFILLED: CHAR(1)  
TITLE\_LEVEL\_NO\_ITEMS\_OPAC: CHAR(1)  
TITLE\_LEVEL\_NO\_ITEMS\_CIRC: CHAR(1)

## **CIRC\_POLICY\_LOCS**

CIRC\_GROUP\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CIRC\_LOCATION: CHAR(1)  
COLLECT\_FINES: CHAR(1)  
COURTESY\_DISCHARGE: CHAR(1)  
SHELVING\_INTERVAL: CHAR(1)  
SHELVING\_PERIOD: NUMBER  
SUPPRESS\_FLY\_ITEMS: CHAR(1)  
DEFAULT\_ITEM\_TYPE: NUMBER  
DEFAULT\_LOCATION: NUMBER  
PRINT\_DATE\_DUES: CHAR(1)  
PRINT\_FINE\_RECEIPTS: CHAR(1)  
PRINT\_DISCHARGE\_RECEIPTS: CHAR(1)  
PRINT\_HOLD\_SLIPS: CHAR(1)  
PRINT\_ROUTING\_SLIPS: CHAR(1)  
TRANSIT\_PERIOD: NUMBER  
PRINT\_LOCATION: NUMBER  
AUTOMATED\_STORAGE: CHAR(1)  
OPAC\_CIRC\_DESK: CHAR(1)  
PICKUP\_LOCATION: CHAR(1)  
HOLD\_LIFE: NUMBER  
RECALL\_LIFE: NUMBER  
PATRON\_AVAIL\_ITEMS\_ALERT: CHAR(1)  
PATRON\_FINE\_FEE\_ALERT: CHAR(1)

## **CIRC\_POLICY\_MATRIX**

CIRC\_POLICY\_MATRIX\_ID: NUMBER  
CIRC\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
ITEM\_TYPE\_ID: NUMBER  
CHARGE\_RENEW: CHAR(1)  
PLACE\_RECALL: CHAR(1)  
PLACE\_HOLD: CHAR(1)  
LOAN\_INTERVAL: CHAR(1)  
LOAN\_PERIOD: NUMBER  
FINE\_INTERVAL: CHAR(1)  
FINE\_RATE: NUMBER  
MAX\_FINE: NUMBER  
MAX\_RECALL\_FINE: NUMBER  
GRACE\_PERIOD: NUMBER  
RENEWAL\_COUNT: NUMBER  
RENEWAL\_INTERVAL: CHAR(1)  
RENEWAL\_PERIOD: NUMBER



## **CIRC\_POLICY\_MATRIX**

RECALL\_FINE\_INTERVAL: CHAR(1)  
RECALL\_FINE\_RATE: NUMBER  
RECALL\_MIN\_LOAN: NUMBER  
RENEW\_FROM\_DUE\_DATE: CHAR(1)  
RECALL\_RETURN\_PERIOD: NUMBER  
PLACE\_CALL\_SLIP: CHAR(1)  
RECALL\_GRACE\_PERIOD: NUMBER  
COURTESY\_NOTICE\_INTERVAL: NUMBER  
COURTESY\_NOTICE\_MIN\_LOAN: NUMBER  
FIRST\_OVERDUE\_INTERVAL: NUMBER  
OTHER\_NOTICE\_COUNT: NUMBER  
OTHER\_NOTICE\_INTERVAL: NUMBER  
LOST\_NOTICE\_INTERVAL: NUMBER  
RECALL\_NOTICE\_INTERVAL: NUMBER  
RECALL\_NOTICE\_COUNT: NUMBER  
HOLD\_SHELF\_LIFE: NUMBER  
HOLD\_SHELF\_LIFE\_INTERVAL: CHAR(1)  
CHARGE\_LIMIT: NUMBER  
CHARGE\_LIMIT\_APPLY: CHAR(1)  
PLACE\_UB\_REQUEST: CHAR(1)  
ALLOW\_BOOKINGS\_ON\_OVERDUES: CHAR(1)  
ADVANCED\_LOAN\_WARNING\_INTERVAL:  
CHAR(1)  
ADVANCED\_LOAN\_WARNING\_PERIOD: NUMBER  
ALWAYS\_DUE\_NEXT\_OPEN\_DAY: CHAR(1)

## **CIRC\_PROFILE**

CIRC\_PROFILE\_ID: NUMBER  
CIRC\_PROFILE\_NAME: VARCHAR2(25)  
CHARGE\_RENEW: CHAR(1)  
DISCHARGE: CHAR(1)  
CHANGE\_DUE\_DATE: CHAR(1)  
CHANGE\_DISCHARGE\_DATE: CHAR(1)  
ITEM\_ADD\_UPDATE: CHAR(1)  
ITEM\_STATUS: CHAR(1)  
ITEM\_DELETE: CHAR(1)  
ADD\_FINES: CHAR(1)  
PAY\_FINES: CHAR(1)  
FORGIVE\_FINES: CHAR(1)  
RECAHOLD\_ADD\_UPDATE: CHAR(1)  
RECAHOLD\_RESEQUENCE: CHAR(1)  
PATRON\_ADD\_UPDATE: CHAR(1)  
PATRON\_DELETE: CHAR(1)  
PATRON\_COUNTERS: CHAR(1)  
PATRON\_PROXY\_MAINTAIN: CHAR(1)  
PATRON\_VIEW\_ONLY: CHAR(1)  
PG\_RESTRICT\_VIEW: CHAR(1)  
PG\_RESTRICT\_MAINT: CHAR(1)  
PG\_RESTRICT\_CIRC: CHAR(1)  
RESERVE\_ADD\_UPDATE: CHAR(1)  
HOLD\_IGNORE\_OWNERSHIP: CHAR(1)  
DISTRIBUTION\_ITEM\_VIEW: CHAR(1)  
DISTRIBUTION\_ITEM\_DISTRIBUTE: CHAR(1)  
DISTRIBUTION\_ITEM\_CREATE: CHAR(1)  
DISTRIBUTION\_ITEM\_UPDATE: CHAR(1)  
DISTRIBUTION\_ITEM\_ORDER: CHAR(1)

## **CIRC\_PROFILE**

DISTRIBUTION\_ITEM\_RECEIVE: CHAR(1)  
DISTRIBUTION\_ITEM\_DELETE: CHAR(1)  
UPDATE\_PIN: CHAR(1)  
MFHD\_UPDATE: CHAR(1)  
PATRON\_MASK\_SSN: CHAR(1)  
EDIT\_STUB\_PATRON: CHAR(1)  
MANUALLY\_MAP\_PATRON: CHAR(1)  
VIEW\_PATRON\_CIRC\_HISTORY: CHAR(1)  
LOST\_REMOVE\_OVERDUE: CHAR(1)  
LOST\_REMOVE\_REPL\_FEE: CHAR(1)  
LOST\_REMOVE\_PROC\_FEE: CHAR(1)  
LOST\_UPDATE\_PATRON\_COUNTER: CHAR(1)  
MODIFY\_FINES: CHAR(1)  
MFHD\_DELETE: CHAR(1)  
BIB\_DELETE: CHAR(1)

## **CIRC\_SECURITY\_LOCS**

CIRC\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

## **CIRC\_SECURITY\_PG**

CIRC\_PROFILE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER

## **CIRC\_TRANS\_ARCHIVE**

CIRC\_TRANSACTION\_ID: NUMBER  
ITEM\_ID: NUMBER  
CIRC\_POLICY\_MATRIX\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
CHARGE\_DATE: DATE  
CHARGE\_LOCATION: NUMBER  
CHARGE\_TYPE: CHAR(1)  
CHARGE\_OPER\_ID: VARCHAR2(10)  
DUE\_DATE: DATE  
DISCHARGE\_DATE: DATE  
DISCHARGE\_LOCATION: NUMBER  
DISCHARGE\_TYPE: CHAR(1)  
DISCHARGE\_OPER\_ID: VARCHAR2(10)  
RENEWAL\_COUNT: NUMBER  
RECALL\_DATE: DATE  
RECALL\_DUE\_DATE: DATE  
RECALL\_NOTICE\_COUNT: NUMBER  
RECALL\_NOTICE\_DATE: DATE  
OVERDUE\_NOTICE\_COUNT: NUMBER  
OVERDUE\_NOTICE\_DATE: DATE  
OVER\_RECALL\_NOTICE\_COUNT: NUMBER  
OVER\_RECALL\_NOTICE\_DATE: DATE  
PATRON\_ID: NUMBER  
PATRON\_ID\_PROXY: NUMBER  
COURTESY\_NOTICE\_DATE: DATE  
DB\_ID: NUMBER

## **CIRC\_TRANS\_EXCEPT\_TYPE**

EXCEPTION\_TYPE: NUMBER  
EXCEPTION\_DESC: VARCHAR2(50)

## **CIRC\_TRANS\_EXCEPTION**

CIRC\_TRANS\_EXCEPT\_ID: NUMBER  
ITEM\_ID: NUMBER  
ITEM\_LOCATION: NUMBER  
PATRON\_ID: NUMBER  
TRANS\_EXCEPT\_DATE: DATE  
TRANS\_EXCEPT\_LOCATION: NUMBER  
TRANS\_EXCEPT\_TYPE: NUMBER  
TRANS\_EXCEPT\_OPER\_ID: VARCHAR2(10)

## **CIRC\_TRANSACTION\_STATS**

CIRC\_TRANSACTION\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER

## **CIRC\_TRANSACTIONS**

CIRC\_TRANSACTION\_ID: NUMBER  
ITEM\_ID: NUMBER  
CIRC\_POLICY\_MATRIX\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_ID\_PROXY: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
CHARGE\_DATE: DATE  
CHARGE\_LOCATION: NUMBER  
CHARGE\_TYPE: CHAR(1)  
CHARGE\_OPER\_ID: VARCHAR2(10)  
CHARGE\_DUE\_DATE: DATE  
DISCHARGE\_DATE: DATE  
DISCHARGE\_LOCATION: NUMBER  
DISCHARGE\_TYPE: CHAR(1)  
DISCHARGE\_OPER\_ID: VARCHAR2(10)  
RENEWAL\_COUNT: NUMBER  
RECALL\_DATE: DATE  
RECALL\_DUE\_DATE: DATE  
CURRENT\_DUE\_DATE: DATE  
RECALL\_NOTICE\_COUNT: NUMBER  
RECALL\_NOTICE\_DATE: DATE  
OVERDUE\_NOTICE\_COUNT: NUMBER  
OVERDUE\_NOTICE\_DATE: DATE  
OVER\_RECALL\_NOTICE\_COUNT: NUMBER  
OVER\_RECALL\_NOTICE\_DATE: DATE  
COURTESY\_NOTICE\_DATE: DATE  
DB\_ID: NUMBER

## **CIRCCHARGES\_VW**

PATRON\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_CODE: VARCHAR2(10)  
PATRON\_GROUP\_NAME: VARCHAR2(25)  
ITEM\_ID: NUMBER  
MFHD\_ID: NUMBER  
BIB\_ID: NUMBER  
PERM\_LOCATION\_CODE: VARCHAR2(10)  
PERM\_LOCATION: VARCHAR2(25)  
GOV\_LOCATION\_CODE: VARCHAR2(10)  
GOV\_LOCATION: VARCHAR2(25)  
PERM\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
PERM\_ITEM\_TYPE: VARCHAR2(25)  
GOV\_ITEM\_TYPE\_CODE: VARCHAR2(10)

## **CIRCCHARGES\_VW**

GOV\_ITEM\_TYPE: VARCHAR2(25)  
CHARGE\_DATE\_TIME: DATE  
CHARGE\_DATE\_ONLY: DATE  
CHARGE\_OPER\_ID: VARCHAR2(10)  
CHARGE\_LOCATION: NUMBER  
CHARGE\_LOCATION\_CODE: VARCHAR2(10)  
CHARGE\_LOCATION\_NAME: VARCHAR2(25)  
RENEWAL\_COUNT: NUMBER  
NOTICE\_COUNT: NUMBER

## **CIRCRENEW\_VW**

PATRON\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_CODE: VARCHAR2(10)  
PATRON\_GROUP\_NAME: VARCHAR2(25)  
ITEM\_ID: NUMBER  
MFHD\_ID: NUMBER  
BIB\_ID: NUMBER  
PERM\_LOCATION\_CODE: VARCHAR2(10)  
PERM\_LOCATION: VARCHAR2(25)  
GOV\_LOCATION\_CODE: VARCHAR2(10)  
GOV\_LOCATION: VARCHAR2(25)  
PERM\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
PERM\_ITEM\_TYPE: VARCHAR2(25)  
GOV\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
GOV\_ITEM\_TYPE: VARCHAR2(25)  
CHARGE\_DATE\_TIME: DATE  
CHARGE\_DATE\_ONLY: DATE  
CHARGE\_OPER\_ID: VARCHAR2(10)  
CHARGE\_LOCATION: NUMBER  
CHARGE\_LOCATION\_CODE: VARCHAR2(10)  
CHARGE\_LOCATION\_NAME: VARCHAR2(25)  
RENEWAL\_COUNT: NUMBER  
RENEW\_DATE\_TIME: DATE  
RENEW\_DATE\_ONLY: DATE  
RENEW\_OPER\_ID: VARCHAR2(10)  
RENEW\_LOCATION\_CODE: VARCHAR2(10)  
LOCATION\_NAME: VARCHAR2(25)

## **CLAIM\_TYPES**

CLAIM\_TYPE: NUMBER  
EDI\_CODE: VARCHAR2(11)  
CLAIM\_TYPE\_DESC: VARCHAR2(70)

## **CLASS\_SECTION**

SECTION\_ID: NUMBER  
SECTION\_NUMBER: VARCHAR2(10)  
NORMAL\_SECTION\_NUMBER: VARCHAR2(10)  
NUMBER\_OF\_STUDENTS: NUMBER  
CIRC\_CLUSTER\_ID: NUMBER

## **COMPLEX\_COMP\_PATTERN**

CCP\_ID: NUMBER  
CP\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
START\_ISSUE\_ID: NUMBER  
END\_ISSUE\_ID: NUMBER

## **COMPLEX\_COMP\_PATTERN**

END\_DATE: DATE  
END\_CP\_ISSUE: NUMBER

## **COMPLEX\_PATTERN**

CP\_ID: NUMBER  
PATTERN\_NAME: VARCHAR2(40)  
PATTERN\_NAME\_NORM: VARCHAR2(40)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER

## **COMPONENT**

COMPONENT\_ID: NUMBER  
SUBSCRIPTION\_ID: NUMBER  
COMPONENT\_NAME: VARCHAR2(100)  
COMPONENT\_NAME\_NORM: VARCHAR2(100)  
UNIT\_TITLE: NUMBER  
CATEGORY: NUMBER  
PREDICT: CHAR(1)  
NEXT\_ISSUE\_ID: NUMBER  
NOTE: VARCHAR2(256)  
ITEM\_TYPE\_ID: NUMBER  
CREATE\_ITEMS: CHAR(1)  
CLAIM\_INTERVAL: NUMBER

## **COMPONENT\_ALTCHRONDAY**

COMPONENT\_ID: NUMBER  
CHRON\_DAY: NUMBER  
TYPE\_OF\_DAY: CHAR(3)

## **COMPONENT\_CHRONDAY**

COMPONENT\_ID: NUMBER  
CHRON\_DAY: NUMBER  
TYPE\_OF\_DAY: CHAR(3)

## **COMPONENT\_ISSUE\_DAY**

COMPONENT\_ID: NUMBER  
EXPECTED\_DAY: NUMBER  
TYPE\_OF\_DAY: CHAR(3)

## **COMPONENT\_ISSUES\_ROUTED**

ROUTING\_LIST\_ID: NUMBER  
ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER

## **COMPONENT\_PATTERN**

COMPONENT\_ID: NUMBER  
PATTERN\_ID: NUMBER  
FREQUENCY\_CODE: CHAR(1)  
END\_DATE: DATE  
END\_ISSUE\_ID: NUMBER  
START\_ISSUE\_ID: NUMBER  
REGULARITY: CHAR(12)  
REGULARITY\_MARC: VARCHAR2(50)

## **COMPONENT\_PATTERN**

LVL1\_INC\_AT: NUMBER  
LVL2\_INC\_AT: NUMBER  
LVL3\_INC\_AT: NUMBER  
LVL4\_INC\_AT: NUMBER  
LVL5\_INC\_AT: NUMBER  
LVL6\_INC\_AT: NUMBER  
ALT\_LVL1\_INC\_AT: NUMBER  
ALT\_LVL2\_INC\_AT: NUMBER

## **COMPONENT\_ROUTING**

ROUTING\_LIST\_ID: NUMBER  
COMPONENT\_ID: NUMBER

## **CONTROL\_TABLE**

CONTROL\_NAME: VARCHAR2(50)  
CONTROL\_VALUE: VARCHAR2(2000)

## **CONVERSION\_RATE\_AUDIT**

CURRENCY\_ID: NUMBER  
AUDIT\_ID: NUMBER  
CONVERSION\_RATE: NUMBER  
RATE\_CREATE\_DATE\_TIME: DATE  
RATE\_CREATE\_OPERATOR\_ID: VARCHAR2(10)

## **COURSE**

COURSE\_ID: NUMBER  
COURSE\_NAME: VARCHAR2(40)  
NORMAL\_COURSE\_NAME: VARCHAR2(40)  
COURSE\_NUMBER: VARCHAR2(10)  
NORMAL\_COURSE\_NUMBER: VARCHAR2(10)  
BEGIN\_DATE: DATE  
END\_DATE: DATE  
CIRC\_CLUSTER\_ID: NUMBER

## **CP\_CELL**

CP\_LEVEL\_ID: NUMBER  
CP\_ISSUE\_ID: NUMBER  
LEVEL\_INCREMENT: VARCHAR2(80)

## **CP\_DOMAIN\_TYPE**

CP\_DOMAIN\_TYPE\_ID: NUMBER  
DOMAIN: CHAR(1)  
ENUM\_CHRON\_TYPE\_ID: NUMBER

## **CP\_ISSUE**

CP\_ISSUE\_ID: NUMBER  
CP\_ID: NUMBER  
CP\_ISSUE: NUMBER  
EXPECTED\_DATE\_INC: NUMBER  
TIME\_UNIT\_CODE: CHAR(1)

## **CP\_LEVEL**

CP\_LEVEL\_ID: NUMBER  
CP\_ID: NUMBER  
CP\_DOMAIN\_TYPE\_ID: NUMBER  
CP\_LEVEL: NUMBER  
PRINT\_ORDER: NUMBER

## **CP\_LEVEL**

REG\_OR\_ALT: CHAR(1)  
CAPTION: VARCHAR2(50)  
IS\_CONSTANT: CHAR(1)

## **CURRENCY\_CONVERSION**

CURRENCY\_ID: NUMBER  
COUNTRY\_NAME: VARCHAR2(75)  
NORMAL\_COUNTRY\_NAME: VARCHAR2(75)  
CURRENCY\_NAME: VARCHAR2(75)  
NORMAL\_CURRENCY\_NAME: VARCHAR2(75)  
CURRENCY\_CODE: VARCHAR2(3)  
NORMAL\_CURRENCY\_CODE: VARCHAR2(3)  
CREATE\_DATE: DATE  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
CONVERSION\_RATE: NUMBER  
RATE\_CREATE\_DATE\_TIME: DATE  
RATE\_CREATE\_OPERATOR\_ID: VARCHAR2(10)  
DECIMALS: NUMBER  
DECIMAL\_DELIMITER: CHAR(1)

## **DATABASE\_ADDRESS**

DB\_ID: NUMBER  
DB\_ADDR: VARCHAR2(255)  
DB\_PORT: NUMBER  
APPLICATION\_TYPE: VARCHAR2(20)

## **DATABASE\_LICENSE**

LICENSE\_ID: NUMBER  
DB\_CODE: VARCHAR2(8)  
SESSION\_ID: NUMBER  
INIT\_DATE: DATE  
MODULE: VARCHAR2(20)

## **DEPARTMENT**

DEPARTMENT\_ID: NUMBER  
DEPARTMENT\_NAME: VARCHAR2(40)  
NORMAL\_DEPT\_NAME: VARCHAR2(40)  
DEPARTMENT\_CODE: VARCHAR2(10)  
NORMAL\_DEPT\_CODE: VARCHAR2(10)  
CIRC\_CLUSTER\_ID: NUMBER

## **DEWEYCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(3)  
LONGCLASS: VARCHAR2(300)

## **DISTRIBUTION\_ITEM**

ITEM\_ID: NUMBER  
VENDOR\_ID: NUMBER  
ACTIVE: CHAR(1)  
ON\_HAND\_QUANTITY: NUMBER  
ORDER\_QUANTITY: NUMBER  
REORDER\_POINT: NUMBER  
REORDER\_AUTOMATIC: CHAR(1)  
HISTORICAL\_DISTRIBUTIONS: NUMBER  
CREATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER

## **DISTRIBUTION\_ITEM**

CREATE\_OPID: VARCHAR2(10)  
MODIFY\_DATE: DATE  
MODIFY\_LOCATION\_ID: NUMBER  
MODIFY\_OPID: VARCHAR2(10)

## **DISTRIBUTION\_ORDER**

DISTRIBUTION\_ORDER\_ID: NUMBER  
ITEM\_ID: NUMBER  
VENDOR\_ID: NUMBER  
ORDER\_QUANTITY: NUMBER  
EXPECTED\_DATE: DATE  
NOT\_YET\_RECEIVED: NUMBER  
ORDER\_DATE: DATE  
ORDER\_LOCATION\_ID: NUMBER  
ORDER\_OPID: VARCHAR2(10)  
ORDER\_COMPLETE: CHAR(1)

## **DISTRIBUTION\_RECEIPT**

DISTRIBUTION\_RECEIPT\_ID: NUMBER  
DISTRIBUTION\_ORDER\_ID: NUMBER  
RECEIPT\_QUANTITY: NUMBER  
RECEIPT\_DATE: DATE  
RECEIPT\_LOCATION\_ID: NUMBER  
RECEIPT\_OPID: VARCHAR2(10)

## **DISTRIBUTION\_TRANSACTION**

DISTRIBUTION\_TRANSACTION\_ID: NUMBER  
ITEM\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
DISTRIBUTION\_DATE: DATE  
DISTRIBUTION\_LOCATION\_ID: NUMBER  
DISTRIBUTION\_OPID: VARCHAR2(10)

## **DR\$HEADING\_CONTEXT\_IDX\$I**

TOKEN\_TEXT: VARCHAR2(64)  
TOKEN\_TYPE: NUMBER  
TOKEN\_FIRST: NUMBER  
TOKEN\_LAST: NUMBER  
TOKEN\_COUNT: NUMBER  
TOKEN\_INFO: BLOB

## **DR\$HEADING\_CONTEXT\_IDX\$K**

DOCID: NUMBER  
TEXTKEY: ROWID

## **DR\$HEADING\_CONTEXT\_IDX\$N**

NLT\_DOCID: NUMBER  
NLT\_MARK: CHAR(1)

## **DR\$HEADING\_CONTEXT\_IDX\$R**

ROW\_NO: NUMBER  
DATA: BLOB

## **DSL\_DIALECT**

DSL\_NAME: VARCHAR2(200)  
DSL\_CLOB: CLOB



## **DUP\_DETECTION\_PROFILE**

RECORD\_TYPE: CHAR(1)  
DUP\_PROFILE\_ID: NUMBER  
DUP\_PROFILE\_NAME: VARCHAR2(25)  
DUP\_PROFILE\_CODE: VARCHAR2(8)  
DUP\_HANDLING: CHAR(1)  
CANCELLATION: CHAR(1)  
DUP\_REPLACE: NUMBER  
DUP\_WARN: NUMBER  
DISPLAYFIELD1: VARCHAR2(30)  
DISPLAYFIELD2: VARCHAR2(30)  
DISPLAYFIELD3: VARCHAR2(30)  
SORTFIELD1: VARCHAR2(30)  
SORTFIELD2: VARCHAR2(30)  
SORTFIELD3: VARCHAR2(30)  
DISCARD\_UNMATCHED: CHAR(1)  
RDA\_FORMATS: VARCHAR2(3)

## **DUP\_PROFILE\_FIELDS**

DUP\_PROFILE\_ID: NUMBER  
SEARCHCODE: CHAR(4)  
SEQNUM: NUMBER  
FIELDOVERRIDE: CHAR(3)  
SUBFIELDOVERRIDE: CHAR(10)  
WEIGHT: NUMBER  
INDICATOR\_1: VARCHAR2(1)  
INDICATOR\_2: VARCHAR2(1)

## **DUP\_PROFILE\_QUALITY**

DUP\_PROFILE\_ID: NUMBER  
SEQNUM: NUMBER  
NUC\_CODE: VARCHAR2(15)  
ENCODING\_LEVEL: CHAR(1)  
MODIFYING\_AGENCY: VARCHAR2(15)  
RECORD\_TYPE: VARCHAR2(2)  
DESC\_CONVENTIONS: VARCHAR2(12)

## **DUPE\_PROFILE\_MERGE**

DUP\_PROFILE\_ID: NUMBER  
MARC\_FIELD: CHAR(3)  
MARC\_IND1: CHAR(1)  
MARC\_IND2: CHAR(1)  
NUC5: VARCHAR2(15)

## **EDI\_CODE\_REF**

USAGE: NUMBER  
CODE: VARCHAR2(3)  
DESCR: VARCHAR2(70)

## **EDI\_CODE\_USAGES**

USAGE: NUMBER  
DATA\_ELEMENT: VARCHAR2(4)  
DESCR: VARCHAR2(70)

## **EDI\_CONNECTION\_PROFILE**

PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER  
VENDOR\_ID: NUMBER

## **EDI\_CONNECTION\_PROFILE**

LIBRARY\_ENVELOPE\_ADDRESS: VARCHAR2(55)  
LIBRARY\_INSIDE\_ADDRESS: VARCHAR2(25)  
VENDOR\_ENVELOPE\_ADDRESS: VARCHAR2(55)  
VENDOR\_INSIDE\_ADDRESS: VARCHAR2(25)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
USE\_VENDOR\_ACCOUNT: CHAR(1)  
USE\_PO: CHAR(1)  
USE\_SC: CHAR(1)  
USE\_MC: CHAR(1)  
USE\_IV: CHAR(1)  
USE\_SR: CHAR(1)  
USE\_MR: CHAR(1)  
USE\_XM: CHAR(1)

## **EDI\_CURSOR**

CURSOR\_ID: NUMBER  
FILE\_ID: NUMBER  
MSG\_ID: NUMBER  
FILE\_NAME: VARCHAR2(30)  
FILE\_POSITION: NUMBER  
MSG\_DELIMITERS: VARCHAR2(6)

## **EDI\_EVENT\_TYPES**

EVENT\_TYPE: NUMBER  
EVENT\_DESC: VARCHAR2(25)

## **EDI\_FILE**

FILE\_ID: NUMBER  
FILE\_NAME: VARCHAR2(30)  
FILE\_TYPE: CHAR(1)  
FILE\_STATUS: NUMBER  
FILE\_SIZE: NUMBER  
FILE\_UPDATE\_DATE: DATE  
CREATE\_DATE: DATE  
CREATE\_OP\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OP\_ID: VARCHAR2(10)  
TRANS\_COUNT: NUMBER  
GROUP\_COUNT: NUMBER  
MESSAGE\_COUNT: NUMBER

## **EDI\_HISTORY**

EVENT\_ID: NUMBER  
FILE\_ID: NUMBER  
MSG\_ID: NUMBER  
EVENT\_TYPE: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OP\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OP\_ID: VARCHAR2(10)

## **EDI\_MESSAGE**

MSG\_ID: NUMBER

## **EDI\_MESSAGE**

MSG\_DIRECTION: CHAR(1)  
MSG\_TYPE: VARCHAR2(6)  
MSG\_TYPE\_CODE: NUMBER  
MSG\_VERSION\_CODE: NUMBER  
MSG\_STATUS: NUMBER  
MSG\_NUMBER: VARCHAR2(35)  
MSG\_DATE: DATE  
LOAD\_OR\_APPEND\_DATE: DATE  
LINE\_ITEM\_COUNT: NUMBER  
TOTAL\_AMOUNT: NUMBER  
LOCATION\_ID: NUMBER  
VENDOR\_ID: NUMBER  
SENDER\_CODE: VARCHAR2(55)  
RECEIVER\_CODE: VARCHAR2(55)  
DB\_REF\_ID: NUMBER  
FILE\_ID: NUMBER  
FILE\_START\_POS: NUMBER  
FILE\_END\_POS: NUMBER  
MATCHING\_PROFILE: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OP\_ID: VARCHAR2(10)  
CREATE\_LOC: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OP\_ID: VARCHAR2(10)  
UPDATE\_LOC: NUMBER  
TRANS\_INDEX: NUMBER  
GROUP\_INDEX: NUMBER  
DOC\_MSG\_CODE: VARCHAR2(3)  
MSG\_DELIMITERS: VARCHAR2(6)  
DATA\_PRESENT: CHAR(1)  
RECEIVE\_ITEMS: CHAR(1)

## **EDI\_MISSING\_LINE\_ITEM**

EXCEPTION\_ID: NUMBER  
LINE\_ID: NUMBER  
PROBLEM\_CODE: NUMBER  
TITLE: VARCHAR2(100)  
STD\_NUMBER: VARCHAR2(40)  
PRINT\_STD\_NUM: CHAR(2)  
VENDOR\_TITLE\_NUM: VARCHAR2(40)  
VENDOR\_REF\_QUAL: VARCHAR2(3)  
VENDOR\_REF\_NUM: VARCHAR2(35)

## **EDI\_NOTE**

EVENT\_ID: NUMBER  
NOTE\_CODE: NUMBER  
POSITION: NUMBER

## **EDI\_SECTION**

SECTION\_ID: NUMBER  
MSG\_ID: NUMBER  
SECTION\_TYPE: VARCHAR2(3)  
SECTION\_ORDINAL: NUMBER  
SEG\_COUNT: NUMBER  
SEGMENTS: LONG RAW

## **EITEM**

EITEM\_ID: NUMBER  
MFHD\_ID: NUMBER  
ENUMERATION: VARCHAR2(80)  
CHRONOLOGY: VARCHAR2(80)  
YEAR: VARCHAR2(20)  
CAPTION: VARCHAR2(255)  
SEQUENCE: NUMBER  
LINK: VARCHAR2(2048)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER  
RESERVE\_LIST\_UPDATE\_DATE: DATE

## **EITEM\_NOTE\_TYPE**

NOTE\_TYPE: NUMBER  
NOTE\_DESC: VARCHAR2(25)

## **EITEM\_NOTES**

EITEM\_ID: NUMBER  
EITEM\_NOTE\_TYPE\_ID: NUMBER  
NOTE: VARCHAR2(2000)

## **ELINK\_INDEX**

ELINK\_ID: NUMBER  
RECORD\_TYPE: CHAR(1)  
RECORD\_ID: NUMBER  
SEQNUM: NUMBER  
LINK\_TYPE: CHAR(3)  
LINK: VARCHAR2(2048)  
LINK\_TEXT: VARCHAR2(1024)  
LINK\_TEXT\_NORMAL: VARCHAR2(1024)  
LINK\_SUBTYPE: VARCHAR2(10)  
URL\_HOST: VARCHAR2(255)  
URL\_PORT: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
CHECK\_DATE: DATE  
CHECK\_STATUS: CHAR(1)  
PARSE\_STATUS: CHAR(1)

## **ELINK\_RECORD\_TYPE**

RECORD\_TYPE\_ID: VARCHAR2(10)  
RECORD\_TYPE: VARCHAR2(25)

## **ENUM\_CHRON\_TYPES\_VW**

CP\_DOMAIN\_TYPE\_ID: NUMBER  
DOMAIN: CHAR(1)  
DOMAIN\_DESC: VARCHAR2(13)  
CODE: VARCHAR2(2)  
NAME: VARCHAR2(40)  
ENUMERATION\_TYPE\_ID: NUMBER  
CHRON\_TYPE\_ID: NUMBER

## **ENUMERATION\_TYPE**

## **ENUMERATION\_TYPE**

ENUMERATION\_TYPE\_ID: NUMBER  
CODE: CHAR(2)  
NAME: VARCHAR2(40)

## **EQUIPMENT**

EQUIP\_ID: NUMBER  
EQUIP\_NO: VARCHAR2(15)  
EQUIP\_NO\_NORMALIZED: VARCHAR2(15)  
GROUP\_EQUIP\_ID: NUMBER  
IS\_GROUP: CHAR(1)  
DATE\_PURCHASED: DATE  
VALUE\_PURCHASE: NUMBER  
VALUE\_REPLACEMENT: NUMBER  
PART\_SUPPLIER: VARCHAR2(100)  
PART\_SUPPLIER\_NORMALIZED: VARCHAR2(100)  
DEALER: VARCHAR2(100)  
DEALER\_NORMALIZED: VARCHAR2(100)  
MANUFACTURER: VARCHAR2(100)  
MANUFACTURER\_NORMALIZED: VARCHAR2(100)  
MODEL: VARCHAR2(100)  
MODEL\_NORMALIZED: VARCHAR2(100)  
SERIAL\_NO: VARCHAR2(100)  
SERIAL\_NO\_NORMALIZED: VARCHAR2(100)  
PART\_NO: VARCHAR2(100)  
PART\_NO\_NORMALIZED: VARCHAR2(100)  
EQUIP\_FORMAT: VARCHAR2(25)  
EQUIP\_FORMAT\_NORMALIZED: VARCHAR2(25)  
EQUIP\_TYPE\_ID: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
TEMP\_ROOM\_ID: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER  
HISTORICAL\_MAINTENANCE: NUMBER  
LAST\_INVENTORIED: DATE  
NEXT\_MAINTENANCE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_OPID: VARCHAR2(10)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_LOCATION\_ID: NUMBER

## **EQUIPMENT\_BARCODE**

EQUIP\_ID: NUMBER  
BARCODE\_NO: VARCHAR2(25)  
BARCODE\_NO\_NORMALIZED: VARCHAR2(25)  
EQUIP\_BARCODE\_STS\_ID: NUMBER  
STATUS\_DATE: DATE

## **EQUIPMENT\_BARCODE\_STATUS**

EQUIP\_BARCODE\_STS\_ID: NUMBER  
BARCODE\_STS: VARCHAR2(25)

## **EQUIPMENT\_MEDIA\_TYPE**

EQUIP\_TYPE\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER

## **EQUIPMENT\_MEDIA\_TYPE**

PRIORITY: NUMBER

## **EQUIPMENT\_NOTE\_TYPE**

EQUIP\_NOTE\_TYPE\_ID: NUMBER

TYPE: VARCHAR2(15)

## **EQUIPMENT\_NOTES**

EQUIP\_ID: NUMBER

EQUIP\_NOTE\_TYPE\_ID: NUMBER

NOTE: VARCHAR2(2000)

OP\_ID: VARCHAR2(10)

UPDATE\_DATE: DATE

## **EQUIPMENT\_STATUS**

EQUIP\_ID: NUMBER

EQUIP\_STS\_TYPE\_ID: NUMBER

NOTE: VARCHAR2(100)

UPDATE\_DATE: DATE

OP\_ID: VARCHAR2(10)

## **EQUIPMENT\_STATUS\_TYPE**

EQUIP\_STS\_TYPE\_ID: NUMBER

STS\_TYPE: VARCHAR2(40)

DISPLAY\_PRIORITY: NUMBER

WARN\_ON\_BOOKING: CHAR(1)

BLOCK\_BOOKING: CHAR(1)

WARN\_ON\_CHARGE: CHAR(1)

BLOCK\_CHARGE: CHAR(1)

MESSAGE: VARCHAR2(50)

DISCHARGE\_MESSAGE\_SHOW: CHAR(1)

DISCHARGE\_MESSAGE: VARCHAR2(50)

## **EQUIPMENT\_TYPE**

EQUIP\_TYPE\_ID: NUMBER

TYPE\_CODE: VARCHAR2(10)

TYPE: VARCHAR2(50)

IS\_GROUP: CHAR(1)

REPLACEMENT\_DEFAULT: NUMBER

SETUP\_TIME: NUMBER

CLEANUP\_TIME: NUMBER

## **EVENT**

EVENT\_ID: NUMBER

ITEM\_ID: NUMBER

ITEM\_TYPE\_CODE: VARCHAR2(10)

ITEM\_LOCATION\_ID: NUMBER

PATRON\_ID: NUMBER

PATRON\_GROUP\_CODE: VARCHAR2(10)

OPER\_ID: VARCHAR2(10)

CIRC\_LOCATION\_ID: NUMBER

EVENT\_TYPE\_ID: NUMBER

EVENT\_DATE: DATE

EVENT\_XML: BLOB

## **EVENT\_ITEM\_STATUS**

EVENT\_ID: NUMBER

ITEM\_STATUS: NUMBER

## **EVENT\_TYPE**

EVENT\_TYPE\_ID: NUMBER  
EVENT\_TYPE\_CODE: VARCHAR2(10)  
EVENT\_TYPE\_DESC: VARCHAR2(250)  
RETAIN\_EVENT: CHAR(1)  
RETAIN\_PATRON\_ID: CHAR(1)

## **EXCEPTION\_CALENDAR**

CALENDAR\_ID: NUMBER  
EXCEPTION\_DATE: DATE  
EXCEPTION\_OPEN: CHAR(1)  
EXCEPTION\_OPENHOUR: NUMBER  
EXCEPTION\_CLOSEHOUR: NUMBER  
EXCEPTION\_HOURLY\_EFFECT: NUMBER  
EXCEPTION\_LOAN\_DUE: NUMBER

## **EXCEPTION\_TYPES**

EXCEPTION\_TYPE: NUMBER  
EXCEPTION\_TYPE\_DESC: VARCHAR2(20)

## **FIELDWEIGHTS**

FIELD\_CODE: CHAR(4)  
FIELD\_WEIGHT: NUMBER

## **FINE\_FEE**

FINE\_FEE\_ID: NUMBER  
PATRON\_ID: NUMBER  
ITEM\_ID: NUMBER  
CREATE\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)  
FINE\_FEE\_TYPE: NUMBER  
FINE\_FEE\_LOCATION: NUMBER  
FINE\_FEE\_AMOUNT: NUMBER  
FINE\_FEE\_BALANCE: NUMBER  
FINE\_FEE\_NOTE: VARCHAR2(1000)  
ORIG\_CHARGE\_DATE: DATE  
DUE\_DATE: DATE  
FINE\_FEE\_NOTICE\_DATE: DATE  
DB\_ID: NUMBER  
DISCHARGE\_DATE: DATE  
MODIFY\_DATE: DATE  
MODIFY\_OPER\_ID: VARCHAR2(10)  
MODIFY\_LOC\_ID: NUMBER

## **FINE\_FEE\_TRANS\_METHOD**

METHOD\_TYPE: NUMBER  
METHOD\_DESC: VARCHAR2(25)

## **FINE\_FEE\_TRANS\_TYPE**

TRANSACTION\_TYPE: NUMBER  
TRANSACTION\_DESC: VARCHAR2(25)  
TYPE\_FINE: CHAR(1)  
TYPE\_DEMERIT: CHAR(1)

## **FINE\_FEE\_TRANSACTIONS**

FINE\_FEE\_TRANS\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
TRANS\_DATE: DATE

## **FINE\_FEE\_TRANSACTIONS**

TRANS\_AMOUNT: NUMBER  
TRANS\_TYPE: NUMBER  
TRANS\_METHOD: NUMBER  
TRANS\_LOCATION: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
TRANS\_NOTE: VARCHAR2(1000)

## **FINE\_FEE\_TYPE**

FINE\_FEE\_TYPE: NUMBER  
FINE\_FEE\_DESC: VARCHAR2(25)  
FINE\_FEE\_CODE: VARCHAR2(10)

## **FISCAL\_PERIOD**

FISCAL\_PERIOD\_ID: NUMBER  
FISCAL\_PERIOD\_NAME: VARCHAR2(25)  
START\_DATE: DATE  
END\_DATE: DATE

## **FREQUENCY**

FREQUENCY\_CODE: CHAR(1)  
FREQUENCY\_DESC: VARCHAR2(25)  
FREQ\_INCREMENT: NUMBER  
FREQ\_CALC\_TYPE: CHAR(1)

## **FUND**

FUND\_ID: NUMBER  
LEDGER\_ID: NUMBER  
PARENT\_FUND: NUMBER  
FUND\_NAME: VARCHAR2(25)  
NORMAL\_FUND\_NAME: VARCHAR2(25)  
FUND\_CODE: VARCHAR2(10)  
NORMAL\_FUND\_CODE: VARCHAR2(10)  
CATEGORY: NUMBER  
FUND\_TYPE: NUMBER  
BEGIN\_DATE: DATE  
END\_DATE: DATE  
INSTITUTION\_FUND\_ID: VARCHAR2(100)  
EXPEND\_ONLY: CHAR(1)  
ORIGINAL\_ALLOCATION: NUMBER  
ALLOCATION\_INCREASE: NUMBER  
ALLOCATION\_DECREASE: NUMBER  
COMMIT\_PENDING: NUMBER  
COMMITMENTS: NUMBER  
EXPEND\_PENDING: NUMBER  
EXPENDITURES: NUMBER  
OVERCOMMIT: CHAR(1)  
OVERCOMMIT\_WARN: NUMBER  
OVERCOMMIT\_PERCENT: NUMBER  
COMMIT\_FREEZE: DATE  
UNDERCOMMIT\_PERCENT: NUMBER  
OVEREXPEND: CHAR(1)  
OVEREXPEND\_WARN: NUMBER  
OVEREXPEND\_PERCENT: NUMBER  
EXPEND\_FREEZE: DATE  
UNDEREXPEND\_PERCENT: NUMBER  
CREATE\_DATE: DATE



## **FUND**

CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)

## **FUND\_NOTE**

FUND\_ID: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_NOTE: VARCHAR2(1900)

## **FUND\_PAYMENT**

PAYMENT\_ID: NUMBER  
SPLIT\_FUND\_SEQ: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_ID: NUMBER  
PERCENTAGE: NUMBER  
AMOUNT: NUMBER

## **FUND\_TRANSACTION**

FUND\_ID: NUMBER  
AUDIT\_ID: NUMBER  
LEDGER\_ID: NUMBER  
TRANS\_TYPE: NUMBER  
AMOUNT: NUMBER  
TRANS\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)  
REFERENCE\_NO: VARCHAR2(25)  
STATISTICAL\_FUND: NUMBER  
NOTE: VARCHAR2(1900)

## **FUND\_TYPE**

FUND\_TYPE\_ID: NUMBER  
FUND\_TYPE\_NAME: VARCHAR2(25)  
COMMIT\_WARNING: NUMBER  
EXPEND\_WARNING: NUMBER  
OVERCOMMIT\_LIMIT: NUMBER  
OVEREXPEND\_LIMIT: NUMBER  
UNDERCOMMIT: NUMBER  
UNDEREXPEND: NUMBER

## **FUNDLEDGER\_VW**

FUNDLINE: VARCHAR2(255)  
FISCAL\_PERIOD\_ID: NUMBER  
FISCAL\_PERIOD\_NAME: VARCHAR2(25)  
FISCAL\_PERIOD\_START: DATE  
FISCAL\_PERIOD\_END: DATE  
LEDGER\_ID: NUMBER  
LEDGER\_NAME: VARCHAR2(40)  
NORMAL\_LEDGER\_NAME: VARCHAR2(40)  
POLICY\_NAME: VARCHAR2(40)  
FUND\_TYPE: VARCHAR2(25)  
FUND\_CATEGORY: VARCHAR2(9)  
FUND\_ID: NUMBER  
FUND\_NAME: VARCHAR2(25)  
NORMAL\_FUND\_NAME: VARCHAR2(25)  
PARENT\_FUND\_ID: NUMBER  
PARENT\_FUND: VARCHAR2(25)

## **FUNDLEDGER\_VW**

INSTITUTION\_FUND\_ID: VARCHAR2(100)  
BEGIN\_DATE: DATE  
END\_DATE: DATE  
ORIGINAL\_ALLOCATION: NUMBER  
CURRENT\_ALLOCATION: NUMBER  
CASH\_BALANCE: NUMBER  
FREE\_BALANCE: NUMBER  
EXPENDITURES: NUMBER  
COMMITMENTS: NUMBER  
COMMIT\_PENDING: NUMBER  
EXPEND\_PENDING: NUMBER

## **GDC\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
GDC\_PROFILE\_ID: NUMBER

## **GDC\_PROFILE**

GDC\_PROFILE\_ID: NUMBER  
GDC\_PROFILE\_NAME: VARCHAR2(25)  
RECORD\_SET\_BIB\_ADD: CHAR(1)  
RECORD\_SET\_BIB\_UPDATE: CHAR(1)  
RECORD\_SET\_BIB\_DELETE: CHAR(1)  
RECORD\_SET\_BIB\_VIEW: CHAR(1)  
RECORD\_SET\_BIB\_PREVIEW: CHAR(1)  
RECORD\_SET\_BIB\_DELETE\_RULE: CHAR(1)  
RECORD\_SET\_MFHD\_ADD: CHAR(1)  
RECORD\_SET\_MFHD\_UPDATE: CHAR(1)  
RECORD\_SET\_MFHD\_DELETE: CHAR(1)  
RECORD\_SET\_MFHD\_VIEW: CHAR(1)  
RECORD\_SET\_MFHD\_PREVIEW: CHAR(1)  
RECORD\_SET\_MFHD\_DELETE\_RULE: CHAR(1)  
RECORD\_SET\_AUTH\_ADD: CHAR(1)  
RECORD\_SET\_AUTH\_UPDATE: CHAR(1)  
RECORD\_SET\_AUTH\_DELETE: CHAR(1)  
RECORD\_SET\_AUTH\_VIEW: CHAR(1)  
RECORD\_SET\_AUTH\_PREVIEW: CHAR(1)  
RECORD\_SET\_AUTH\_DELETE\_RULE: CHAR(1)  
DATA\_CHANGE\_RULE\_ADD: CHAR(1)  
DATA\_CHANGE\_RULE\_UPDATE: CHAR(1)  
DATA\_CHANGE\_RULE\_DELETE: CHAR(1)  
DATA\_CHANGE\_RULE\_VIEW: CHAR(1)  
SCAN\_RULE\_ADD: CHAR(1)  
SCAN\_RULE\_UPDATE: CHAR(1)  
SCAN\_RULE\_DELETE: CHAR(1)  
SCAN\_RULE\_VIEW: CHAR(1)  
JOB\_BIB\_DATA\_CHANGE: CHAR(1)  
JOB\_BIB\_SCAN: CHAR(1)  
JOB\_BIB\_VIEW\_HISTORY: CHAR(1)  
JOB\_BIB\_REMOVE\_LOGFILE: CHAR(1)  
JOB\_BIB\_REMOVE\_MARC\_FILE: CHAR(1)  
JOB\_MFHD\_DATA\_CHANGE: CHAR(1)  
JOB\_MFHD\_SCAN: CHAR(1)  
JOB\_MFHD\_VIEW\_HISTORY: CHAR(1)  
JOB\_MFHD\_REMOVE\_LOGFILE: CHAR(1)  
JOB\_MFHD\_REMOVE\_MARC\_FILE: CHAR(1)  
JOB\_AUTH\_DATA\_CHANGE: CHAR(1)

## **GDC\_PROFILE**

JOB\_AUTH\_SCAN: CHAR(1)  
JOB\_AUTH\_VIEW\_HISTORY: CHAR(1)  
JOB\_AUTH\_REMOVE\_LOGFILE: CHAR(1)  
JOB\_AUTH\_REMOVE\_MARC\_FILE: CHAR(1)  
DATA\_CHANGE\_JOB\_KILL: CHAR(1)  
SCAN\_JOB\_KILL: CHAR(1)  
JOB\_INDEX\_ONLY: CHAR(1)  
INDEX\_JOB\_KILL: CHAR(1)  
JOB\_AUTHLOAD: CHAR(1)  
JOB\_AUTHLOAD\_VIEW\_HISTORY: CHAR(1)  
JOB\_AUTHLOAD\_REMOVE\_LOGFILE: CHAR(1)  
JOB\_AUTHLOAD\_REMOVE\_MARC\_FILE: CHAR(1)  
AUTHLOAD\_JOB\_KILL: CHAR(1)

## **GDC\_SAVED\_SEARCHES**

SEARCH\_ID: NUMBER  
SEARCH\_NAME: VARCHAR2(200)  
SEARCH\_OPTION: VARCHAR2(20)  
SEND\_SEARCH: VARCHAR2(700)  
SEARCH\_CODE: VARCHAR2(20)  
SEARCH\_ARGUMENT: VARCHAR2(700)  
SEARCH\_VIEW: VARCHAR2(700)  
SUBDIVISION\_FILTER: VARCHAR2(300)  
LOCATION\_FILTER: VARCHAR2(10)  
HEADING\_TYPE\_FILTER: VARCHAR2(20)  
HIT\_COUNT: NUMBER  
BROWSE\_SCAN\_FLAG: CHAR(1)  
BROWSE\_FIND\_FLAG: CHAR(1)  
KEYWORD\_HEADINGS\_FLAG: CHAR(1)  
KEYWORD\_SEARCH\_TYPE: NUMBER  
LIMITS: VARCHAR2(750)  
TAB\_KEY: VARCHAR2(20)

## **GDC\_SECURITY\_LOCS**

GDC\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

## **GEO\_COORD\_TYPE**

COORD\_TYPE: NUMBER  
COORD\_NAME: VARCHAR2(25)

## **GEO\_FORMAT\_TYPE**

FORMAT\_TYPE: NUMBER  
FORMAT\_NAME: VARCHAR2(30)  
COORD\_TYPE: NUMBER

## **GEO\_SEARCH**

SEARCH\_TYPE: NUMBER  
SEARCH\_NAME: VARCHAR2(25)

## **GEO\_UNITS**

UNIT\_TYPE: NUMBER  
UNIT\_NAME: VARCHAR2(25)

## **GLOBAL\_PARM**

PARM: VARCHAR2(25)  
VALUE: VARCHAR2(50)

## **HEAD\_SUBDIV\_LIST**

HEADING: NUMBER  
SUBDIVISION: NUMBER

## **HEADING**

HEADING\_ID: NUMBER  
NORMAL\_HEADING: VARCHAR2(300)  
DISPLAY\_HEADING: VARCHAR2(300)  
INDEX\_TYPE: CHAR(1)  
HEADING\_TYPE: VARCHAR2(12)  
STAFFBIBS: NUMBER  
OPACBIBS: NUMBER  
STAFFREFS: VARCHAR2(5)  
OPACREFS: VARCHAR2(5)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE

## **HEADING\_CHANGE**

HEADING\_CHANGE\_ID: NUMBER  
HEADING\_QUEUE\_ID: NUMBER  
NEW\_HEADING: VARCHAR2(330)  
INDEX\_TYPE: CHAR(1)  
HEADING\_ID\_OLD: NUMBER  
HEADING\_ID\_NEW: NUMBER  
PROCESS\_FLAG: CHAR(1)  
CHANGE\_DATE: DATE

## **HEADING\_CHANGE\_FIELDS**

HEADING\_CHANGE\_ID: NUMBER  
REC\_ID: NUMBER  
REC\_TYPE: CHAR(1)  
MARC\_TAG: CHAR(3)  
MARC\_IND1: CHAR(1)  
MARC\_IND2: CHAR(1)  
OLD\_FIELD: VARCHAR2(330)  
NEW\_FIELD: VARCHAR2(330)  
CHANGE\_DATE: DATE

## **HEADING\_CHANGE\_QUEUE**

HEADING\_QUEUE\_ID: NUMBER  
REC\_ID: NUMBER  
INDEX\_TYPE: CHAR(1)  
HEADING\_ID\_OLD: NUMBER  
HEADING\_ID\_NEW: NUMBER  
CHANGE\_DATE: DATE  
PROCESS\_FLAG: CHAR(1)  
REC\_TYPE: CHAR(1)

## **HEADING\_SUBDIVISION**

HEADING\_ID: NUMBER  
SUBDIV\_ID: NUMBER

## **HEADING\_TYPE**

INDEX\_TYPE: CHAR(1)  
HEADING\_TYPE: VARCHAR2(12)  
HEADING\_CODE: VARCHAR2(20)  
HEADING\_TYPE\_DESC: VARCHAR2(50)  
STAFFSUPPRESS: CHAR(1)

## HEADING\_TYPE

### HEADING\_VW

AUTH\_ID: NUMBER  
HEADING\_ID: NUMBER  
REFERENCE\_TYPE: VARCHAR2(20)  
NORMAL\_HEADING: VARCHAR2(300)  
DISPLAY\_HEADING: VARCHAR2(300)  
OPACBIBS: NUMBER  
CREATE\_DATE: DATE  
INDEX\_NAME: VARCHAR2(30)  
HEADING\_TYPE: VARCHAR2(50)

### HOLD\_RECALL

HOLD\_RECALL\_ID: NUMBER  
PATRON\_ID: NUMBER  
HOLD\_RECALL\_TYPE: CHAR(1)  
PICKUP\_LOCATION: NUMBER  
EXPIRE\_DATE: DATE  
AVAILABLE\_NOTICE\_COUNT: NUMBER  
AVAILABLE\_NOTICE\_DATE: DATE  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
BIB\_ID: NUMBER  
REQUEST\_LEVEL: CHAR(1)  
REQUEST\_ITEM\_COUNT: NUMBER  
REQUEST\_GROUP\_ID: NUMBER  
PATRON\_COMMENT: VARCHAR2(100)  
PATRON\_GROUP\_ID: NUMBER  
CALL\_SLIP\_ID: NUMBER  
HOLDING\_DB\_ID: NUMBER  
MODIFY\_OPID: VARCHAR2(10)  
MODIFY\_DATE: DATE  
MODIFY\_LOCATION\_ID: NUMBER

### HOLD\_RECALL\_ARCHIVE

HOLD\_RECALL\_ID: NUMBER  
HOLD\_RECALL\_TYPE: CHAR(1)  
PICKUP\_LOCATION: NUMBER  
EXPIRE\_DATE: DATE  
AVAILABLE\_NOTICE\_COUNT: NUMBER  
AVAILABLE\_NOTICE\_DATE: DATE  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
BIB\_ID: NUMBER  
REQUEST\_LEVEL: CHAR(1)  
REQUEST\_ITEM\_COUNT: NUMBER  
REQUEST\_GROUP\_ID: NUMBER  
PATRON\_COMMENT: VARCHAR2(100)  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
CALL\_SLIP\_ID: NUMBER  
HOLDING\_DB\_ID: NUMBER  
MODIFY\_OPID: VARCHAR2(10)  
MODIFY\_DATE: DATE

## **HOLD\_RECALL\_ARCHIVE**

MODIFY\_LOCATION\_ID: NUMBER

## **HOLD\_RECALL\_ITEM\_ARCHIVE**

HOLD\_RECALL\_ID: NUMBER

ITEM\_ID: NUMBER

HOLD\_RECALL\_TYPE: CHAR(1)

HOLD\_RECALL\_STATUS: NUMBER

HOLD\_RECALL\_STATUS\_DATE: DATE

## **HOLD\_RECALL\_ITEMS**

HOLD\_RECALL\_ID: NUMBER

ITEM\_ID: NUMBER

QUEUE\_POSITION: NUMBER

HOLD\_RECALL\_TYPE: CHAR(1)

HOLD\_RECALL\_STATUS: NUMBER

HOLD\_RECALL\_STATUS\_DATE: DATE

## **HOLD\_RECALL\_STATS**

HOLD\_RECALL\_ID: NUMBER

PATRON\_STAT\_ID: NUMBER

## **HOLD\_RECALL\_STATUS**

HR\_STATUS\_TYPE: NUMBER

HR\_STATUS\_DESC: VARCHAR2(25)

## **IMPORT\_RULE**

IMPORT\_RULE\_ID: NUMBER

CODE: VARCHAR2(8)

NAME: VARCHAR2(25)

BIB\_DUP\_PROFILE\_ID: NUMBER

AUTH\_DUP\_PROFILE\_ID: NUMBER

CREATE\_MFHDS\_ITEMS: CHAR(1)

LIBRARY\_ID: NUMBER

CAT\_REVIEW: CHAR(1)

LOC\_FIELD: VARCHAR2(3)

LOC\_SUBFIELD: CHAR(1)

LOC\_IND1: CHAR(1)

LOC\_IND2: CHAR(1)

SUPPRESS\_IN\_OPAC: CHAR(1)

IMPORT\_RULE\_PO\_ID: NUMBER

ORDER\_CREATE: CHAR(1)

CREATE\_MFHDS\_ONLY: CHAR(1)

BIB\_TO\_MFHD: CHAR(1)

BIB\_DUP\_EXIST: CHAR(1)

CHAR\_SET\_ID: NUMBER

IGNORE\_OPAC\_SUPPRESS: CHAR(1)

CREATE\_MULTI\_MFHDS: CHAR(1)

CREATE\_MULTI\_ITEMS: CHAR(1)

UPDATE\_MFHDS\_ITEMS: CHAR(1)

MAG\_MEDIA\_FIELD: VARCHAR2(3)

MAG\_MEDIA\_SUBFIELD: CHAR(1)

MAG\_MEDIA\_IND1: CHAR(1)

MAG\_MEDIA\_IND2: CHAR(1)

MAG\_MEDIA\_MATCH: VARCHAR2(50)

SENSITIZE\_FIELD: VARCHAR2(3)

SENSITIZE\_SUBFIELD: CHAR(1)

## **IMPORT\_RULE**

SENSITIZE\_IND1: CHAR(1)  
SENSITIZE\_IND2: CHAR(1)  
SENSITIZE\_MATCH: VARCHAR2(50)  
IMPORT\_RULE\_COPYNUM\_ID: NUMBER

## **IMPORT\_RULE\_BIBTOMFHD**

IMPORT\_RULE\_ID: NUMBER  
MFHD\_FIELD: VARCHAR2(3)

## **IMPORT\_RULE\_COPY\_NUMBER**

IMPORT\_RULE\_COPYNUM\_ID: NUMBER  
COPY\_NUMBER\_FIELD: VARCHAR2(3)  
COPY\_NUMBER\_SUBFIELD: CHAR(1)  
COPY\_NUMBER\_IND1: CHAR(1)  
COPY\_NUMBER\_IND2: CHAR(1)  
COPY\_NUMBER\_START: NUMBER  
COPY\_NUMBER\_METHOD: NUMBER

## **IMPORT\_RULE\_PO**

IMPORT\_RULE\_PO\_ID: NUMBER  
LOCATION\_ID\_ORDER: NUMBER  
CURRENCY\_CODE: CHAR(3)  
VENDOR\_ID: NUMBER  
ACCOUNT\_ID: NUMBER  
ORDER\_TYPE: NUMBER  
FUND\_CODE: VARCHAR2(10)  
COPY\_FIELD: CHAR(3)  
COPY\_SUBFIELD: CHAR(1)  
COPY\_IND1: CHAR(1)  
COPY\_IND2: CHAR(1)  
COPY\_DEFAULT: NUMBER  
PRICE\_FIELD: CHAR(3)  
PRICE\_SUBFIELD: CHAR(1)  
PRICE\_IND1: CHAR(1)  
PRICE\_IND2: CHAR(1)  
PRICE\_DEFAULT: NUMBER  
FUND\_FIELD: CHAR(3)  
FUND\_SUBFIELD: CHAR(1)  
FUND\_IND1: CHAR(1)  
FUND\_IND2: CHAR(1)  
NOTES\_FIELD: CHAR(3)  
NOTES\_SUBFIELD: CHAR(1)  
NOTES\_IND1: CHAR(1)  
NOTES\_IND2: CHAR(1)  
INSTRUCTION\_FIELD: CHAR(3)  
INSTRUCTION\_SUBFIELD: CHAR(1)  
INSTRUCTION\_IND1: CHAR(1)  
INSTRUCTION\_IND2: CHAR(1)  
TITLE\_NO\_FIELD: CHAR(3)  
TITLE\_NO\_SUBFIELD: CHAR(1)  
TITLE\_IND1: CHAR(1)  
TITLE\_IND2: CHAR(1)  
PIECE\_FIELD: CHAR(3)  
PIECE\_SUBFIELD: CHAR(1)  
PIECE\_IND1: CHAR(1)  
PIECE\_IND2: CHAR(1)

## **IMPORT\_RULE\_PO**

LINE\_ITEM\_TYPE\_FIELD: CHAR(3)  
LINE\_ITEM\_TYPE\_SUBFIELD: CHAR(1)  
LINE\_ITEM\_TYPE\_IND1: CHAR(1)  
LINE\_ITEM\_TYPE\_IND2: CHAR(1)  
LINE\_ITEM\_TYPE\_DEFAULT: NUMBER  
ONE\_PO\_PER\_BIB: CHAR(1)  
PO\_NUMBER\_FIELD: VARCHAR2(3)  
PO\_NUMBER\_SUBFIELD: CHAR(1)  
PO\_NUMBER\_IND1: CHAR(1)  
PO\_NUMBER\_IND2: CHAR(1)  
VENDOR\_REF\_FIELD: VARCHAR2(3)  
VENDOR\_REF\_SUBFIELD: CHAR(1)  
VENDOR\_REF\_IND1: CHAR(1)  
VENDOR\_REF\_IND2: CHAR(1)  
LEDGER\_FIELD: VARCHAR2(3)  
LEDGER\_SUBFIELD: CHAR(1)  
LEDGER\_IND1: CHAR(1)  
LEDGER\_IND2: CHAR(1)  
LEDGER\_DEFAULT: NUMBER  
FISCAL\_PERIOD\_FIELD: VARCHAR2(3)  
FISCAL\_PERIOD\_SUBFIELD: CHAR(1)  
FISCAL\_PERIOD\_IND1: CHAR(1)  
FISCAL\_PERIOD\_IND2: CHAR(1)  
FISCAL\_PERIOD\_DEFAULT: NUMBER  
REQUESTER\_FIELD: VARCHAR2(3)  
REQUESTER\_SUBFIELD: CHAR(1)  
REQUESTER\_IND1: CHAR(1)  
REQUESTER\_IND2: CHAR(1)  
AUTOMATIC\_APPROVAL: CHAR(1)

## **IN\_CLAUSE\_LIST**

MEMBER: NUMBER

## **INDEX\_TYPE**

INDEX\_TYPE: CHAR(1)  
INDEX\_NAME: VARCHAR2(30)

## **INSTRUCTOR**

INSTRUCTOR\_ID: NUMBER  
LAST\_NAME: VARCHAR2(50)  
NORMAL\_LAST\_NAME: VARCHAR2(50)  
FIRST\_NAME: VARCHAR2(40)  
TITLE: VARCHAR2(10)  
CIRC\_CLUSTER\_ID: NUMBER

## **INTERVAL\_TYPE**

INTERVAL\_TYPE: CHAR(1)  
INTERVAL\_DESC: VARCHAR2(25)

## **INV\_LINE\_ITEM\_NOTES**

INV\_LINE\_ITEM\_ID: NUMBER  
INVOICE\_ID: NUMBER  
NOTE: VARCHAR2(1900)

## **INVOICE**

INVOICE\_ID: NUMBER  
VENDOR\_ID: NUMBER



## **INVOICE**

ACCOUNT\_ID: NUMBER  
INVOICE\_NUMBER: VARCHAR2(25)  
NORMAL\_INVOICE\_NUMBER: VARCHAR2(25)  
INVOICE\_STATUS: NUMBER  
INVOICE\_STATUS\_DATE: DATE  
INVOICE\_DATE: DATE  
VOUCHER\_NUMBER: VARCHAR2(25)  
CURRENCY\_CODE: VARCHAR2(3)  
CONVERSION\_RATE: NUMBER  
INVOICE\_TOTAL: NUMBER  
BILL\_LOCATION: NUMBER  
INVOICE\_QUANTITY: NUMBER  
LINE\_ITEM\_COUNT: NUMBER  
LINE\_ITEM\_SUBTOTAL: NUMBER  
ADJUSTMENTS\_SUBTOTAL: NUMBER  
TOTAL: NUMBER  
INVOICE\_CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
INVOICE\_UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER  
EDI\_REF: NUMBER  
EXPEND\_DATE: DATE  
CHECK\_NUMBER: VARCHAR2(40)  
NORMAL\_CHECK\_NUMBER: VARCHAR2(40)

## **INVOICE\_FUNDS**

INVOICE\_ID: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_ID: NUMBER  
COMMIT\_PENDING: NUMBER  
COMMITMENTS: NUMBER  
EXPEND\_PENDING: NUMBER  
EXPENDITURES: NUMBER

## **INVOICE\_LINE\_ITEM**

INV\_LINE\_ITEM\_ID: NUMBER  
INVOICE\_ID: NUMBER  
LINE\_ITEM\_ID: NUMBER  
UNIT\_PRICE: NUMBER  
LINE\_PRICE: NUMBER  
QUANTITY: NUMBER  
PREPAY\_AMOUNT: NUMBER  
PIECE\_IDENTIFIER: VARCHAR2(500)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
EDI\_REF: NUMBER

## **INVOICE\_LINE\_ITEM\_FUNDS**

COPY\_ID: NUMBER  
INV\_LINE\_ITEM\_ID: NUMBER  
SPLIT\_FUND\_SEQ: NUMBER  
LEDGER\_ID: NUMBER

## **INVOICE\_LINE\_ITEM\_FUNDS**

FUND\_ID: NUMBER  
PERCENTAGE: NUMBER  
AMOUNT: NUMBER  
ALLOCATION\_METHOD: CHAR(1)

## **INVOICE\_NOTE**

INVOICE\_ID: NUMBER  
NOTE: VARCHAR2(1900)

## **INVOICE\_STATUS**

INVOICE\_STATUS: NUMBER  
INVOICE\_STATUS\_DESC: VARCHAR2(25)

## **ISSUES\_RECEIVED**

ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
COPY\_ID: NUMBER  
LOCATION\_ID: NUMBER  
RECEIPT\_DATE: DATE  
OPAC\_SUPPRESSED: NUMBER  
NOTE: VARCHAR2(256)  
COLLAPSED: CHAR(1)  
ITEM\_ID: NUMBER  
RECEIVE\_OPERATOR: VARCHAR2(10)

## **ITEM**

ITEM\_ID: NUMBER  
PERM\_LOCATION: NUMBER  
TEMP\_LOCATION: NUMBER  
ITEM\_TYPE\_ID: NUMBER  
TEMP\_ITEM\_TYPE\_ID: NUMBER  
COPY\_NUMBER: NUMBER  
ON\_RESERVE: CHAR(1)  
RESERVE\_CHARGES: NUMBER  
PIECES: NUMBER  
PRICE: NUMBER  
SPINE\_LABEL: VARCHAR2(25)  
HISTORICAL\_CHARGES: NUMBER  
HISTORICAL\_BROWSES: NUMBER  
RECALLS\_PLACED: NUMBER  
HOLDS\_PLACED: NUMBER  
CREATE\_DATE: DATE  
MODIFY\_DATE: DATE  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
MODIFY\_LOCATION\_ID: NUMBER  
ITEM\_SEQUENCE\_NUMBER: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
SHORT\_LOAN\_CHARGES: NUMBER  
MAGNETIC\_MEDIA: CHAR(1)  
SENSITIZE: CHAR(1)

## **ITEM\_BARCODE**

ITEM\_ID: NUMBER

## **ITEM\_BARCODE**

ITEM\_BARCODE: VARCHAR2(30)  
BARCODE\_STATUS: NUMBER  
BARCODE\_STATUS\_DATE: DATE

## **ITEM\_BARCODE\_STATUS**

BARCODE\_STATUS\_TYPE: NUMBER  
BARCODE\_STATUS\_DESC: VARCHAR2(25)

## **ITEM\_NOTE**

ITEM\_ID: NUMBER  
ITEM\_NOTE: VARCHAR2(1000)  
ITEM\_NOTE\_TYPE: NUMBER  
LAST\_MODIFIED: DATE

## **ITEM\_NOTE\_TYPE**

NOTE\_TYPE: NUMBER  
NOTE\_DESC: VARCHAR2(20)

## **ITEM\_STAT\_CODE**

ITEM\_STAT\_ID: NUMBER  
ITEM\_STAT\_CODE: VARCHAR2(3)  
ITEM\_STAT\_CODE\_DESC: VARCHAR2(25)

## **ITEM\_STATS**

ITEM\_ID: NUMBER  
ITEM\_STAT\_ID: NUMBER  
DATE\_APPLIED: DATE

## **ITEM\_STATUS**

ITEM\_ID: NUMBER  
ITEM\_STATUS: NUMBER  
ITEM\_STATUS\_DATE: DATE  
ITEM\_STATUS\_OPERATOR: VARCHAR2(10)

## **ITEM\_STATUS\_TYPE**

ITEM\_STATUS\_TYPE: NUMBER  
ITEM\_STATUS\_DESC: VARCHAR2(25)

## **ITEM\_TYPE**

ITEM\_TYPE\_ID: NUMBER  
ITEM\_TYPE\_CODE: VARCHAR2(10)  
ITEM\_TYPE\_NAME: VARCHAR2(25)  
ITEM\_TYPE\_DISPLAY: VARCHAR2(40)

## **ITEM\_TYPE\_MAPPING**

IMPORT\_RULE\_ID: NUMBER  
MARC\_ITEM\_TYPE: VARCHAR2(50)  
ITEM\_TYPE\_ID: NUMBER  
MARC\_LOCATION: VARCHAR2(50)  
LOCATION\_ID: NUMBER  
CALL\_NO\_HIERARCHY\_ID: NUMBER

## **ITEM\_TYPE\_POLICY**

CIRC\_GROUP\_ID: NUMBER  
ITEM\_TYPE\_ID: NUMBER  
REPLACE\_COST: NUMBER  
ORDER\_QUANTITY\_NUMBER: NUMBER  
REORDER\_POINT: NUMBER

## ITEM\_TYPE\_POLICY

SHORT\_LOAN: CHAR(1)  
OPAC\_HOLD\_MISSING: CHAR(1)  
OPAC\_RECALL\_MISSING: CHAR(1)  
CIRC\_HOLD\_MISSING: CHAR(1)  
CIRC\_RECALL\_MISSING: CHAR(1)  
OPAC\_HOLD\_LOST\_SYSTEM: CHAR(1)  
OPAC\_RECALL\_LOST\_SYSTEM: CHAR(1)  
CIRC\_HOLD\_LOST\_SYSTEM: CHAR(1)  
CIRC\_RECALL\_LOST\_SYSTEM: CHAR(1)  
OPAC\_HOLD\_LOST\_LIBRARY: CHAR(1)  
OPAC\_RECALL\_LOST\_LIBRARY: CHAR(1)  
CIRC\_HOLD\_LOST\_LIBRARY: CHAR(1)  
CIRC\_RECALL\_LOST\_LIBRARY: CHAR(1)

## ITEM\_VW

MFHD\_ID: NUMBER  
CALL\_NO: VARCHAR2(300)  
CALL\_NO\_TYPE: CHAR(1)  
NORMALIZED\_CALL\_NO: VARCHAR2(300)  
ITEM\_ID: NUMBER  
BARCODE: VARCHAR2(30)  
PERM\_LOCATION\_CODE: VARCHAR2(10)  
PERM\_LOCATION: VARCHAR2(25)  
GOV\_LOCATION\_CODE: VARCHAR2(10)  
GOV\_LOCATION: VARCHAR2(25)  
PERM\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
PERM\_ITEM\_TYPE: VARCHAR2(25)  
GOV\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
GOV\_ITEM\_TYPE: VARCHAR2(25)  
MEDIA\_TYPE\_CODE: VARCHAR2(10)  
MEDIA\_TYPE: VARCHAR2(50)  
ENUMERATION: VARCHAR2(80)  
CHRONOLOGY: VARCHAR2(80)  
YEAR: VARCHAR2(20)  
CAPTION: VARCHAR2(256)  
HISTORICAL\_BROWSES: NUMBER  
HISTORICAL\_CHARGES: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER  
HOLDS\_PLACED: NUMBER  
RECALLS\_PLACED: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)

## JOB\_DATA

ID: NUMBER  
NAME: VARCHAR2(200)  
RECORD\_TYPE: NUMBER  
JOB\_TYPE: NUMBER  
JOB\_STATUS: NUMBER  
SCHEDULED\_START\_DATE: DATE  
ACTUAL\_START\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)  
MODIFY\_DATE: DATE  
RECORDS\_TO\_PROCESS: NUMBER  
RECORDS\_PROCESSED: NUMBER  
ERROR\_RECORD\_COUNT: NUMBER

## **JOB\_DATA**

RECORDS\_DELETED: NUMBER  
DELETEALL\_HIERARCHY\_COUNT: NUMBER  
CURRENT\_BULK\_NUM: NUMBER  
PARAMETER\_STRING: VARCHAR2(2000)  
PARAMETER\_PTR: CLOB  
UNCHANGED\_RECORD\_COUNT: NUMBER

## **JOB\_RESULT\_RECORD**

ID: NUMBER  
GDC\_JOB\_ID: NUMBER  
JOB\_FILE\_TYPE: NUMBER  
BULK\_NUM: NUMBER  
STATUS: NUMBER  
MARC\_RECORD: BLOB  
OPERATOR\_ID: VARCHAR2(10)

## **JOB\_RESULT\_RECORD\_MESSAGE**

JOB\_RESULT\_RECORD\_ID: NUMBER  
MESSAGE: VARCHAR2(2000)  
ID: NUMBER

## **JOB\_STATUS**

ID: NUMBER  
DESCRIPTION: VARCHAR2(20)

## **JOB\_TYPE**

ID: NUMBER  
DESCRIPTION: VARCHAR2(20)

## **LCCLASS\_VW**

MFHD\_ID: NUMBER  
FIRSTLETTER: VARCHAR2(1)  
CLASS: VARCHAR2(300)  
LONGCLASS: VARCHAR2(300)  
CLASSNUMBER: NUMBER

## **LEDGER**

LEDGER\_ID: NUMBER  
FISCAL\_YEAR\_ID: NUMBER  
ACQ\_POLICY\_ID: NUMBER  
LEDGER\_NAME: VARCHAR2(40)  
NORMAL\_LEDGER\_NAME: VARCHAR2(40)  
OVERCOMMIT: CHAR(1)  
OVERCOMMIT\_WARN: NUMBER  
OVERCOMMIT\_PERCENT: NUMBER  
COMMIT\_FREEZE: DATE  
UNDERCOMMIT\_PERCENT: NUMBER  
OVEREXPEND: CHAR(1)  
OVEREXPEND\_WARN: NUMBER  
OVEREXPEND\_PERCENT: NUMBER  
EXPEND\_FREEZE: DATE  
UNDEREXPEND\_PERCENT: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
RULE\_ID: NUMBER

## **LEDGER**

NEW\_LEDGER\_NAME: VARCHAR2(40)  
NORMAL\_NEW\_LEDGER\_NAME: VARCHAR2(40)  
NEW\_LEDGER\_ID: NUMBER

## **LEDGER\_LOCATIONS**

LEDGER\_ID: NUMBER  
LOCATION\_ID: NUMBER

## **LEDGER\_NOTE**

LEDGER\_ID: NUMBER  
NOTE: VARCHAR2(1900)

## **LIBRARY**

LIBRARY\_ID: NUMBER  
LIBRARY\_NAME: VARCHAR2(50)  
LIBRARY\_DISPLAY\_NAME: VARCHAR2(80)  
NUC\_CODE: VARCHAR2(15)

## **LIBRARY\_ADDRESS\_DEFAULT**

LIBRARY\_NAME: VARCHAR2(50)  
CONTACT\_NAME: VARCHAR2(50)  
EMAIL: VARCHAR2(50)  
ADDRESS\_LINE1: VARCHAR2(50)  
ADDRESS\_LINE2: VARCHAR2(50)  
ADDRESS\_LINE3: VARCHAR2(50)  
ADDRESS\_LINE4: VARCHAR2(50)  
ADDRESS\_LINE5: VARCHAR2(50)  
CITY: VARCHAR2(30)  
STATE\_PROVINCE: VARCHAR2(7)  
ZIP\_POSTAL: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
SAN: VARCHAR2(10)

## **LINE\_ITEM**

LINE\_ITEM\_ID: NUMBER  
PO\_ID: NUMBER  
BIB\_ID: NUMBER  
LINE\_ITEM\_TYPE: NUMBER  
LINE\_ITEM\_NUMBER: NUMBER  
PIECE\_IDENTIFIER: VARCHAR2(50)  
UNIT\_PRICE: NUMBER  
LINE\_PRICE: NUMBER  
PRINT\_STD\_NUM: CHAR(2)  
QUANTITY: NUMBER  
PREPAY\_AMOUNT: NUMBER  
RUSH: CHAR(1)  
CLAIM\_INTERVAL: NUMBER  
CANCEL\_INTERVAL: NUMBER  
DONOR: VARCHAR2(50)  
REQUESTOR: VARCHAR2(50)  
VENDOR\_TITLE\_NUM: VARCHAR2(25)  
VENDOR\_REF\_QUAL: VARCHAR2(3)  
VENDOR\_REF\_NUM: VARCHAR2(35)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE

## **LINE\_ITEM**

UPDATE\_OPID: VARCHAR2(10)  
EDI\_REF: NUMBER  
STANDARD\_NUM: VARCHAR2(50)  
NORMAL\_REQUESTOR: VARCHAR2(50)

## **LINE\_ITEM\_BIB\_HISTORY**

AUDIT\_ID: NUMBER  
BIB\_ID: NUMBER  
LINE\_ITEM\_ID: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)

## **LINE\_ITEM\_COPY**

LINE\_ITEM\_ID: NUMBER  
LOCATION\_ID: NUMBER  
SHIP\_TO\_LOCATION: NUMBER  
COPY\_COUNT: NUMBER  
USE\_LEDGER: NUMBER  
USE\_FUND: NUMBER

## **LINE\_ITEM\_COPY\_HISTORY**

COPY\_ID: NUMBER  
AUDIT\_ID: NUMBER  
LINE\_ITEM\_STATUS: NUMBER  
STATUS\_DATE: DATE  
INV\_LINE\_ITEM\_ID: NUMBER

## **LINE\_ITEM\_COPY\_MFHD\_HISTORY**

AUDIT\_ID: NUMBER  
MFHD\_ID: NUMBER  
COPY\_ID: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)

## **LINE\_ITEM\_COPY\_STATUS**

LINE\_ITEM\_ID: NUMBER  
LOCATION\_ID: NUMBER  
COPY\_ID: NUMBER  
MFHD\_ID: NUMBER  
LINE\_ITEM\_STATUS: NUMBER  
INVOICE\_ITEM\_STATUS: NUMBER  
STATUS\_DATE: DATE  
ITEM\_ID: NUMBER  
RECEIVE\_OPERATOR: VARCHAR2(10)

## **LINE\_ITEM\_FUNDS**

COPY\_ID: NUMBER  
SPLIT\_FUND\_SEQ: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_ID: NUMBER  
PERCENTAGE: NUMBER  
PREPAY\_PERCENTAGE: NUMBER  
AMOUNT: NUMBER  
PREPAY: NUMBER  
ALLOCATION\_METHOD: CHAR(1)

## **LINE\_ITEM\_NOTES**

## **LINE\_ITEM\_NOTES**

LINE\_ITEM\_ID: NUMBER  
PO\_ID: NUMBER  
PRINT\_NOTE: VARCHAR2(60)  
NOTE: VARCHAR2(1900)

## **LINE\_ITEM\_STATUS**

LINE\_ITEM\_STATUS: NUMBER  
LINE\_ITEM\_STATUS\_DESC: VARCHAR2(25)

## **LINE\_ITEM\_TYPE**

LINE\_ITEM\_TYPE: NUMBER  
LINE\_ITEM\_TYPE\_DESC: VARCHAR2(25)

## **LOADLINK**

ORIGINALID: VARCHAR2(25)  
LIBID: NUMBER  
BIBID: NUMBER  
ITEMTYPE: CHAR(2)

## **LOCATION**

LOCATION\_ID: NUMBER  
LOCATION\_CODE: VARCHAR2(10)  
LOCATION\_NAME: VARCHAR2(25)  
LOCATION\_DISPLAY\_NAME: VARCHAR2(60)  
LOCATION\_SPINE\_LABEL: VARCHAR2(25)  
LOCATION\_OPAC: CHAR(1)  
SUPPRESS\_IN\_OPAC: CHAR(1)  
MFHD\_COUNT: NUMBER  
LIBRARY\_ID: NUMBER

## **LOCATION\_ADDRESS**

ADDRESS\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CONTACT\_NAME: VARCHAR2(50)  
EMAIL: VARCHAR2(50)  
ADDRESS\_LINE1: VARCHAR2(50)  
ADDRESS\_LINE2: VARCHAR2(50)  
ADDRESS\_LINE3: VARCHAR2(50)  
ADDRESS\_LINE4: VARCHAR2(50)  
ADDRESS\_LINE5: VARCHAR2(50)  
CITY: VARCHAR2(30)  
STATE\_PROVINCE: VARCHAR2(7)  
ZIP\_POSTAL: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
SAN: VARCHAR2(10)  
SHIP\_TO\_ADDRESS: CHAR(1)  
BILL\_TO\_ADDRESS: CHAR(1)  
STREET\_ADDRESS: CHAR(1)  
CAMPUS\_ADDRESS: CHAR(1)  
CIRC\_DESK\_ADDRESS: CHAR(1)  
OTHER\_ADDRESS: CHAR(1)

## **LOCATION\_LIMIT**

LOCATION\_LIMIT\_ID: NUMBER  
LIMIT\_NAME: VARCHAR2(60)  
LIMIT\_CODE: VARCHAR2(10)  
SUPPRESS\_IN\_OPAC: CHAR(1)



## **LOCATION\_LIMIT**

### **LOCATION\_LIMIT\_LOCS**

LOCATION\_LIMIT\_ID: NUMBER

LOCATION\_ID: NUMBER

### **LOCATION\_PHONE**

PHONE\_ID: NUMBER

ADDRESS\_ID: NUMBER

PHONE\_TYPE: NUMBER

PHONE\_NUMBER: VARCHAR2(25)

### **LOGIN\_AUDIT\_TRAIL**

LOGIN\_USER\_ID: VARCHAR2(10)

OPERATOR\_ID: VARCHAR2(10)

INVALID\_ATTEMPT\_TIME: DATE

LOCKOUT\_COUNTER: NUMBER

LOCKOUT\_TIME: DATE

WORKSTATION\_ID: VARCHAR2(40)

## **MAINTENANCE**

MAINT\_ID: NUMBER

EQUIP\_ID: NUMBER

DATE\_IN: DATE

DATE\_OUT: DATE

CREATE\_OPID: VARCHAR2(10)

UPDATE\_OPID: VARCHAR2(10)

CREATE\_DATE: DATE

UPDATE\_DATE: DATE

CREATE\_LOCATION\_ID: NUMBER

UPDATE\_LOCATION\_ID: NUMBER

## **MAINTENANCE\_DETAIL**

MAINT\_DTL\_ID: NUMBER

MAINT\_ID: NUMBER

MAINT\_TYPE\_ID: NUMBER

DETAIL\_COMMENT: VARCHAR2(100)

## **MAINTENANCE\_NOTE**

MAINT\_ID: NUMBER

NOTE: VARCHAR2(2000)

OP\_ID: VARCHAR2(10)

UPDATE\_DATE: DATE

## **MAINTENANCE\_QUEUE**

RELEASE\_PROCESSED: VARCHAR2(30)

MAINTENANCE\_CODE: CHAR(1)

ENQUEUE\_DATE: DATE

PROCESS\_DATE: DATE

CAUSATION\_COMMENT: VARCHAR2(2000)

## **MAINTENANCE\_TYPE**

MAINT\_TYPE\_ID: NUMBER

TYPE\_CODE: VARCHAR2(10)

TYPE: VARCHAR2(50)

## **MAP\_INDEX**

BIB\_ID: NUMBER

MAP\_INDEX\_ID: NUMBER

## **MAP\_INDEX**

WEST\_LONGITUDE\_DISPLAY: VARCHAR2(12)  
WEST\_LONGITUDE\_NORMAL: NUMBER  
EAST\_LONGITUDE\_DISPLAY: VARCHAR2(12)  
EAST\_LONGITUDE\_NORMAL: NUMBER  
NORTH\_LATITUDE\_DISPLAY: VARCHAR2(12)  
NORTH\_LATITUDE\_NORMAL: NUMBER  
SOUTH\_LATITUDE\_DISPLAY: VARCHAR2(12)  
SOUTH\_LATITUDE\_NORMAL: NUMBER

## **MAP\_INDEX\_G\_RING**

MAP\_INDEX\_ID: NUMBER  
SEQNUM: NUMBER  
G\_RING\_LATITUDE: VARCHAR2(12)  
G\_RING\_LATITUDE\_NORMAL: NUMBER  
G\_RING\_LONGITUDE: VARCHAR2(12)  
G\_RING\_LONGITUDE\_NORMAL: NUMBER

## **MAP\_INDEX\_SCALE**

MAP\_INDEX\_ID: NUMBER  
MAP\_SCALE: NUMBER  
SCALE\_TYPE: CHAR(1)

## **MARC\_FIELD\_ORDER\_CONFIG**

CONFIG\_ID: NUMBER  
NAME: VARCHAR2(200)  
DESCRIPTION: VARCHAR2(500)  
UPDATE\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)  
PAIR\_880\_FIELDS: CHAR(1)

## **MARC\_FIELD\_ORDER\_RULES**

RULE\_ID: NUMBER  
NAME: VARCHAR2(200)  
RULE\_IMP\_CLASS: VARCHAR2(200)  
REPEATABLE: CHAR(1)  
HAS\_PARAMETER: CHAR(1)  
PARAMETER\_LABEL: VARCHAR2(50)  
PARAMETER\_TYPE: VARCHAR2(10)

## **MARC\_FIELD\_ORDER\_SORT\_GROUP**

GROUP\_ID: NUMBER  
CONFIG\_ID: NUMBER  
GROUP\_POSITION: NUMBER  
MATCH\_EXPRESSION: VARCHAR2(200)

## **MARC\_FIELD\_ORDER\_SORT\_RULE**

GROUP\_ID: NUMBER  
RULE\_ID: NUMBER  
RULE\_POSITION: NUMBER  
RULE\_PARAMETER: VARCHAR2(200)

## **MARCBOOK\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
AUDIENCE: VARCHAR2(1)  
ITEMFORM: VARCHAR2(1)

## **MARCBOOK\_VW**

GOVERNMENTPUB: VARCHAR2(1)  
CONFERENCEPUB: VARCHAR2(1)  
LITERARYFORM: VARCHAR2(1)  
BIOGRAPHY: VARCHAR2(1)

## **MARCCOMPUTER\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
AUDIENCE: VARCHAR2(1)  
FILETYPE: VARCHAR2(1)  
GOVERNMENTPUB: VARCHAR2(1)

## **MARCMAP\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
PROJECTION: VARCHAR2(2)  
CARTOGRAPHICTYPE: VARCHAR2(1)  
GOVERNMENTPUB: VARCHAR2(1)  
INDEXED: VARCHAR2(1)

## **MARCMUSIC\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
COMPOSITIONFORM: VARCHAR2(2)  
MUSICFORMAT: VARCHAR2(1)  
AUDIENCE: VARCHAR2(1)  
ITEMFORM: VARCHAR2(1)

## **MARCSERIAL\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
FREQUENCY: VARCHAR2(1)  
REGULARITY: VARCHAR2(1)  
TYPE: VARCHAR2(1)  
ORIGINALFORM: VARCHAR2(1)  
ITEMFORM: VARCHAR2(1)  
ENTIRENATURE: VARCHAR2(1)  
GOVERNMENTPUB: VARCHAR2(1)  
CONFERENCEPUB: VARCHAR2(1)

## **MARCVISUAL\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
RUNNINGTIME: VARCHAR2(3)  
AUDIENCE: VARCHAR2(1)  
GOVERNMENTPUB: VARCHAR2(1)  
VISUALTYPE: VARCHAR2(1)  
TECHNIQUE: VARCHAR2(1)

## **MARK\_REASON**

MARK\_REASON\_ID: NUMBER  
CLAIM\_TYPE: NUMBER

## **MARK\_REASON**

MARK\_REASON\_NAME: VARCHAR2(25)

## **MARKED\_ISSUE**

MARKED\_ID: NUMBER

COMPONENT\_ID: NUMBER

ISSUE\_ID: NUMBER

SUBSCRIPTION\_ID: NUMBER

MARK\_REASON: NUMBER

LOCATION\_ID: NUMBER

COPY\_ID: NUMBER

OP\_ID: VARCHAR2(10)

MARK\_DATE: DATE

MARKED\_COMMENT: VARCHAR2(250)

## **MARKED\_LINE\_ITEM**

MARKED\_ID: NUMBER

LINE\_ITEM\_ID: NUMBER

LOCATION\_ID: NUMBER

COPY\_ID: NUMBER

MARK\_REASON: NUMBER

OP\_ID: VARCHAR2(10)

MARK\_DATE: DATE

MARKED\_COMMENT: VARCHAR2(250)

## **MASTER\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)

MASTER\_PROFILE\_ID: NUMBER

## **MASTER\_PROFILE**

MASTER\_PROFILE\_ID: NUMBER

MASTER\_PROFILE\_NAME: VARCHAR2(25)

SECURITY: CHAR(1)

SYSTEM\_DEFINITIONS: CHAR(1)

CURRENCY\_TABLES: CHAR(1)

ACQ\_POLICIES: CHAR(1)

CAT\_POLICIES: CHAR(1)

CIRC\_POLICIES: CHAR(1)

MEDIA\_POLICIES: CHAR(1)

CLUSTER\_CREATE: CHAR(1)

CLUSTER\_EDIT: CHAR(1)

CLUSTER\_DELETE: CHAR(1)

CLUSTER\_VIEW: CHAR(1)

PATRON\_GROUP\_EDIT: CHAR(1)

SECURITY\_VIEW: CHAR(1)

SYSTEM\_DEFS\_VIEW: CHAR(1)

CURRENCY\_VIEW: CHAR(1)

ACQ\_POLICIES\_VIEW: CHAR(1)

CAT\_POLICIES\_VIEW: CHAR(1)

CIRC\_POLICIES\_VIEW: CHAR(1)

PATRON\_GROUP\_VIEW: CHAR(1)

## **MASTER\_SECURITY\_LOCS**

MASTER\_PROFILE\_ID: NUMBER

LOCATION\_ID: NUMBER

## **MEDIA\_BOOKING\_EXCEPTION**

MEDIA\_BOOKING\_EXCEPTION\_ID: NUMBER

## **MEDIA\_BOOKING\_EXCEPTION**

PATRON\_ID: NUMBER  
OP\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
ITEM\_ID: NUMBER  
ITEM\_STATUS\_TYPE: NUMBER  
EQUIP\_ID: NUMBER  
EQUIP\_STS\_TYPE\_ID: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
ROOM\_STS\_TYPE\_ID: NUMBER  
ACTION: CHAR(1)

## **MEDIA\_BOOKING\_EXCEPTION\_TYPE**

MEDIA\_BOOKING\_EXCEPTION\_ID: NUMBER  
MEDIA\_BOOKING\_EXCEPTION: VARCHAR2(25)

## **MEDIA\_BOOKING\_TYPE**

MEDIA\_BOOKING\_TYPE\_ID: NUMBER  
TYPE: VARCHAR2(20)

## **MEDIA\_OPERATOR**

PATRON\_ID: NUMBER  
STATUS: CHAR(1)  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE

## **MEDIA\_POLICY\_DELIVERY\_CALENDAR**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
CALENDAR\_ID: NUMBER

## **MEDIA\_POLICY\_EQUIP\_SETTINGS**

SETTINGS\_ID: NUMBER  
SETTINGS\_NAME: VARCHAR2(40)  
CAN\_DELIVER: CHAR(1)  
CAN\_PICKUP: CHAR(1)  
BOOKING\_INTERVAL: CHAR(1)  
BOOKING\_PERIOD\_MAX: NUMBER  
BOOKING\_RENEW: NUMBER  
BOOKING\_RENEW\_COUNT: NUMBER  
FINE\_INTERVAL: CHAR(1)  
FINE\_RATE\_PICKUP: NUMBER  
FINE\_RATE\_DELIVERY: NUMBER  
FINE\_MAX: NUMBER  
FINE\_GRACE\_PERIOD: NUMBER  
USAGE\_FEE: NUMBER  
USAGE\_RATE: NUMBER  
USAGE\_RATE\_INTERVAL: CHAR(1)  
USAGE\_RATE\_PERIOD: NUMBER

## **MEDIA\_POLICY\_EQUIPMENT\_MATRIX**

MATRIX\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SETTINGS\_ID: NUMBER

## **MEDIA\_POLICY\_EQUIPMENT\_TYPE**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER  
REPLACEMENT\_DEFAULT: NUMBER  
SETUP\_TIME: NUMBER  
CLEANUP\_TIME: NUMBER  
REQUEST\_EQUIP\_USING\_OPAC: CHAR(1)

## **MEDIA\_POLICY\_GROUP**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
SCHEDULE\_POLICY: VARCHAR2(40)  
WARNING\_INTERVAL: NUMBER  
BLOCK\_INTERVAL: NUMBER  
DELIVERY\_COUNT\_CLOSED: CHAR(1)  
DELIVERY\_COUNT\_CLOSED\_FEES: CHAR(1)  
PICKUP\_COUNT\_CLOSED: CHAR(1)  
PICKUP\_COUNT\_CLOSED\_FEES: CHAR(1)  
CANCEL\_UNCLAIMED\_BOOKING: NUMBER  
OVERDUE\_CONFLICT\_LIST\_INTERVAL: NUMBER  
OVERDUE\_FIRST\_INTERVAL: NUMBER  
OVERDUE\_NOTICE\_INTERVAL: NUMBER  
OVERDUE\_NOTICE\_COUNT: NUMBER  
OVERDUE\_LOST\_INTERVAL: NUMBER  
OVERDUE\_LOST\_FEE: CHAR(1)  
OVERDUE\_LOST\_FEE\_AMT: NUMBER  
OVERDUE\_LOST\_MAX\_FINE: CHAR(1)  
OVERDUE\_RENEW: CHAR(1)  
WARNING\_INTERVAL\_SCALE: CHAR(1)  
BLOCK\_INTERVAL\_SCALE: CHAR(1)  
CHARGE\_WARNING\_INTERVAL: NUMBER  
CHARGE\_WARNING\_INTERVAL\_SCALE: CHAR(1)

## **MEDIA\_POLICY\_ITEM\_MATRIX**

MATRIX\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SETTINGS\_ID: NUMBER

## **MEDIA\_POLICY\_ITEM\_SETTINGS**

SETTINGS\_ID: NUMBER  
SETTINGS\_NAME: VARCHAR2(40)  
CAN\_PICKUP: CHAR(1)  
CAN\_DELIVER: CHAR(1)  
BOOKING\_INTERVAL: CHAR(1)  
BOOKING\_PERIOD\_MAX: NUMBER  
BOOKING\_RENEW: NUMBER  
BOOKING\_RENEW\_COUNT: NUMBER  
FINE\_INTERVAL: CHAR(1)  
FINE\_RATE\_PICKUP: NUMBER  
FINE\_RATE\_DELIVERY: NUMBER  
FINE\_MAX: NUMBER  
FINE\_GRACE\_PERIOD: NUMBER  
USAGE\_FEE: NUMBER  
USAGE\_RATE: NUMBER  
USAGE\_RATE\_INTERVAL: CHAR(1)  
USAGE\_RATE\_PERIOD: NUMBER

## **MEDIA\_POLICY\_ITEM\_SETTINGS**

RECALL\_FOR\_BOOKING: CHAR(1)

## **MEDIA\_POLICY\_ITEM\_STATUS\_ALERT**

ITEM\_SETTINGS\_ID: NUMBER

ALERT\_ITEM\_STATUS\_TYPE: NUMBER

## **MEDIA\_POLICY\_LOCATION**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER

LOCATION\_ID: NUMBER

BOOKING: CHAR(1)

PICKUP: CHAR(1)

PICKUP\_SLIP\_PRINT: CHAR(1)

DELIVERY: CHAR(1)

DELIVERY\_SLIP\_PRINT: CHAR(1)

COLLECT\_FINES: CHAR(1)

COURTESY\_DISCHARGE\_ITEM: CHAR(1)

COURTESY\_DISCHARGE\_EQUIPMENT: CHAR(1)

COURTESY\_DISCHARGE\_ROOM\_KEY: CHAR(1)

ITEM\_SHELVING\_INTERVAL: CHAR(1)

ITEM\_SHELVING\_PERIOD: NUMBER

ITEM\_TRANSIT\_PERIOD: NUMBER

FLY\_ITEM\_SUPPRESS: CHAR(1)

FLY\_ITEM\_TYPE: NUMBER

FLY\_ITEM\_LOCATION: NUMBER

PRINT\_LOCATION\_ID: NUMBER

PRINT\_CONFIRMATION: CHAR(1)

DELIVERY\_TIME: NUMBER

RETURN\_TIME: NUMBER

EQUIP\_RESTRICTED: CHAR(1)

## **MEDIA\_POLICY\_MEDIA\_TYPE**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER

MEDIA\_TYPE\_ID: NUMBER

REPLACEMENT\_DEFAULT: NUMBER

REQUEST\_ITEM\_USING\_OPAC: CHAR(1)

## **MEDIA\_POLICY\_PATRON\_GROUP**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER

PATRON\_GROUP\_ID: NUMBER

OVERLAPPING\_BOOKINGS: CHAR(1)

FINES\_APPLY: CHAR(1)

FEES\_APPLY: CHAR(1)

OUTSTANDING\_BALANCE\_LIMIT: CHAR(1)

OUTSTANDING\_BALANCE\_MAX: NUMBER

BOOKING\_LIMIT: CHAR(1)

BOOKING\_MAX: NUMBER

ITEM\_BOOKING\_LIMIT: CHAR(1)

ITEM\_BOOKING\_MAX: NUMBER

EQUIP\_BOOKING\_LIMIT: CHAR(1)

EQUIP\_BOOKING\_MAX: NUMBER

LATE\_RETURN\_LIMIT: CHAR(1)

LATE\_RETURN\_MAX: NUMBER

CANCELLED\_BOOKING\_LIMIT: CHAR(1)

CANCELLED\_BOOKING\_MAX: NUMBER

UNCLAIMED\_BOOKING\_LIMIT: CHAR(1)

UNCLAIMED\_BOOKING\_MAX: NUMBER

## **MEDIA\_POLICY\_PATRON\_GROUP**

EARLY\_PICKUP: NUMBER  
EARLY\_PICKUP\_INTERVAL: CHAR(1)  
OVERDUE\_NOTICE\_APPLY: CHAR(1)  
REQUEST\_PATRON\_USING\_OPAC: CHAR(1)

## **MEDIA\_POLICY\_PICKUP\_CALENDAR**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
CALENDAR\_ID: NUMBER

## **MEDIA\_POLICY\_ROOM\_CALENDAR**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
CALENDAR\_ID: NUMBER

## **MEDIA\_POLICY\_ROOM\_MATRIX**

MATRIX\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SETTINGS\_ID: NUMBER

## **MEDIA\_POLICY\_ROOM\_SETTINGS**

SETTINGS\_ID: NUMBER  
SETTINGS\_NAME: VARCHAR2(40)  
CAN\_BOOK: CHAR(1)  
BOOKING\_INTERVAL: CHAR(1)  
BOOKING\_PERIOD\_MAX: NUMBER  
USAGE\_FEE: NUMBER  
USAGE\_RATE: NUMBER  
USAGE\_RATE\_INTERVAL: CHAR(1)  
USAGE\_RATE\_PERIOD: NUMBER

## **MEDIA\_POLICY\_ROOM\_TYPE**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
ROOM\_SCHEDULED: CHAR(1)  
CAN\_DELIVER: CHAR(1)

## **MEDIA\_ROOM**

MEDIA\_ROOM\_ID: NUMBER  
ROOM\_NO: VARCHAR2(15)  
ROOM\_NO\_NORMALIZED: VARCHAR2(15)  
ROOM\_NAME: VARCHAR2(40)  
ROOM\_NAME\_NORMALIZED: VARCHAR2(40)  
LOCATION\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
STORAGE: VARCHAR2(1)  
CAPACITY: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_OPID: VARCHAR2(10)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_LOCATION\_ID: NUMBER

## **MEDIA\_ROOM\_DETAIL\_TYPE**

MEDIA\_ROOM\_DTL\_TYPE\_ID: NUMBER



### **MEDIA\_ROOM\_DETAIL\_TYPE**

TYPE\_CODE: VARCHAR2(10)

TYPE: VARCHAR2(50)

REPEATABLE: CHAR(1)

### **MEDIA\_ROOM\_DETAILS**

MEDIA\_ROOM\_DETAILS\_ID: NUMBER

MEDIA\_ROOM\_ID: NUMBER

MEDIA\_ROOM\_DTL\_TYPE\_ID: NUMBER

ROOM\_DTL: VARCHAR2(100)

### **MEDIA\_ROOM\_KEY**

MEDIA\_ROOM\_KEY\_ID: NUMBER

MEDIA\_ROOM\_ID: NUMBER

KEY\_NO: VARCHAR2(15)

### **MEDIA\_ROOM\_NOTE\_TYPE**

MEDIA\_ROOM\_NOTE\_TYPE\_ID: NUMBER

TYPE: VARCHAR2(15)

### **MEDIA\_ROOM\_NOTES**

MEDIA\_ROOM\_ID: NUMBER

MEDIA\_ROOM\_NOTE\_TYPE\_ID: NUMBER

NOTE: VARCHAR2(2000)

OP\_ID: VARCHAR2(10)

UPDATE\_DATE: DATE

### **MEDIA\_ROOM\_STATUS**

MEDIA\_ROOM\_ID: NUMBER

MEDIA\_ROOM\_STS\_TYPE\_ID: NUMBER

NOTE: VARCHAR2(100)

UPDATE\_DATE: DATE

OP\_ID: VARCHAR2(10)

### **MEDIA\_ROOM\_STATUS\_TYPE**

MEDIA\_ROOM\_STS\_TYPE\_ID: NUMBER

STS\_TYPE: VARCHAR2(40)

DISPLAY\_PRIORITY: NUMBER

WARN\_ON\_BOOKING: CHAR(1)

BLOCK\_BOOKING: CHAR(1)

MESSAGE: VARCHAR2(50)

### **MEDIA\_ROOM\_TYPE**

MEDIA\_ROOM\_TYPE\_ID: NUMBER

TYPE\_CODE: VARCHAR2(10)

TYPE: VARCHAR2(50)

EQUIP\_STORAGE: CHAR(1)

### **MEDIA\_SCHEDULE**

MEDIA\_SCHEDULE\_ID: NUMBER

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER

PATRON\_GROUP\_ID: NUMBER

PATRON\_ID: NUMBER

PATRON\_ID\_PICKED\_UP: NUMBER

CONFIRM\_NO: VARCHAR2(77)

CONFIRM\_DATE: DATE

MEDIA\_BOOKING\_TYPE\_ID: NUMBER

ADMIN\_BOOKING: CHAR(1)

## **MEDIA\_SCHEDULE**

STAGING\_LOCATION\_ID: NUMBER  
BOOKING\_SETUP\_DATE: DATE  
BOOKING\_SETUP: NUMBER  
BOOKING\_START: DATE  
BOOKING\_END: DATE  
BOOKING\_CLEANUP\_DATE: DATE  
BOOKING\_CLEANUP: NUMBER  
SCHED\_COMMENT: VARCHAR2(1000)  
OPERATOR\_DELIVERY: NUMBER  
OPERATOR\_PICKUP: NUMBER  
WIZARD: CHAR(1)  
CREATE\_LOCATION\_ID: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE

## **MEDIA\_SCHEDULE\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
PATRON\_ID: NUMBER  
CONFIRM\_NO: VARCHAR2(77)  
CONFIRM\_DATE: DATE  
PATRON\_ID\_PICKED\_UP: NUMBER  
STAGING\_LOCATION\_ID: NUMBER  
MEDIA\_BOOKING\_TYPE\_ID: NUMBER  
ADMIN\_BOOKING: CHAR(1)  
BOOKING\_SETUP: NUMBER  
BOOKING\_START: DATE  
BOOKING\_END: DATE  
BOOKING\_CLEANUP: NUMBER  
SCHED\_COMMENT: VARCHAR2(1000)  
BOOKING\_RESULT: NUMBER  
OPERATOR\_DELIVERY: NUMBER  
OPERATOR\_PICKUP: NUMBER  
WIZARD: CHAR(1)  
CREATE\_LOCATION\_ID: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE

## **MEDIA\_SCHEDULE\_EQUIP\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER  
EQUIP\_ID: NUMBER  
FULFILL\_ITEM: CHAR(1)  
IN\_ROOM: CHAR(1)  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER

## **MEDIA\_SCHEDULE\_EQUIP\_ARCHIVE**

OP\_ID: VARCHAR2(10)

## **MEDIA\_SCHEDULE\_EQUIPMENT**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER  
EQUIP\_ID: NUMBER  
FULFILL\_ITEM: CHAR(1)  
IN\_ROOM: CHAR(1)  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

## **MEDIA\_SCHEDULE\_FINE**

MEDIA\_SCHEDULE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER

## **MEDIA\_SCHEDULE\_FINE\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER

## **MEDIA\_SCHEDULE\_ITEM**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

## **MEDIA\_SCHEDULE\_ITEM\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

## **MEDIA\_SCHEDULE\_ROOM**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CAPACITY\_NEEDED: NUMBER

## **MEDIA\_SCHEDULE\_ROOM**

CAPACITY\_OPERATOR: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
ROOM\_KEY\_ID: NUMBER  
UPDATE\_DATE: DATE  
TRANS\_LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

## **MEDIA\_SCHEDULE\_ROOM\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CAPACITY\_NEEDED: NUMBER  
CAPACITY\_OPERATOR: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
ROOM\_KEY\_ID: NUMBER  
UPDATE\_DATE: DATE  
TRANS\_LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

## **MEDIA\_SCHEDULE\_TRANS\_TYPE**

MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
TYPE: VARCHAR2(15)

## **MEDIA\_SECURITY\_LOCATION**

MEDIA\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

## **MEDIA\_SECURITY\_OPERATOR**

MEDIA\_PROFILE\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)

## **MEDIA\_SECURITY\_PROFILE**

MEDIA\_PROFILE\_ID: NUMBER  
MEDIA\_PROFILE\_NAME: VARCHAR2(25)  
EQUIP\_ADD: CHAR(1)  
EQUIP\_DELETE: CHAR(1)  
EQUIP\_UPDATE: CHAR(1)  
EQUIP\_VIEW: CHAR(1)  
EQUIP\_MAINT\_ADD: CHAR(1)  
EQUIP\_MAINT\_DELETE: CHAR(1)  
EQUIP\_MAINT\_UPDATE: CHAR(1)  
EQUIP\_MAINT\_VIEW: CHAR(1)  
ROOM\_ADD: CHAR(1)  
ROOM\_DELETE: CHAR(1)  
ROOM\_UPDATE: CHAR(1)  
ROOM\_VIEW: CHAR(1)  
ITEM\_ADD: CHAR(1)  
ITEM\_DELETE: CHAR(1)  
ITEM\_UPDATE: CHAR(1)  
ITEM\_VIEW: CHAR(1)  
PATRON\_ADD: CHAR(1)  
PATRON\_DELETE: CHAR(1)  
PATRON\_UPDATE: CHAR(1)

## **MEDIA\_SECURITY\_PROFILE**

PATRON\_VIEW: CHAR(1)  
PATRON\_COUNTERS: CHAR(1)  
BOOKING\_ADD: CHAR(1)  
BOOKING\_UPDATE: CHAR(1)  
BOOKING\_CANCEL: CHAR(1)  
BOOKING\_VIEW: CHAR(1)  
BOOKING\_VIEW\_HISTORICAL: CHAR(1)  
BOOKING\_CHARGE: CHAR(1)  
BOOKING\_DISCHARGE: CHAR(1)  
BOOKING\_RENEW: CHAR(1)  
OVERRIDE\_PATRON\_BLOCK: CHAR(1)  
OVERRIDE\_ITEM\_BLOCK: CHAR(1)  
OVERRIDE\_OTHER\_BLOCK: CHAR(1)  
CHANGE\_DISCHARGE\_DATE: CHAR(1)  
FEES\_ADD: CHAR(1)  
FEES\_PAY: CHAR(1)  
FEES\_ADJUST: CHAR(1)  
EQUIP\_BOOKED\_MOVE: CHAR(1)

## **MEDIA\_TYPE**

MEDIA\_TYPE\_ID: NUMBER  
TYPE\_CODE: VARCHAR2(10)  
TYPE: VARCHAR2(50)

## **MFHD\_DATA**

MFHD\_ID: NUMBER  
SEQNUM: NUMBER  
RECORD\_SEGMENT: VARCHAR2(300)

## **MFHD\_HISTORY**

MFHD\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
ACTION\_DATE: DATE  
LOCATION\_ID: NUMBER  
ENCODING\_LEVEL: CHAR(1)  
SUPPRESS\_IN\_OPAC: VARCHAR2(1)  
ACTION\_TYPE\_ID: NUMBER

## **MFHD\_ITEM**

MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
ITEM\_ENUM: VARCHAR2(80)  
CHRON: VARCHAR2(80)  
YEAR: VARCHAR2(20)  
CAPTION: VARCHAR2(256)  
FREETEXT: VARCHAR2(256)

## **MFHD\_MASTER**

MFHD\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CALL\_NO\_TYPE: CHAR(1)  
NORMALIZED\_CALL\_NO: VARCHAR2(300)  
DISPLAY\_CALL\_NO: VARCHAR2(300)  
SUPPRESS\_IN\_OPAC: CHAR(1)  
SOURCE\_MODULE: CHAR(1)  
RECORD\_STATUS: CHAR(1)

## **MFHD\_MASTER**

RECORD\_TYPE: CHAR(1)  
ENCODING\_LEVEL: CHAR(1)  
FIELD\_007: VARCHAR2(23)  
FIELD\_008: VARCHAR2(32)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE  
EXPORT\_OK: CHAR(1)  
EXPORT\_OK\_DATE: DATE  
EXPORT\_OK\_OPID: VARCHAR2(10)  
EXPORT\_OK\_LOCATION\_ID: NUMBER  
EXPORT\_DATE: DATE

## **MFHDBLOB\_VW**

MFHD\_ID: NUMBER  
MARC\_RECORD: CLOB

## **MFHDHISTORY\_VW**

MFHD\_ID: NUMBER  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
CREATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPERATOR\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER

## **MISCELLANEOUS**

PATRON\_ID\_RETAIN: CHAR(1)  
MEDIA\_PATRON\_ID\_RETAIN: CHAR(1)  
DISTRIBUTION\_PATRON\_ID\_RETAIN: CHAR(1)  
BIBREADONLY: CHAR(1)  
MFHDREADONLY: CHAR(1)  
AUTHREADONLY: CHAR(1)  
AUTO\_RETRIEVE\_SYSTEM: CHAR(1)  
UNIQUE\_ID\_OFFSET: NUMBER  
UNIQUE\_ID\_FIELD: VARCHAR2(6)  
CALL\_SLIP\_ITEM\_REQUIRED: CHAR(1)  
OPAC\_ITEM\_SORT: CHAR(1)  
CUSTOM\_1: CHAR(1)  
ON\_SHELF\_HOLD: CHAR(1)  
USE\_DEFAULT\_POLICY: CHAR(1)  
DATABASELANGUAGE: VARCHAR2(30)  
UBPAGING: CHAR(1)  
PATRON\_EXPIRE\_DATE: DATE  
PATRON\_EXPIRE\_OFFSET: VARCHAR2(5)  
PATRON\_PURGE\_DATE: DATE  
PATRON\_PURGE\_OFFSET: VARCHAR2(5)

## **MONO\_CLAIM**

CLAIM\_THREAD: NUMBER  
COPY\_ID: NUMBER  
CLAIM\_ID: NUMBER  
VENDOR\_ID: NUMBER  
CLAIM\_TYPE: NUMBER  
CLAIM\_DATE: DATE  
CLAIM\_COUNT: NUMBER  
OVERRIDE\_CLAIM\_DATE: DATE

## **MONO\_CLAIM**

CLAIM\_STATUS: NUMBER  
OP\_ID: VARCHAR2(10)  
NOTE: VARCHAR2(256)  
EDI\_REF: NUMBER

## **MONO\_CLAIM\_ARCHIVE**

CLAIM\_THREAD: NUMBER  
COPY\_ID: NUMBER  
CLAIM\_ID: NUMBER  
VENDOR\_ID: NUMBER  
CLAIM\_TYPE: NUMBER  
CLAIM\_DATE: DATE  
CLAIM\_COUNT: NUMBER  
OVERRIDE\_CLAIM\_DATE: DATE  
CLAIM\_STATUS: NUMBER  
OP\_ID: VARCHAR2(10)  
NOTE: VARCHAR2(256)  
EDI\_REF: NUMBER  
ARCHIVE\_DATE: DATE

## **MONO\_SUPPLIER\_REPORT**

AUDIT\_ID: NUMBER  
CLAIM\_ID: NUMBER  
REPORT\_DATE: DATE  
ACTION\_DATE: DATE  
ACTION\_QUANTITY: NUMBER  
REPORT\_TYPE: NUMBER  
EDI\_REF: NUMBER  
NOTE: VARCHAR2(512)

## **MY\_OPAC\_DB**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER

## **MY\_OPAC\_PREFERENCES**

PATRON\_ID: NUMBER  
SEARCH\_PREFERENCES: VARCHAR2(50)

## **NALCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(3)  
LONGCLASS: VARCHAR2(300)

## **NLMCLASS\_VW**

MFHD\_ID: NUMBER  
FIRSTLETTER: VARCHAR2(1)  
CLASS: VARCHAR2(300)  
LONGCLASS: VARCHAR2(7)  
CLASSNUMBER: NUMBER

## **NO\_FILL\_REASON**

REASON\_ID: NUMBER  
REASON\_CODE: VARCHAR2(10)  
REASON\_DESC: VARCHAR2(50)  
SUPPRESS: CHAR(1)

## **NOTE\_TYPE**

## **NOTE\_TYPE**

NOTE\_TYPE: NUMBER  
NOTE\_DESC: VARCHAR2(25)

## **OLDYALECLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(6)

## **OPAC\_CHANGE\_TYPE**

OPAC\_CHANGE\_TYPE: NUMBER  
OPAC\_CHANGE\_DESC: VARCHAR2(25)

## **OPAC\_CIRC\_SETTINGS**

PATRON\_PURGE\_PERIOD: NUMBER  
SELF\_REG\_DFLT\_PATRON\_GRP: NUMBER

## **OPAC\_FORM**

FORM\_ID: NUMBER  
FORM\_CODE: VARCHAR2(10)  
FORM\_NAME: VARCHAR2(40)  
EMAIL: VARCHAR2(100)  
INSTRUCTIONS: VARCHAR2(1000)  
BLANK\_FORM: CHAR(1)  
SUPPRESS\_IN\_OPAC: CHAR(1)  
FORM\_TYPE: CHAR(1)  
OUTPUT\_TYPE: CHAR(1)  
LOGIN: VARCHAR2(15)  
PASSWORD: VARCHAR2(15)  
VOUCHER\_START: NUMBER  
VOUCHER\_END: NUMBER  
VOUCHER\_LAST\_USED: NUMBER  
VOUCHER\_PREFIX: VARCHAR2(4)

## **OPAC\_FORM\_DATABASES**

FORM\_ID: NUMBER  
DB\_CODE: VARCHAR2(8)  
DB\_ID: NUMBER

## **OPAC\_FORM\_FIELDS**

FORM\_ID: NUMBER  
FIELD\_LABEL: VARCHAR2(20)  
FIELD\_REQUIRED: CHAR(1)  
FIELD\_SEQUENCE: NUMBER  
CLIO\_TAG: VARCHAR2(20)  
MAPPING: VARCHAR2(10)  
OPAC\_CHANGE: NUMBER

## **OPAC\_FORM\_PATRON\_GROUP**

FORM\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER

## **OPAC\_FORM\_REQUEST\_FILE**

REQUEST\_ID: NUMBER  
FORM\_ID: NUMBER  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
PATRON\_ID: NUMBER



## **OPAC\_FORM\_REQUEST\_FILE**

PATRON\_GROUP\_ID: NUMBER  
DATE\_REQUESTED: DATE  
FREE\_TEXT1: VARCHAR2(100)  
FREE\_TEXT2: VARCHAR2(100)  
FREE\_TEXT3: VARCHAR2(100)  
FREE\_TEXT4: VARCHAR2(100)  
FREE\_TEXT5: VARCHAR2(100)  
FREE\_TEXT6: VARCHAR2(100)  
NOTE: VARCHAR2(100)  
EXPIRE\_DATE: DATE  
VOUCHER\_NUMBER: NUMBER  
EMAIL\_TEXT: VARCHAR2(2000)

## **OPAC\_FORM\_TYPE**

FORM\_TYPE: CHAR(1)  
FORM\_TYPE\_DESC: VARCHAR2(25)

## **OPAC\_MESSAGES**

TAB\_NUMBER: NUMBER  
LINE\_NUMBER: NUMBER  
OPAC\_LINE: VARCHAR2(70)

## **OPAC\_SEARCH\_LOG**

SEARCH\_DATE: DATE  
STAT\_STRING: VARCHAR2(15)  
SESSION\_ID: VARCHAR2(16)  
SEARCH\_TYPE: VARCHAR2(25)  
SEARCH\_STRING: VARCHAR2(250)  
LIMIT\_FLAG: CHAR(1)  
LIMIT\_STRING: VARCHAR2(250)  
INDEX\_TYPE: CHAR(1)  
RELEVANCE: CHAR(1)  
HYPERLINK: CHAR(1)  
HITS: NUMBER  
SEARCH\_TAB: CHAR(1)  
CLIENT\_TYPE: CHAR(1)  
CLIENT\_IP: VARCHAR2(40)  
DBKEY: VARCHAR2(100)  
REDIRECT\_FLAG: CHAR(1)

## **OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
FIRST\_NAME: VARCHAR2(25)  
MIDDLE\_INITIAL: VARCHAR2(1)  
LAST\_NAME: VARCHAR2(25)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
MODIFY\_DATE: DATE  
MODIFY\_OPID: VARCHAR2(10)  
NEVER\_EXPIRE: CHAR(1)  
MANUAL\_EXPIRE: CHAR(1)  
INVALID\_LOGIN\_TIME: DATE  
LOCKOUT\_TIME: DATE  
LOCKOUT\_COUNTER: NUMBER  
RESTRICT\_PASSWORD\_CHANGE: CHAR(1)

## **OPERATOR\_PASSWORD**

OPERATOR\_ID: VARCHAR2(10)  
PASSWORD: VARCHAR2(1000)  
PASSWORD\_DATE: DATE

## **ORDER\_TYPES**

ORDER\_TYPE: NUMBER  
ORDER\_TYPE\_DESC: VARCHAR2(25)

## **PATCH\_REGISTRY**

RELEASE\_PROCESSED: VARCHAR2(30)  
PATCH\_FILE: VARCHAR2(30)  
PATCH\_STATUS: VARCHAR2(30)  
PATCH\_OPID: VARCHAR2(30)  
PATCH\_DATE: DATE

## **PATRON**

PATRON\_ID: NUMBER  
NAME\_TYPE: NUMBER  
LAST\_NAME: VARCHAR2(50)  
NORMAL\_LAST\_NAME: VARCHAR2(50)  
FIRST\_NAME: VARCHAR2(50)  
NORMAL\_FIRST\_NAME: VARCHAR2(50)  
MIDDLE\_NAME: VARCHAR2(50)  
NORMAL\_MIDDLE\_NAME: VARCHAR2(50)  
TITLE: VARCHAR2(20)  
SSAN: VARCHAR2(11)  
INSTITUTION\_ID: VARCHAR2(30)  
NORMAL\_INSTITUTION\_ID: VARCHAR2(30)  
REGISTRATION\_DATE: DATE  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
HOME\_LOCATION: NUMBER  
CREATE\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
MODIFY\_LOCATION\_ID: NUMBER  
MODIFY\_DATE: DATE  
EXPIRE\_DATE: DATE  
PURGE\_DATE: DATE  
CURRENT\_CHARGES: NUMBER  
TOTAL\_FEES\_DUE: NUMBER  
NOTE\_COUNT: NUMBER  
CURRENT\_HOLD\_SHELF: NUMBER  
RECALLS\_PLACED: NUMBER  
HOLDS\_PLACED: NUMBER  
ITEMS\_RECALLED: NUMBER  
HISTORICAL\_CHARGES: NUMBER  
CLAIMS\_RETURN: NUMBER  
LOST\_ITEMS: NUMBER  
SELF\_SHELVED: NUMBER  
COUNTER\_RESET\_DATE: DATE  
COUNTER\_RESET\_OPER\_ID: VARCHAR2(10)  
CURRENT\_BOOKINGS: NUMBER  
LATE\_MEDIA\_RETURNS: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER  
CANCELLED\_BOOKINGS: NUMBER  
UNCLAIMED\_BOOKINGS: NUMBER  
MEDIA\_COUNTER\_RESET\_DATE: DATE

## **PATRON**

MEDIA\_COUNTER\_RESET\_OPID: VARCHAR2(10)  
CURRENT\_CALL\_SLIPS: NUMBER  
HISTORICAL\_CALL\_SLIPS: NUMBER  
HISTORICAL\_DISTRIBUTIONS: NUMBER  
CURRENT\_SHORT\_LOANS: NUMBER  
HISTORICAL\_SHORT\_LOANS: NUMBER  
UNCLAIMED\_SHORT\_LOANS: NUMBER  
DB\_ID: NUMBER  
PATRON\_ID\_UB: NUMBER  
CURRENT\_CHARGES\_UB: NUMBER  
HISTORICAL\_CHARGES\_UB: NUMBER  
REQUESTS\_UB: NUMBER  
HISTORICAL\_REQUESTS\_UB: NUMBER  
CLAIMS\_RETURN\_UB: NUMBER  
LOST\_ITEMS\_UB: NUMBER  
TOTAL\_FEES\_DUE\_UB: NUMBER  
SELF\_SHELVED\_UB: NUMBER  
PATRON\_PIN: VARCHAR2(12)  
SUSPENSION\_DATE: DATE  
TOTAL\_DEMERITS: NUMBER  
TOTAL\_DEMERITS\_DUE\_UB: NUMBER  
SMS\_NUMBER: VARCHAR2(50)  
BIRTH\_DATE: DATE  
MAJOR: VARCHAR2(50)  
DEPARTMENT: VARCHAR2(50)  
LAST\_USE\_DATE: DATE

## **PATRON\_ADDRESS**

ADDRESS\_ID: NUMBER  
PATRON\_ID: NUMBER  
ADDRESS\_TYPE: NUMBER  
ADDRESS\_STATUS: CHAR(1)  
PROTECT\_ADDRESS: CHAR(1)  
ADDRESS\_LINE1: VARCHAR2(100)  
ADDRESS\_LINE2: VARCHAR2(100)  
ADDRESS\_LINE3: VARCHAR2(100)  
ADDRESS\_LINE4: VARCHAR2(100)  
ADDRESS\_LINE5: VARCHAR2(100)  
CITY: VARCHAR2(40)  
STATE\_PROVINCE: VARCHAR2(7)  
ZIP\_POSTAL: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
EFFECT\_DATE: DATE  
EXPIRE\_DATE: DATE  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **PATRON\_BARCODE**

PATRON\_BARCODE\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
PATRON\_BARCODE: VARCHAR2(25)  
BARCODE\_STATUS: NUMBER  
BARCODE\_STATUS\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
HOME\_BARCODE\_ID: NUMBER

## **PATRON\_BARCODE**

HOME\_PATRON\_GROUP\_ID: NUMBER

## **PATRON\_BARCODE\_STATUS**

BARCODE\_STATUS\_TYPE: NUMBER

BARCODE\_STATUS\_DESC: VARCHAR2(25)

## **PATRON\_GROUP**

PATRON\_GROUP\_ID: NUMBER

PATRON\_GROUP\_CODE: VARCHAR2(10)

PATRON\_GROUP\_NAME: VARCHAR2(25)

PATRON\_GROUP\_DISPLAY: VARCHAR2(40)

DEMERITS\_APPLIES: CHAR(1)

MAX\_DEMERITS: NUMBER

SUSPENSION\_DAYS: NUMBER

CIRC\_CLUSTER\_ID: NUMBER

CHARGED\_STATUS\_DISPLAY: CHAR(1)

CHARGE\_LIMIT: NUMBER

CHARGE\_LIMIT\_APPLY: CHAR(1)

## **PATRON\_GROUP\_ITEM\_TYPE**

PATRON\_GROUP\_ID: NUMBER

ITEM\_TYPE\_ID: NUMBER

CHARGE\_LIMIT: NUMBER

## **PATRON\_GROUP\_POLICY**

CIRC\_GROUP\_ID: NUMBER

PATRON\_GROUP\_ID: NUMBER

FEES\_APPLIES: CHAR(1)

MAX\_OUTSTANDING\_BALANCE: NUMBER

OVERDUE\_NOTICE\_APPLIES: CHAR(1)

MIN\_BALANCE\_FOR\_NOTICE: NUMBER

MAX\_ITEM\_LIMIT: CHAR(1)

ITEM\_LIMIT: NUMBER

MAX\_OVERDUE\_LIMIT: CHAR(1)

OVERDUE\_LIMIT: NUMBER

MAX\_OVERDUE\_RECALL\_LIMIT: CHAR(1)

OVERDUE\_RECALL\_LIMIT: NUMBER

MAX\_RECALL\_LIMIT: CHAR(1)

RECALL\_LIMIT: NUMBER

MAX\_SELF\_SHELVE\_LIMIT: CHAR(1)

SELF\_SHELVE\_LIMIT: NUMBER

MAX\_CLAIM\_RETURN\_LIMIT: CHAR(1)

CLAIM\_RETURN\_LIMIT: NUMBER

MAX\_LOST\_LIMIT: CHAR(1)

LOST\_LIMIT: NUMBER

PLACE\_HOLD\_OUTSIDE\_LIB: CHAR(1)

PLACE\_HOLD\_INSIDE\_LIB: CHAR(1)

PLACE\_RECALL\_OUTSIDE\_LIB: CHAR(1)

PLACE\_RECALL\_INSIDE\_LIB: CHAR(1)

PLACE\_INTERLIB\_LOAN\_REQ: CHAR(1)

PLACE\_PURCHASE\_REQ: CHAR(1)

COURTESY\_NOTICE\_APPLIES: CHAR(1)

CALL\_SLIP\_LIMIT: NUMBER

MAX\_CALL\_SLIPS: CHAR(1)

PLACE\_CALL\_SLIPS: CHAR(1)

EMAIL\_COURTESY\_NOTICE: CHAR(1)

## **PATRON\_GROUP\_POLICY**

EMAIL\_CANCELLATION\_NOTICE: CHAR(1)  
EMAIL\_ITEM\_AVAILABLE\_NOTICE: CHAR(1)  
EMAIL\_OVERDUE\_NOTICE: CHAR(1)  
EMAIL\_OVERDUE\_NOTICE\_OTHER: CHAR(1)  
EMAIL\_OVERDUE\_RECALL\_NOTICE: CHAR(1)  
EMAIL\_RECALL\_NOTICE: CHAR(1)  
PLACE\_SHORT\_LOAN\_IN\_LIB: CHAR(1)  
MAX\_TOTAL\_SHORT\_LOAN: CHAR(1)  
TOTAL\_SHORT\_LOAN: NUMBER  
MAX\_TITLE\_SHORT\_LOAN: CHAR(1)  
TITLE\_SHORT\_LOAN: NUMBER  
MAX\_DAY\_SHORT\_LOAN: CHAR(1)  
DAY\_SHORT\_LOAN: NUMBER  
HOLD\_REQUEST\_LIMIT: NUMBER  
MAX\_HOLD\_REQUEST: CHAR(1)  
INCLUDE\_HOLD\_IN\_BORROW\_LIMIT: CHAR(1)

## **PATRON\_NAME\_TYPE**

PATRON\_NAME\_TYPE: NUMBER  
PATRON\_NAME\_DESC: VARCHAR2(25)

## **PATRON\_NOTES**

PATRON\_NOTE\_ID: NUMBER  
PATRON\_ID: NUMBER  
NOTE\_TYPE: NUMBER  
ADDRESS\_ID: NUMBER  
NOTE: VARCHAR2(1900)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **PATRON\_PHONE**

PATRON\_PHONE\_ID: NUMBER  
ADDRESS\_ID: NUMBER  
PHONE\_TYPE: NUMBER  
PHONE\_NUMBER: VARCHAR2(25)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **PATRON\_STAT\_CODE**

PATRON\_STAT\_ID: NUMBER  
PATRON\_STAT\_CODE: VARCHAR2(3)  
PATRON\_STAT\_DESC: VARCHAR2(25)

## **PATRON\_STATS**

PATRON\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER  
DATE\_APPLIED: DATE

## **PATTERN**

PATTERN\_ID: NUMBER  
PATTERN\_NAME: VARCHAR2(40)  
PATTERN\_NAME\_NORM: VARCHAR2(40)  
FREQUENCY\_CODE: CHAR(1)  
LVL1: VARCHAR2(20)  
LVL1\_SCHEME: CHAR(2)  
LVL2: VARCHAR2(20)  
LVL2\_MAX: NUMBER

## **PATTERN**

LVL2\_SCHEME: CHAR(2)  
LVL2\_NUM\_CONT: NUMBER  
LVL3: VARCHAR2(20)  
LVL3\_MAX: NUMBER  
LVL3\_SCHEME: CHAR(2)  
LVL3\_NUM\_CONT: NUMBER  
LVL4: VARCHAR2(20)  
LVL4\_MAX: NUMBER  
LVL4\_SCHEME: CHAR(2)  
LVL4\_NUM\_CONT: NUMBER  
LVL5: VARCHAR2(20)  
LVL5\_MAX: NUMBER  
LVL5\_SCHEME: CHAR(2)  
LVL5\_NUM\_CONT: NUMBER  
LVL6: VARCHAR2(20)  
LVL6\_MAX: NUMBER  
LVL6\_SCHEME: CHAR(2)  
LVL6\_NUM\_CONT: NUMBER  
ALT\_LVL1: VARCHAR2(20)  
ALT\_LVL1\_SCHEME: CHAR(2)  
ALT\_LVL2: VARCHAR2(20)  
ALT\_LVL2\_MAX: NUMBER  
ALT\_LVL2\_SCHEME: CHAR(2)  
ALT\_LVL2\_NUM\_CONT: NUMBER  
CHRON1: NUMBER  
CHRON2: NUMBER  
CHRON3: NUMBER  
CHRON4: NUMBER  
ALT\_CHRON1: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER

## **PHONE\_TYPE**

PHONE\_TYPE: NUMBER  
PHONE\_DESC: VARCHAR2(25)

## **PO\_FUNDS**

PO\_ID: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_ID: NUMBER  
COMMIT\_PENDING: NUMBER  
COMMITMENTS: NUMBER  
EXPEND\_PENDING: NUMBER  
EXPENDITURES: NUMBER

## **PO\_NOTES**

PO\_ID: NUMBER  
PRINT\_NOTE: VARCHAR2(60)  
NOTE: VARCHAR2(1900)

## **PO\_STATUS**

PO\_STATUS: NUMBER

## **PO\_STATUS**

PO\_STATUS\_DESC: VARCHAR2(25)

## **PO\_TYPE**

PO\_TYPE: NUMBER

PO\_TYPE\_DESC: VARCHAR2(25)

## **PO\_TYPE\_RULES**

RULE\_ID: NUMBER

PO\_TYPE\_ID: NUMBER

SINGLE\_PART: CHAR(1)

SP\_INCREASE: NUMBER

SUBSCRIPTION: CHAR(1)

SUB\_INCREASE: NUMBER

MEMBERSHIP: CHAR(1)

MEM\_INCREASE: NUMBER

STANDING\_ORDER: CHAR(1)

SO\_INCREASE: NUMBER

BLANKET\_ORDER: CHAR(1)

BO\_INCREASE: NUMBER

MULTI\_PART: CHAR(1)

MP\_INCREASE: NUMBER

APPROVAL: CHAR(1)

APL\_INCREASE: NUMBER

## **PO\_VENDOR\_HISTORY**

AUDIT\_ID: NUMBER

PO\_ID: NUMBER

VENDOR\_ID: NUMBER

ACCOUNT\_ID: NUMBER

REPLACE\_DATE: DATE

REPLACE\_OPID: VARCHAR2(10)

REPLACE\_LOCATION: NUMBER

## **PRICE\_ADJUSTMENT**

OBJECT\_TYPE: CHAR(1)

OBJECT\_ID: NUMBER

SEQUENCE: NUMBER

REASON\_ID: NUMBER

METHOD: NUMBER

ADJUST\_AMOUNT: NUMBER

PAYMENT\_ID: NUMBER

## **PRIMO\_AVAIL**

BIB\_ID: NUMBER

DELETED\_YN: CHAR(1)

AVAIL\_HASH: NUMBER

## **PRINT\_LOCATION**

PRINT\_LOCATION\_ID: NUMBER

PRINT\_LOCATION\_CODE: VARCHAR2(10)

PRINT\_LOCATION\_NAME: VARCHAR2(25)

DEFAULT\_PRINTING: CHAR(1)

CIRC\_GLOBAL\_PRINTING: CHAR(1)

ACQ\_GLOBAL\_PRINTING: CHAR(1)

CAT\_GLOBAL\_PRINTING: CHAR(1)

MEDIA\_GLOBAL\_PRINTING: CHAR(1)

## **PROXY\_PATRON**

PATRON\_BARCODE\_ID: NUMBER  
PATRON\_BARCODE\_ID\_PROXY: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION: NUMBER  
EXPIRATION\_DATE: DATE

## **PURCHASE\_ORDER**

PO\_ID: NUMBER  
VENDOR\_ID: NUMBER  
ACCOUNT\_ID: NUMBER  
PO\_TYPE: NUMBER  
PO\_NUMBER: VARCHAR2(25)  
NORMAL\_PO\_NUMBER: VARCHAR2(25)  
ORDER\_LOCATION: NUMBER  
SHIP\_LOCATION: NUMBER  
BILL\_LOCATION: NUMBER  
CURRENCY\_CODE: VARCHAR2(3)  
CONVERSION\_RATE: NUMBER  
PO\_STATUS: NUMBER  
PO\_STATUS\_DATE: DATE  
PO\_CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
PO\_UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_LOCATION\_ID: NUMBER  
SHIP\_VIA: VARCHAR2(20)  
NOT\_NEEDED\_AFTER: DATE  
RUSH: CHAR(1)  
CLAIM\_INTERVAL: NUMBER  
CANCEL\_INTERVAL: NUMBER  
LINE\_ITEM\_COUNT: NUMBER  
LINE\_ITEM\_SUBTOTAL: NUMBER  
ADJUSTMENTS\_SUBTOTAL: NUMBER  
TOTAL: NUMBER  
EDI\_REF: NUMBER  
PO\_APPROVE\_DATE: DATE  
APPROVE\_OPID: VARCHAR2(10)  
APPROVE\_LOCATION\_ID: NUMBER  
PREPAY\_CONVERSION\_RATE: NUMBER

## **RDA\_CODES**

TYPE: VARCHAR2(20)  
SUBFIELD\_A: VARCHAR2(50)  
SUBFIELD\_B: VARCHAR2(50)

## **RECORD\_SET**

RECORD\_SET\_ID: NUMBER  
RECORD\_SET\_NAME: VARCHAR2(200)  
DESCRIPTION: VARCHAR2(2000)  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
LAST\_MODIFY\_DATE: DATE  
RECORD\_SET\_TYPE\_ID: NUMBER  
RECORD\_TYPE\_ID: NUMBER



## **RECORD\_SET**

### **RECORD\_SET\_RECORDS**

RECORD\_SET\_ID: NUMBER  
RECORD\_ID: NUMBER  
RECORD\_SET\_BULK\_NUM: NUMBER

### **RECORD\_SET\_TYPE**

RECORD\_SET\_TYPE\_ID: NUMBER  
RECORD\_SET\_TYPE\_DESC: VARCHAR2(200)

### **RECORD\_TYPE**

RECORD\_TYPE\_ID: NUMBER  
RECORD\_TYPE\_DESC: VARCHAR2(200)

### **RECORDCOUNT\_VW**

RecordType: VARCHAR2(21)  
Count: NUMBER

### **REFERENCE\_TYPE**

REFERENCE\_TYPE: CHAR(1)  
REFERENCE\_TYPE\_DESC: VARCHAR2(20)  
DISPLAY\_CONSTANT: VARCHAR2(80)

### **REMOTE\_CIRC\_CLUSTER\_CACHE**

DB\_ID: NUMBER  
REMOTE\_CIRC\_CLUSTER\_ID: NUMBER  
REMOTE\_CIRC\_CLUSTER\_CODE: VARCHAR2(10)  
REMOTE\_CIRC\_CLUSTER\_NAME:  
VARCHAR2(100)  
UPDATE\_DATE: DATE

### **REMOTE\_PATRON\_GROUP\_CACHE**

DB\_ID: NUMBER  
REMOTE\_CIRC\_CLUSTER\_ID: NUMBER  
REMOTE\_PATRON\_GROUP\_ID: NUMBER  
UPDATE\_DATE: DATE

### **REMOTE\_STORAGE\_QUEUE**

QUEUE\_ID: NUMBER  
LOCATION\_ID: NUMBER  
MESSAGE\_TYPE: CHAR(4)  
ITEM\_BARCODE: VARCHAR2(30)  
ITEM\_ID: NUMBER  
PATRON\_ID: NUMBER  
SENT: CHAR(1)  
PICKUP\_LOCATION\_ID: NUMBER

### **RENEW\_TRANS\_ARCHIVE**

CIRC\_TRANSACTION\_ID: NUMBER  
RENEW\_DATE: DATE  
RENEW\_DUE\_DATE: DATE  
RENEW\_LOCATION: NUMBER  
RENEW\_TYPE: CHAR(1)  
RENEW\_OPER\_ID: VARCHAR2(10)

### **RENEW\_TRANSACTIONS**

CIRC\_TRANSACTION\_ID: NUMBER  
RENEW\_DATE: DATE

## **RENEW\_TRANSACTIONS**

RENEW\_DUE\_DATE: DATE  
RENEW\_LOCATION: NUMBER  
RENEW\_TYPE: CHAR(1)  
RENEW\_OPER\_ID: VARCHAR2(10)

## **REPORT\_TYPES**

REPORT\_TYPE: NUMBER  
EDI\_CODE: VARCHAR2(11)  
REPORT\_TYPE\_DESC: VARCHAR2(70)

## **REPORTING\_LEVEL**

REPORTING\_LEVEL\_ID: NUMBER  
REPORTING\_LEVEL\_NAME: VARCHAR2(50)

## **REPORTING\_OPERATOR**

REPORTING\_PROFILE\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)

## **REPORTING\_PROFILE**

REPORTING\_PROFILE\_ID: NUMBER  
REPORTING\_PROFILE\_NAME: VARCHAR2(25)  
REPORTING\_LEVEL\_ID: NUMBER  
DATABASE\_MODEL: CHAR(1)  
SYSADMIN: CHAR(1)  
CATALOGING: CHAR(1)  
ACQUISITIONS\_SERIALS: CHAR(1)  
CIRCULATION\_CALL\_SLIP: CHAR(1)  
MEDIA\_SCHEDULING: CHAR(1)  
OPAC: CHAR(1)  
REMOTE\_STORAGE: CHAR(1)  
LOCAL\_UB: CHAR(1)

## **REQUEST\_CONFIG**

CIRC\_CLUSTER\_ID: NUMBER  
OPAC\_TITLE\_LEVEL\_HOLD: CHAR(1)  
OPAC\_COPY\_LEVEL\_HOLD: CHAR(1)  
OPAC\_TITLE\_LEVEL\_RECALL: CHAR(1)  
OPAC\_COPY\_LEVEL\_RECALL: CHAR(1)  
CIRC\_TITLE\_LEVEL\_HOLD: CHAR(1)  
CIRC\_COPY\_LEVEL\_HOLD: CHAR(1)  
CIRC\_TITLE\_LEVEL\_RECALL: CHAR(1)  
CIRC\_COPY\_LEVEL\_RECALL: CHAR(1)  
WS\_TITLE\_LEVEL\_HOLD: CHAR(1)  
WS\_COPY\_LEVEL\_HOLD: CHAR(1)  
WS\_TITLE\_LEVEL\_RECALL: CHAR(1)  
WS\_COPY\_LEVEL\_RECALL: CHAR(1)

## **REQUEST\_GROUP**

GROUP\_ID: NUMBER  
GROUP\_CODE: VARCHAR2(10)  
GROUP\_NAME: VARCHAR2(25)

## **REQUEST\_GROUP\_LOCATION**

GROUP\_ID: NUMBER  
LOCATION\_ID: NUMBER

## **REQUEST\_HISTORY**

## **REQUEST\_HISTORY**

CALL\_SLIP\_ID: NUMBER  
DB\_KEY: VARCHAR2(100)  
CIRC\_CLUSTER\_ID: NUMBER  
SEQUENCE: NUMBER  
PROMOTE\_DATE: DATE

## **RESERVE\_ITEM\_HISTORY**

ITEM\_ID: NUMBER  
EFFECT\_DATE: DATE  
EXPIRE\_DATE: DATE  
RESERVE\_CHARGES: NUMBER

## **RESERVE\_LIST**

RESERVE\_LIST\_ID: NUMBER  
RESERVE\_LOCATION: NUMBER  
RESERVE\_ITEM\_TYPE: NUMBER  
LIST\_TITLE: VARCHAR2(40)  
NORMAL\_LIST\_TITLE: VARCHAR2(40)  
EFFECT\_DATE: DATE  
EXPIRE\_DATE: DATE  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER

## **RESERVE\_LIST\_COURSES**

RESERVE\_LIST\_ID: NUMBER  
DEPARTMENT\_ID: NUMBER  
INSTRUCTOR\_ID: NUMBER  
COURSE\_ID: NUMBER  
SECTION\_ID: NUMBER

## **RESERVE\_LIST\_EITEMS**

EITEM\_ID: NUMBER  
RESERVE\_LIST\_ID: NUMBER

## **RESERVE\_LIST\_ITEMS**

RESERVE\_LIST\_ID: NUMBER  
ITEM\_ID: NUMBER

## **ROLLOVER\_AUDIT**

AUDIT\_ID: NUMBER  
RUN\_ID: NUMBER  
RECORD\_ID: NUMBER  
PARENT\_ID: NUMBER  
RECORD\_TYPE: NUMBER  
RESULT\_CODE: NUMBER  
TIMESTAMP: DATE  
OTHER\_INFO: VARCHAR2(50)

## **ROLLOVER\_RESULT\_CODES**

RESULT\_CODE: NUMBER  
DESCRIPTION: VARCHAR2(256)

## **ROLLOVER\_RULES**

## **ROLLOVER\_RULES**

RULE\_ID: NUMBER  
RULE\_NAME: VARCHAR2(25)  
NORMAL\_RULE\_NAME: VARCHAR2(25)  
FISCAL\_PERIOD\_ID: NUMBER  
NEW\_FISCAL\_PERIOD\_ID: NUMBER  
INITIALIZE\_TYPE: CHAR(1)  
CREATE\_DATE: DATE  
CREATE\_OP\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OP\_ID: VARCHAR2(10)  
ACTION\_INDICATOR: CHAR(1)  
COPY\_NOTES: CHAR(1)

## **ROUTING\_LIST**

ROUTING\_LIST\_ID: NUMBER  
NAME: VARCHAR2(45)  
NORMAL\_NAME: VARCHAR2(45)  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
CREATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
NOTE: VARCHAR2(256)  
PRINT\_NOTE: CHAR(1)

## **ROUTING\_LIST\_MEMBERS**

ROUTING\_LIST\_ID: NUMBER  
MEMBER\_ID: NUMBER  
MEMBER\_TYPE: CHAR(1)  
RANK: NUMBER  
ADD\_DATE: DATE

## **RULE\_DOC**

RULE\_DOC\_ID: NUMBER  
NAME: VARCHAR2(200)  
DSL\_NAME: VARCHAR2(200)  
RULES: BLOB  
TYPE: NUMBER  
DESCRIPTION: VARCHAR2(2000)  
CREATE\_OPERATOR: VARCHAR2(10)  
UPDATE\_OPERATOR: VARCHAR2(10)  
LAST\_MODIFY\_DATE: DATE  
PARAMETER\_PTR: CLOB

## **RULE\_SET**

RULE\_SET\_ID: NUMBER  
NAME: VARCHAR2(200)  
TYPE: NUMBER  
DESCRIPTION: VARCHAR2(2000)  
CREATE\_OPERATOR: VARCHAR2(10)  
UPDATE\_OPERATOR: VARCHAR2(10)  
LAST\_MODIFY\_DATE: DATE  
PARAMETER\_PTR: CLOB

## **RULESET\_RULEDOC**

## **RULESET\_RULEDOC**

RULE\_SET\_ID: NUMBER  
RULE\_DOC\_ID: NUMBER  
RULE\_ORDER: NUMBER

## **SAVED\_RECORDS\_RESULTS**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
BIB\_ID: NUMBER  
SAVE\_DATE: DATE

## **SAVED\_SEARCHES**

SAVED\_SEARCHES\_ID: NUMBER  
PATRON\_ID: NUMBER  
SEARCH\_DATE: DATE  
SEARCH\_TYPE: VARCHAR2(250)  
SEARCH\_STRING: VARCHAR2(700)  
LIMIT\_FLAG: CHAR(1)  
LIMIT\_STRING: VARCHAR2(250)  
INDEX\_TYPE: CHAR(1)  
RELEVANCE: CHAR(1)  
SEARCH\_TAB: CHAR(1)  
LAST\_EXECUTED: DATE  
SDI\_NEW\_HITS: CHAR(1)  
SDI\_INTERVAL\_ID: NUMBER  
SEARCH\_PAGE: VARCHAR2(3000)  
NUMBER\_HITS: NUMBER

## **SDI\_INTERVALS**

SDI\_INTERVAL\_ID: NUMBER  
SDI\_INTERVAL\_CODE: VARCHAR2(10)  
SDI\_INTERVAL\_DAYS: NUMBER

## **SEARCHFIELDS**

SEARCHCODE: CHAR(4)  
FIELD CODE: CHAR(4)

## **SEARCHPARM**

SEARCHCODE: CHAR(4)  
SEARCHNAME: VARCHAR2(40)  
INDEXRULES: VARCHAR2(300)  
OPACSUPPRESS: CHAR(1)  
STAFFSUPPRESS: CHAR(1)  
DISPLAYFIELD1: VARCHAR2(30)  
DISPLAYFIELD2: VARCHAR2(30)  
DISPLAYFIELD3: VARCHAR2(30)  
SORTFIELD1: VARCHAR2(30)  
SORTFIELD2: VARCHAR2(30)  
SORTFIELD3: VARCHAR2(30)  
OPACCOUNT: NUMBER  
CIRCCOUNT: NUMBER  
ACQCOUNT: NUMBER  
CATCOUNT: NUMBER  
ORDERING: NUMBER  
Z3950\_USE\_ATTRIBUTE: NUMBER  
MEDIACOUNT: NUMBER  
RDA\_FORMATS: VARCHAR2(3)

## **SELF\_REG\_FIELDS**

FIELD\_CODE: VARCHAR2(30)

VISIBLE: CHAR(1)

REQUIRED: CHAR(1)

## **SERIAL\_CLAIM**

CLAIM\_THREAD: NUMBER

ISSUE\_ID: NUMBER

COMPONENT\_ID: NUMBER

COPY\_ID: NUMBER

LOCATION\_ID: NUMBER

CLAIM\_ID: NUMBER

VENDOR\_ID: NUMBER

CLAIM\_TYPE: NUMBER

CLAIM\_DATE: DATE

CLAIM\_COUNT: NUMBER

OVERRIDE\_CLAIM\_DATE: DATE

CLAIM\_STATUS: NUMBER

OP\_ID: VARCHAR2(10)

NOTE: VARCHAR2(256)

EDI\_REF: NUMBER

## **SERIAL\_CLAIM\_ARCHIVE**

CLAIM\_THREAD: NUMBER

ISSUE\_ID: NUMBER

COMPONENT\_ID: NUMBER

COPY\_ID: NUMBER

LOCATION\_ID: NUMBER

CLAIM\_ID: NUMBER

VENDOR\_ID: NUMBER

CLAIM\_TYPE: NUMBER

CLAIM\_DATE: DATE

CLAIM\_COUNT: NUMBER

OVERRIDE\_CLAIM\_DATE: DATE

CLAIM\_STATUS: NUMBER

OP\_ID: VARCHAR2(10)

NOTE: VARCHAR2(256)

EDI\_REF: NUMBER

ARCHIVE\_DATE: DATE

## **SERIAL\_ISSUES**

ISSUE\_ID: NUMBER

COMPONENT\_ID: NUMBER

ENUMCHRON: VARCHAR2(256)

LVL1: NUMBER

LVL2: NUMBER

LVL3: NUMBER

LVL4: NUMBER

LVL5: NUMBER

LVL6: NUMBER

ALT\_LVL1: NUMBER

ALT\_LVL2: NUMBER

CHRON1: NUMBER

CHRON2: NUMBER

CHRON3: NUMBER

CHRON4: NUMBER

ALT\_CHRON: NUMBER

## **SERIAL\_ISSUES**

EXPECTED\_DATE: DATE  
RECEIPT\_DATE: DATE  
RECEIVED: NUMBER

## **SERIAL\_SUPPLIER\_REPORT**

AUDIT\_ID: NUMBER  
CLAIM\_ID: NUMBER  
REPORT\_DATE: DATE  
ACTION\_DATE: DATE  
ACTION\_QUANTITY: NUMBER  
REPORT\_TYPE: NUMBER  
EDI\_REF: NUMBER  
NOTE: VARCHAR2(512)

## **SERIALS\_VW**

BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
COMPONENT\_NAME: VARCHAR2(100)  
COMPONENT\_NAME\_NORM: VARCHAR2(100)  
PREDICT: CHAR(1)  
NEXT\_ISSUE\_ID: NUMBER  
NOTE: VARCHAR2(256)  
ISSUE\_ID: NUMBER  
ENUMCHRON: VARCHAR2(256)  
EXPECTED\_DATE: DATE  
RECEIPT\_DATE: DATE  
RECEIVED: NUMBER

## **SHORT\_LOAN**

SHORT\_LOAN\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SHORT\_LOAN\_STATUS\_ID: NUMBER  
STATUS\_DATE: DATE  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
START\_TIME: DATE  
END\_TIME: DATE  
PICKUP\_LOCATION: NUMBER  
NOTE: VARCHAR2(100)  
CREATE\_DATE: DATE  
CREATE\_LOCATION: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION: NUMBER  
UPDATE\_OPID: VARCHAR2(10)

## **SHORT\_LOAN\_ARCHIVE**

SHORT\_LOAN\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SHORT\_LOAN\_STATUS\_ID: NUMBER  
STATUS\_DATE: DATE  
BIB\_ID: NUMBER

## **SHORT\_LOAN\_ARCHIVE**

MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
START\_TIME: DATE  
END\_TIME: DATE  
PICKUP\_LOCATION: NUMBER  
NOTE: VARCHAR2(100)  
CREATE\_DATE: DATE  
CREATE\_LOCATION: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION: NUMBER  
UPDATE\_OPID: VARCHAR2(10)

## **SHORT\_LOAN\_STATS**

SHORT\_LOAN\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER

## **SHORT\_LOAN\_STATUS**

SHORT\_LOAN\_STATUS\_ID: NUMBER  
SHORT\_LOAN\_STATUS\_DESC: VARCHAR2(40)

## **SIMUL\_MERGE\_PROFILE**

BIB\_FIELD1: VARCHAR2(30)  
BIB\_FIELD2: VARCHAR2(30)  
BIB\_FIELD3: VARCHAR2(30)  
CITATION\_FIELD1: VARCHAR2(30)  
CITATION\_FIELD2: VARCHAR2(30)  
CITATION\_FIELD3: VARCHAR2(30)  
PSEUDO\_RELEVANCE: CHAR(1)

## **SNV\_FIELDS**

SNV\_FIELDS\_ID: NUMBER  
SNV\_ID: NUMBER  
RECORD\_TYPE: CHAR(1)  
FIELD: CHAR(3)  
SUBFIELD: CHAR(1)  
IND1: CHAR(1)  
IND2: CHAR(1)  
SNV\_VALIDATION\_TYPE: VARCHAR2(10)  
NORMRULES: VARCHAR2(10)

## **SORT\_GROUP**

SORT\_GROUP\_ID: NUMBER  
SEQUENCE\_NUMBER: NUMBER  
SORT\_GROUP\_DEFAULT: CHAR(1)  
SORT\_GROUP\_NAME: VARCHAR2(40)  
SORT\_GROUP\_CODE: VARCHAR2(8)

## **SORT\_GROUP\_LOCATION**

SORT\_GROUP\_ID: NUMBER  
SEQUENCE\_NUMBER: NUMBER  
LOCATION\_ID: NUMBER

## **STANDARD\_NUMBER\_VALIDATION**

SNV\_ID: NUMBER  
SNV\_CODE: CHAR(7)  
SNV\_NAME: VARCHAR2(20)



## **SUBDIVISION**

SUBDIV\_ID: NUMBER  
NORMAL\_SUBDIV: VARCHAR2(300)  
DISPLAY\_SUBDIV: VARCHAR2(300)  
SUBDIV\_TYPE: CHAR(1)  
HEADING\_TYPE: VARCHAR2(12)  
AUTHORIZED: CHAR(1)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE

## **SUBDIVISION\_TYPE**

SUBDIV\_TYPE: CHAR(1)  
SUBDIV\_TYPE\_DESC: VARCHAR2(50)

## **SUBSCRIPTION**

SUBSCRIPTION\_ID: NUMBER  
LINE\_ITEM\_ID: NUMBER  
START\_DATE: DATE  
SUBSCRIPTION\_LENGTH: NUMBER  
LENGTH\_TYPE: NUMBER  
RENEWAL\_DATE: DATE  
AUTO\_RENEWAL: CHAR(1)  
SICI: VARCHAR2(45)  
NORMAL\_SICI: VARCHAR2(45)  
UPC: VARCHAR2(30)  
NORMAL\_UPC: VARCHAR2(30)  
NOTE: VARCHAR2(256)

## **SUDOCCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(300)  
LONGCLASS: VARCHAR2(12)

## **SUPPRESS\_SYSTEM\_CLAIMS**

COMPONENT\_ID: NUMBER  
ISSUE\_ID: NUMBER

## **UB\_CHARGE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
CIRC\_TRANSACTION\_ID: NUMBER  
DUE\_DATE: DATE  
DISCHARGE\_DATE: DATE  
RECALL\_DATE: DATE

## **UB\_CHARGE\_ARCHIVE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
CIRC\_TRANSACTION\_ID: NUMBER  
DUE\_DATE: DATE  
DISCHARGE\_DATE: DATE  
RECALL\_DATE: DATE

## **UB\_FINE\_FEE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
FINE\_FEE\_TOTAL: NUMBER  
UPDATE\_DATE: DATE

## **UB\_FINE\_FEE**

DEMERITS\_TOTAL: NUMBER

## **UB\_HOLD**

PICKUP\_DB\_ID: NUMBER

HOLD\_RECALL\_ID: NUMBER

PATRON\_ID: NUMBER

ITEM\_ID: NUMBER

## **UB\_PATRON\_GROUP\_MAP**

PATRON\_GROUP\_ID: NUMBER

DB\_ID: NUMBER

PATRON\_GROUP\_ID\_MAPPED: NUMBER

MANUAL\_MAP: CHAR(1)

CIRC\_CLUSTER\_ID: NUMBER

REMOTE\_CIRC\_CLUSTER\_ID: NUMBER

## **UB\_PATRON\_RECORD**

PATRON\_ID: NUMBER

PATRON\_STUB\_ID: NUMBER

DB\_ID: NUMBER

CIRC\_CLUSTER\_ID: NUMBER

CREATE\_DATE: DATE

UPDATE\_DATE: DATE

## **UB\_PG\_HOME\_POLICY**

PATRON\_GROUP\_ID: NUMBER

UB\_ELIGIBLE: CHAR(1)

FEES\_APPLIES: CHAR(1)

MAX\_OUTSTANDING\_BALANCE: NUMBER

MAX\_ITEM\_LIMIT: CHAR(1)

ITEM\_LIMIT: NUMBER

MAX\_OVERDUE\_LIMIT: CHAR(1)

OVERDUE\_LIMIT: NUMBER

MAX\_OVERDUE\_RECALL\_LIMIT: CHAR(1)

OVERDUE\_RECALL\_LIMIT: NUMBER

MAX\_SELF\_SHELVE\_LIMIT: CHAR(1)

SELF\_SHELVE\_LIMIT: NUMBER

MAX\_CLAIM\_RETURN\_LIMIT: CHAR(1)

CLAIM\_RETURN\_LIMIT: NUMBER

MAX\_LOST\_LIMIT: CHAR(1)

LOST\_LIMIT: NUMBER

MAX\_UB\_REQUESTS: CHAR(1)

UB\_REQUEST\_LIMIT: NUMBER

MAX\_DEMERITS\_LIMIT: CHAR(1)

DEMERITS\_LIMIT: NUMBER

OUTSTANDING\_BALANCE\_LCLBLOCK: CHAR(1)

ITEM\_LIMIT\_LCLBLOCK: CHAR(1)

OVERDUE\_LIMIT\_LCLBLOCK: CHAR(1)

OVERDUE\_RECALL\_LCLBLOCK: CHAR(1)

SELF\_SHELVE\_LIMIT\_LCLBLOCK: CHAR(1)

CLAIM\_RETURN\_LIMIT\_LCLBLOCK: CHAR(1)

LOST\_LIMIT\_LCLBLOCK: CHAR(1)

UB\_REQUESTS\_LIMIT\_LCLBLOCK: CHAR(1)

DEMERITS\_LIMIT\_LCLBLOCK: CHAR(1)

## **UB\_REQUEST**

## **UB\_REQUEST**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
CALL\_SLIP\_ID: NUMBER  
DATE\_REQUESTED: DATE  
REQUEST\_STATUS: VARCHAR2(25)  
STATUS\_DATE: DATE  
NOT\_NEEDED\_AFTER: NUMBER  
HOLDING\_ITEM\_ID: NUMBER  
PICKUP\_DB\_ID: NUMBER

## **UB\_REQUEST\_ARCHIVE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
CALL\_SLIP\_ID: NUMBER  
DATE\_REQUESTED: DATE  
REQUEST\_STATUS: VARCHAR2(25)  
STATUS\_DATE: DATE  
NOT\_NEEDED\_AFTER: NUMBER  
HOLDING\_ITEM\_ID: NUMBER  
PICKUP\_DB\_ID: NUMBER

## **UB\_REQUEST\_STATUS**

STATUS\_TYPE\_UB: NUMBER  
STATUS\_DESC\_UB: VARCHAR2(25)

## **UB\_ROUTING**

UB\_ROUTING\_ID: NUMBER  
DB\_ID\_FROM: NUMBER  
DB\_ID\_TO: NUMBER  
LOCATION\_ID\_TO: NUMBER  
DB\_ID\_PATRON: NUMBER  
PATRON\_ID\_UB: NUMBER  
DB\_ID\_ITEM: NUMBER  
ITEM\_ID\_UB: NUMBER  
SHIPPED\_DATE: DATE  
RECEIVED\_DATE: DATE  
DB\_ID\_RECEIVED: NUMBER

## **UB\_ROUTING\_ARCHIVE**

UB\_ROUTING\_ID: NUMBER  
DB\_ID\_FROM: NUMBER  
DB\_ID\_TO: NUMBER  
LOCATION\_ID\_TO: NUMBER  
DB\_ID\_PATRON: NUMBER  
PATRON\_ID\_UB: NUMBER  
DB\_ID\_ITEM: NUMBER  
ITEM\_ID\_UB: NUMBER  
SHIPPED\_DATE: DATE  
RECEIVED\_DATE: DATE  
DB\_ID\_RECEIVED: NUMBER

## **UDCCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(6)

## **VENDOR**

VENDOR\_ID: NUMBER

## **VENDOR**

VENDOR\_TYPE: CHAR(2)  
NORMAL\_VENDOR\_TYPE: CHAR(2)  
VENDOR\_CODE: VARCHAR2(10)  
NORMAL\_VENDOR\_CODE: VARCHAR2(10)  
VENDOR\_NAME: VARCHAR2(60)  
NORMAL\_VENDOR\_NAME: VARCHAR2(60)  
FEDERAL\_TAX\_ID: VARCHAR2(10)  
INSTITUTION\_ID: VARCHAR2(25)  
DEFAULT\_CURRENCY: VARCHAR2(3)  
CLAIM\_INTERVAL: NUMBER  
CLAIM\_COUNT: NUMBER  
CANCEL\_INTERVAL: NUMBER  
SHIP\_VIA: VARCHAR2(20)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)

## **VENDOR\_ACCOUNT**

ACCOUNT\_ID: NUMBER  
VENDOR\_ID: NUMBER  
ACCOUNT\_NUMBER: VARCHAR2(25)  
ACCOUNT\_NAME: VARCHAR2(25)  
DEFAULT\_PO\_TYPE: NUMBER  
DEPOSIT: CHAR(1)  
DEFAULT\_DISCOUNT: NUMBER  
ACCOUNT\_STATUS: NUMBER  
STATUS\_DATE: DATE

## **VENDOR\_ADDRESS**

ADDRESS\_ID: NUMBER  
VENDOR\_ID: NUMBER  
STD\_ADDRESS\_NUMBER: VARCHAR2(8)  
ORDER\_ADDRESS: CHAR(1)  
PAYMENT\_ADDRESS: CHAR(1)  
RETURN\_ADDRESS: CHAR(1)  
CLAIM\_ADDRESS: CHAR(1)  
EMAIL\_ADDRESS: CHAR(1)  
OTHER\_ADDRESS: CHAR(1)  
CONTACT\_NAME: VARCHAR2(40)  
CONTACT\_TITLE: VARCHAR2(40)  
ADDRESS\_LINE1: VARCHAR2(50)  
ADDRESS\_LINE2: VARCHAR2(40)  
ADDRESS\_LINE3: VARCHAR2(40)  
ADDRESS\_LINE4: VARCHAR2(40)  
ADDRESS\_LINE5: VARCHAR2(40)  
CITY: VARCHAR2(30)  
STATE\_PROVINCE: VARCHAR2(7)  
ZIP\_POSTAL: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **VENDOR\_BANK\_INFO**

VENDOR\_ID: NUMBER  
ACCOUNT\_NUMBER: VARCHAR2(25)

## **VENDOR\_BANK\_INFO**

TRANSIT\_NUMBER: VARCHAR2(25)  
TAX\_ID\_NUMBER: VARCHAR2(11)  
BANK\_NAME: VARCHAR2(60)  
ADDRESS\_LINE1: VARCHAR2(50)  
ADDRESS\_LINE2: VARCHAR2(40)  
ADDRESS\_LINE3: VARCHAR2(40)  
ADDRESS\_LINE4: VARCHAR2(40)  
ADDRESS\_LINE5: VARCHAR2(40)  
CITY: VARCHAR2(30)  
STATE\_PROVINCE: VARCHAR2(7)  
ZIP\_POSTAL: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
PHONE: VARCHAR2(25)  
FAX: VARCHAR2(25)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **VENDOR\_NOTE**

VENDOR\_ID: NUMBER  
NOTE: VARCHAR2(1900)

## **VENDOR\_PHONE**

ADDRESS\_ID: NUMBER  
PHONE\_TYPE: NUMBER  
PHONE\_NUMBER: VARCHAR2(25)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **VENDOR\_TYPE\_DEFAULTS**

ACQ\_POLICY\_ID: NUMBER  
VENDOR\_TYPE: CHAR(2)  
ORDER\_TYPE: NUMBER  
DISCOUNT: NUMBER  
CLAIM\_INTERVAL: NUMBER  
CLAIM\_COUNT: NUMBER  
CANCEL\_INTERVAL: NUMBER  
SHIP\_VIA: VARCHAR2(20)

## **VENDOR\_TYPES**

VENDOR\_TYPE: CHAR(2)  
VENDOR\_TYPE\_DESC: CHAR(40)

## **VENDORINVOICE\_VW**

VENDOR\_CODE: VARCHAR2(10)  
VENDOR\_NAME: VARCHAR2(60)  
VENDOR\_TYPE: CHAR(40)  
INSTITUTION\_ID: VARCHAR2(25)  
BILL\_TO\_LOCATION\_CODE: VARCHAR2(10)  
BILL\_TO\_LOCATION: VARCHAR2(25)  
INVOICE\_DATE: DATE  
INVOICE\_NUMBER: VARCHAR2(25)  
INVOICE\_ID: NUMBER  
CURRENCY\_CODE: VARCHAR2(3)  
CURRENCY\_NAME: VARCHAR2(75)  
INVOICE\_STATUS: VARCHAR2(25)  
INVOICE\_STATUS\_DATE: DATE

## **VENDORINVOICE\_VW**

VOUCHER\_NUMBER: VARCHAR2(25)  
EXPENDITURES: NUMBER  
EXPEND\_PENDING: NUMBER  
POLICY\_NAME: VARCHAR2(40)  
FISCAL\_PERIOD\_NAME: VARCHAR2(25)  
FISCAL\_PERIOD\_START: DATE  
FISCAL\_PERIOD\_END: DATE  
LEDGER\_NAME: VARCHAR2(40)  
FUND\_NAME: VARCHAR2(25)  
INSTITUTION\_FUND\_ID: VARCHAR2(100)

## **VENDORORDER\_VW**

VENDOR\_CODE: VARCHAR2(10)  
VENDOR\_NAME: VARCHAR2(60)  
INSTITUTION\_ID: VARCHAR2(25)  
VENDOR\_TYPE: CHAR(40)  
PO\_NUMBER: VARCHAR2(25)  
PO\_TYPE: VARCHAR2(25)  
ORDER\_LOCATION\_CODE: VARCHAR2(10)  
ORDER\_LOCATION: VARCHAR2(25)  
PO\_STATUS: VARCHAR2(25)  
PO\_STATUS\_DATE: DATE  
CURRENCY\_NAME: VARCHAR2(75)  
TOTAL: NUMBER  
UNIT\_PRICE: NUMBER  
QUANTITY: NUMBER  
LINE\_PRICE: NUMBER  
MFHD\_ID: NUMBER  
PO\_LINE\_STATUS: VARCHAR2(25)  
INVOICE\_STATUS: VARCHAR2(25)  
LINE\_STATUS\_DATE: DATE

## **VERSIONS**

MODULE: VARCHAR2(20)  
VERSION: VARCHAR2(30)  
SYNCPOINT: NUMBER

## **VOYAGER\_DATABASES**

DB\_CODE: VARCHAR2(10)  
DB\_NAME: VARCHAR2(100)  
DB\_DESC: VARCHAR2(200)  
DB\_PROTOCOL: CHAR(1)  
DB\_TYPE: CHAR(1)  
DB\_SUBTYPE: CHAR(1)  
DB\_WEIGHT: NUMBER  
DATABASE\_NAME: VARCHAR2(50)  
USERID: VARCHAR2(50)  
PASSWORD: VARCHAR2(50)  
MAXHITS: NUMBER  
SEARCHTIMEOUT: NUMBER  
RETRIEVALTIMEOUT: NUMBER  
IMPLEMENTOR: VARCHAR2(5)  
DUP\_PROFILE\_ID: NUMBER  
OPACSUPPRESS: CHAR(1)  
STAFFSUPPRESS: CHAR(1)  
DB\_PUBLIC: CHAR(1)

## **VOYAGER\_DATABASES**

MAX\_LICENSE: NUMBER  
STAFF\_POOL: NUMBER  
PUBLIC\_POOL: NUMBER  
ACTION: VARCHAR2(10)  
PUBLIC\_HIGHWATER: NUMBER  
STAFF\_HIGHWATER: NUMBER  
DB\_KEY: VARCHAR2(100)  
DB\_ID: NUMBER  
UB\_DB: CHAR(1)  
CONNECTTIMEOUT: NUMBER  
CHAR\_SET\_ID: NUMBER

## **WOPAC\_PID\_PATRON\_KEYS**

PID: VARCHAR2(80)  
PATRON\_KEY: VARCHAR2(30)

## **Z3950\_ATTRIBUTES**

DB\_CODE: VARCHAR2(8)  
SEARCHCODE: CHAR(4)  
ATTRIBUTES: VARCHAR2(40)  
ATTRIB\_DESC: VARCHAR2(50)  
RH\_TRUNCATION: CHAR(1)  
LH\_TRUNCATION: CHAR(1)  
BOOLEAN\_ENABLED: CHAR(1)  
DB\_ID: NUMBER