

Kofax MarkView

Release Notes for Oracle E-Business Suite

Version: 9.1.0

Date: 2016-12-15



Portions © 2004-2016 Kofax, 15211 Laguna Canyon Road, Irvine, California 92618, U.S.A. Portions © 2002-2006 Kofax Development GmbH. Portions © 1997-2006 Kofax Development UK Ltd. All Rights Reserved. Use is subject to license terms.

This product is protected by U.S. Patent Nos. 5,159,667 and 7,478,332.

Third-party software is copyrighted and licensed from Kofax's suppliers.

THIS SOFTWARE CONTAINS CONFIDENTIAL INFORMATION AND TRADE SECRETS OF KOFAX USE, DISCLOSURE OR REPRODUCTION IS PROHIBITED WITHOUT THE PRIOR EXPRESS WRITTEN PERMISSION OF KOFAX.

Kofax, the Kofax logo, Kofax product names, and Lexmark stated herein are trademarks or registered trademarks of Kofax and Lexmark in the U.S. and other countries. All other trademarks are the trademarks or registered trademarks of their respective owners.

U.S. Government Rights Commercial software. Government users are subject to the Kofax standard license agreement and applicable provisions of the FAR and its supplements.

You agree that you do not intend to and will not, directly or indirectly, export or transmit the Software or related documentation and technical data to any country to which such export or transmission is restricted by any applicable U.S. regulation or statute, without the prior written consent, if required, of the Bureau of Export Administration of the U.S. Department of Commerce, or such other governmental entity as may have jurisdiction over such export or transmission. You represent and warrant that you are not located in, under the control of, or a national or resident of any such country.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

This product includes iText Library - Copyright © 1999-2005 by Bruno Lowagie and Paulo Soares. The contents of iText Library are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>. Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

This product includes software developed by:

- Apache Software Foundation (<http://www.apache.org/>). Licensed under the Apache License, Versions 1.1 and 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-1.1> or <http://www.apache.org/licenses/LICENSE-2.0>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.
- Jean-Loup Gailly and Mark Adler - Copyright © 1995-2004.
- The JDOM Project (<http://www.jdom.org/>).
- Jaxen Project (<http://jaxen.org/>). Copyright © 2001 werken digital. All Rights Reserved.

Copyright © 2000 – 2006 The Legion Of The Bouncy Castle (<http://www.bouncycastle.org>)

All other third-party products or brands mentioned in this documentation are or may be trademarks or registered trademarks and are the property of their respective owners.

LibTiff.Net

Copyright © 2008-2012, Bit Miracle

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Bit Miracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL BIT MIRACLE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Table of Contents

About This Release	5
Version Information	5
System Requirements	5
New Features	5
Automated Actions	5
Support for the JBoss EAP Application Server	5
Support for SSL	6
User Authentication	6
WildFly or JBoss EAP Managed Domain	6
Changes in Behavior	7
AUSS: Everyone Profile Enhancements	7
Login and Logout Option	7
Manual Actions	7
End of Advisor Support	7
End of SAP Support	7
Resolved Issues	8
Product .xsl Did Not Display Complex Characters	8
MarkView Project Did Not Determine OrgID With Autocategorization	8
Permission Denied Error	8
Blank Document Properties in Documentum	8
MarkView Bar Code and Mail Gateway Did Not Support ODAC 12	8
Stale Data Error in Oracle E-Business Suite 12.2	9
Some Table Headers Not Localized	9
Viewer Failed If Green Text Annotation Contained Carriage Return	9
Kofax Transformation Modules: Oracle VendorID in the Validation Form	9
Kofax Transformation Modules: ValidateAll Procedure Enhancements	9
Kofax Transformation Modules: Runtime Error During Extraction	9
WorkItem Class Virtual Property VendorName	10
AP Invoice Follow-up Bar Code Did Not Generate	10

Chapter 1

About This Release

The release notes document contains late-breaking information about Kofax MarkView for Oracle E-Business Suite. Please read this document carefully, as it contains information that is not available in other documentation.

Version Information

Kofax MarkView 9.1.0 is identified by build number 9.1.0.0.60997. You can verify the build number as follows:

1. In `<distribution_directory>`, open `build-number.txt`, where `<distribution_directory>` is the location where you downloaded and extracted the MarkView installation files.
2. Verify that the version number is 9.1.0, and the build number is 60997.

System Requirements

The primary source of information about Kofax MarkView requirements and dependencies is the *Technical Specifications* document, which is available on the [Kofax website](#). The document is updated regularly, and we recommend that you review it carefully to ensure success with your Kofax MarkView product.

New Features

Automated Actions

MarkView for Accounts Payable includes the following Automated Actions configuration option that enables employees set up the system to automate some actions:

- Escalate: Automatically moves an invoice requiring attention from the employee who retrieved the invoice to the next person in the hierarchy for invoice processing when an invoice meets the configured criteria.
- Increase Priority: Automatically increases the priority of any invoice that has an associated MarkView document when an invoice meets the configured criteria.

Support for the JBoss EAP Application Server

Kofax MarkView 9.1.0 supports the JBoss Enterprise Application Platform (or JBoss EAP).

Manually set up your JBoss EAP server in standalone or domain mode. For more information, see the JBoss EAP documentation on the [WildFly website](#).

Support for SSL

To secure communication between processes and provide data integrity, we recommend that you enable Secure Sockets Layer (SSL).

SSL is disabled by default and SSL support is optional. To enable SSL, you must have a self-signed certificate or any other certificate received from the certificate authority. Follow the instructions in the *Kofax MarkView Installation Guide* or *Kofax MarkView Upgrade Guide*.

User Authentication

MarkView Authentication feature lets the system prevent unauthorized access. The MarkView administrator can configure one of the following supported authentication methods:

- Oracle E-Business Suite Authentication
- MarkView Internal Authentication
- Microsoft Active Directory
- Oracle Internet Directory
- General LDAP Server
- Custom Authentication

Kofax MarkView 9.1.0 also introduces new preferences that control authentication settings and methods. See the *Kofax MarkView Administrator's Guide, Volume 1* for information about configuring MarkView preferences.

Kofax MarkView 9.1.0 supports Kofax Analytics 1.1.0 for MarkView. Kofax Analytics 1.1.0 for MarkView is not compatible with the new authentication methods. Kofax MarkView 9.1.0 users can configure Kofax Analytics for MarkView users to use standard MarkView authentication.

WildFly or JBoss EAP Managed Domain

You can run the WildFly or JBoss EAP application servers in a domain mode. The domain mode provides a single point of control called the domain controller to run and manage a collection of servers.

WildFly or JBoss EAP instances running in the domain mode share the same domain controller. Within the domain controller, you can issue commands on all running WildFly or JBoss EAP instances.

Configure the domain mode in the domain.xml and host.xml files. In domain.xml, set up all the profiles and server groups. Use host.xml to configure all servers that belong to the server groups defined domain.xml.

Changes in Behavior

AUSS: Everyone Profile Enhancements

In Automated User Setup and Synchronization (AUSS), all AUSS Managed users will have the groups and roles associated with the Everyone Profile even if the Everyone Profile changes and if users are not members of Source System Groups.

The Everyone Profile applies to users if they have Active responsibilities mapped in AUSS, even when these responsibilities are disabled. The disabling of the mapped responsibilities does not interfere with the responsibilities granted in the Everyone Profile.

Login and Logout Option

Kofax MarkView 9.1.0 introduces the login page where a user must provide a user name and password for access. Use the **Logout** option to end all current MarkView sessions.

Manual Actions

In addition to the Increase Priority button in the MarkView Viewer panel, manual action buttons for the Escalate and Reassign actions are added.

End of Advisor Support

Kofax MarkView 9.1.0 no longer supports MarkView AP Advisor.

If you already have MarkView AP Advisor installed, you will not be able to continue using it. We recommend that you uninstall MarkView AP Advisor following the instructions in the *Kofax MarkView Upgrade Guide*.

As an alternative to MarkView AP Advisor, Kofax MarkView supports Kofax Analytics for MarkView that produces a graphical business intelligence dashboard based on near real-time data collected during the batch processing workflow.

End of SAP Support

Kofax MarkView 9.1.0 and later does not support interaction with the SAP enterprise resource planning system.

Chapter 2

Resolved Issues

This chapter lists issues that are resolved when you install Kofax MarkView 9.1.0.

Product .xsl Did Not Display Complex Characters

The default encoding in VendorSitesAll2tsv.xsl and other product .xsl files did not support some characters, such as Simplified Chinese characters. (711808)

MarkView Project Did Not Determine OrgID With Autocategorization

In the Kofax Transformation Modules validation fields, incorrect Organization ID was selected when using Autocategorization, which required manual intervention. (690691)

Permission Denied Error

After you successfully installed the WildFly application server by the MarkView installer on UNIX, `Permission Denied` error occurred when you ran `.sh` files. (663512)

Blank Document Properties in Documentum

If you use the MarkView integration with EMC Documentum on the WildFly application server, the document properties were blank. (662953)

MarkView Bar Code and Mail Gateway Did Not Support ODAC 12

During the configuration of Capture and Output components, MarkView Bar Code Server and Mail Gateway Server failed with errors when connecting to the database. (654792)

Stale Data Error in Oracle E-Business Suite 12.2

In Oracle E-Business Suite 12.2, when a user with the WebLogic application server created a supplier and clicked Get Next, the stale data error occurred after the Organization name was entered and applied. (652812)

Some Table Headers Not Localized

In non-English environments, some table headers in the list of contacts were not localized. (635071)

Viewer Failed If Green Text Annotation Contained Carriage Return

If a user placed a green text annotation containing a carriage return, the MarkView Viewer did not display the document. (579154)

Kofax Transformation Modules: Oracle VendorID in the Validation Form

The Vendor No field in the Kofax Transformation Modules validation form displayed Vendor ID instead of the Vendor Number value. (544504)

Kofax Transformation Modules: ValidateAll Procedure Enhancements

During the Kofax Transformation Modules validation, if a user validated fields after force validation of invalid fields, force validated fields became invalid again. (389785, 353897, 324155)

Kofax Transformation Modules: Runtime Error During Extraction

When running the attached image through the MarkView Kofax Transformation Modules project in Project Builder, the following error occurred if the string index was less than 3 characters:

```
Extraction failed because: Script execution has been stopped because of runtime error:  
Line 465, Offset 0, (10619) String index must be greater than or equal to one." (97733,  
91537)
```

WorkItem Class Virtual Property VendorName

In the MarkView Viewer, when a user opened a work item attached to an invoice with a vendor name exceeding 200 characters, the following Oracle EBS error occurred:

```
ORA-20814: Error evaluating 'Previously Entered Invoice' WorkItem class virtual  
property 'VendorName': ORA-06502: PL/SQL: numeric or value error: character string  
buffer too small. (91208)
```

AP Invoice Follow-up Bar Code Did Not Generate

In Oracle E-Business Suite, if a user generated an AP Invoice Follow-up bar code for a supplier with the name exceeding 200 characters, the following error occurred:

```
Exception encountered while executing MarkView PL/SQL procedure. Please contact your  
system administrator.
```

The maximum length was increased to 300. (90164)