

Kofax Reporting

2.0.2

Release Notes



© 2013 Kofax. All rights reserved.

Use is subject to license terms.

Third-party software is copyrighted and licensed from Kofax's suppliers.

THIS SOFTWARE CONTAINS CONFIDENTIAL INFORMATION AND TRADE SECRETS OF KOFAX. USE, DISCLOSURE OR REPRODUCTION IS PROHIBITED WITHOUT THE PRIOR EXPRESS WRITTEN PERMISSION OF KOFAX.

Kofax, the Kofax logo, and the Kofax product names stated herein are trademarks or registered trademarks of Kofax in the U.S. and other countries. All other trademarks are the trademarks or registered trademarks of their respective owners.

U.S. Government Rights Commercial software. Government users are subject to the Kofax standard license agreement and applicable provisions of the FAR and its supplements.

You agree that you do not intend to and will not, directly or indirectly, export or transmit the Software or related documentation and technical data to any country to which such export or transmission is restricted by any applicable U.S. regulation or statute, without the prior written consent, if required, of the Bureau of Export Administration of the U.S. Department of Commerce, or such other governmental entity as may have jurisdiction over such export or transmission. You represent and warrant that you are not located in, under the control of, or a national or resident of any such country.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Contents

About This Release	5
Version Information	5
New Features	5
Support for Kofax Products	5
Changes in Behavior	5
Database Upgrade	5
Resolved Issues	7
Installing Multiple WSA Silently and Local Ports	7
Known Issues	9
Restart ETL Agent in Case of Exception	9
Silent Installation of ETL Agent	9
NLB Port Control Feature Not Working	9
Exception When Another Application Ends Unexpectedly	9
Stopping ETL Agent May Take Several Minutes	10
Misleading Error in ETL Trace File	10
Antivirus and Firewall Conflict During WSA Installation	10
ETL Agent Timeout	10
WSA Storage Display Issue	11
Performance of Oracle Databases	11

About This Release

This set of release notes contains important information not included in other Kofax Reporting documentation.

Please read these notes carefully before you install, upgrade, or use this product.

Additional information on integrating Kofax Reporting with other Kofax applications can be found in the *Kofax Product Support for Kofax Reporting* document, available from the support area of the Kofax Web site www.kofax.com.

Version Information

The Kofax Reporting 2.0.2 release has the following build number, which appears in the About Kofax Reporting window: 2.0.2.0.510.

New Features

This section gives a summary of each feature that is new to Kofax Reporting.

Support for Kofax Products

New with Kofax Reporting 2.0.2:

- Kofax TotalAgility 7.0.2

Changes in Behavior

This section describes product behavior that differs from previous versions of Kofax Reporting.

Database Upgrade

Kofax Reporting 2.0.2 includes multiple sets of database upgrade scripts in the folder `<programs>\Kofax\Reporting\Database Scripts`. Use the scripts that apply to your current version of Kofax Reporting. For example, if you are upgrading from version 2.0.0 to version 2.0.2, use the scripts in the folder `Upgrade 2.0.0-2.0.2`.

Resolved Issues

This section contains information about important issues resolved in this release of Kofax Reporting 2.0.2.

Installing Multiple WSA Silently and Local Ports

When silently installing multiple instances of the WSA Receiver, the LOCAL_PORT command line parameter is ignored. (SPR00267411)

Known Issues

This section contains information about potential issues that you could encounter while using Kofax Reporting.

Restart ETL Agent in Case of Exception

In high load situations the ETL agent occasionally ends with an error: (284104)

```
System.NullReferenceException: Object reference not set to an instance of an object.
```

Other errors can occur in similar situations.

Workaround: Restart the ETL Agent. Data integrity is not affected in any way: operation will be rolled back upon the error, and data processing will start anew after the service is restarted.

Silent Installation of ETL Agent

Installing the second instance of the ETL Agent in silent mode fails unless you specify the service name in the command line. (292784)

Workaround: Specify the command line parameter SERVICE_NAME when installing the second instance of the product, for example:

```
setup.exe TRANSFORMS=:Instance2 MSINNEWINSTANCE=1 SERVICE_MODE="ETLAgent2"  
INSTALLDIR="C:\Program Files (x86)\Kofax\Reporting\ETLAgent2" /quiet
```

NLB Port Control Feature Not Working

The Windows NLB Port Control feature of Kofax Reporting is not working properly. For example, when the WSA Receiver is stopped manually on the second NLB node, the port control feature fails to notice that and does not disable the configured NLB port automatically. Windows NLB still works correctly when the entire node goes down. (SPR00093026)

Exception When Another Application Ends Unexpectedly

When multiple Kofax application processes run on the same computer and one of the processes ends unexpectedly while WSA Sender is not available, the other processes might end as well with an exception (read or write protected memory). This is an error in Microsoft SQL CE 4.0. Refer to MS Support Request 112021740670188. (SPR00092765)

Stopping ETL Agent May Take Several Minutes

If you attempt to stop the ETL Agent service when the service is busy (e.g., performing complex database operations), it may take several minutes until the service is stopped safely. You can ignore the warning message that says the service cannot be stopped in a timely fashion. (SPR00091858)

Also, when using Microsoft SQL Server 2012, the Visual Studio Just-In-Time debugger window may appear. You can safely close this window.

Misleading Error in ETL Trace File

When you stop the WSA Receiver service while communicating with the ETL Agent, an incorrect error message is occasionally written to the ETL Agent trace file and event log. The message is “There is an error in XML document”; while the proper error would say, for example, “WSA not reachable.” (SPR00092332)

Antivirus and Firewall Conflict During WSA Installation

Sophos Endpoint Security, Control 10.0, and other antivirus and firewall applications are known to cause problems during installation of WSA, resulting in errors such as “Kofax Services Architecture Process has stopped working.” (SPR00113675)

Workaround: Temporarily disable Sophos and any other antivirus or firewall applications before installing WSA.

- 1 Navigate to <Sophos>\Sophos Anti-Virus\Web Intelligence.
<Sophos> is the folder where the Sophos antivirus software is installed.
- 2 Run the following command: `swi_lsp32_util.exe -u -d swi_ifslsp.dll`

ETL Agent Timeout

When the warehouse database performs a time-consuming operation, the ETL Agent occasionally fails to connect to the database and ends with an exception due to timeout. (SPR00119127)

Workaround: Configure the ETL Agent:

- 1 Start Configuration from the Kofax Reporting group in the Windows Start menu.
- 2 Click **Open** on the Home tab.
- 3 Navigate to the folder where configuration is stored, select the folder and click **OK**.
- 4 Click **ETL Settings** in the Kofax Reporting pane to display the ETL Agent configuration settings.
- 5 Set **Wait time between jobs (minutes)** to 30.
- 6 Click **Save** on the Home tab to save the configuration.
- 7 Open the file `Kofax.Reporting.ETLAgent.exe.config` from the folder `%Program Files%\Kofax\Reporting\ETLAgent` with a text editor.
- 8 Decrease the value of `MaxMQ2StagingIterationsNum` from the default 10 to 5 or less.
- 9 Decrease the value of `WSABatchSize` from the default 10000 to 2000 - 5000.
- 10 Save the changes and close the file.

11 Restart the ETL Agent service to make the changes effective.

If the problem persists, use the minimum values: MaxMQ2StagingIterationsNum = 1, WSABatchSize=500(1000), Wait time between jobs = 1 minute.

WSA Storage Display Issue

Rarely, messages (reporting data) arriving via IBM message queue are displayed as if they arrived via the Microsoft message queue in the WSA storage. This is a display issue and it does not negatively affect reporting data. (SPR00093589)

Performance of Oracle Databases

Unless optimizer statistics are available in the database, you may not experience optimal performance while using Oracle databases.

Workaround: Ensure optimal performance by implementing the guidelines for managing optimizer statistics for Oracle 11g databases, as described here:

http://docs.oracle.com/cd/B28359_01/server.111/b28274/stats.htm.

